

1
2
3
4

5
6
7
8

Mathematics Framework
Chapter 6 Mathematics: Investigating and Connecting,
Transitional Kindergarten through Grade Five

Second Field Review Draft

9	Mathematics Framework Chapter 6 Mathematics: Investigating and Connecting,	
10	Transitional Kindergarten through Grade Five	1
11	Why investigating and connecting mathematics?	3
12	Vignette: Comparing Numbers and Place Value Relationships – Grade Four,	
13	Integrated English Language Development (Integrated ELD)	5
14	Mathematics: Investigating and Connecting, Transitional Kindergarten Through Grade	
15	Two	14
16	Content Connections	20
17	CC1: Communicating Stories with Data	23
18	CC2: Exploring Changing Quantities	24
19	CC3: Taking Wholes Apart, Putting Parts Together	34
20	CC4: Discovering Shape and Space	38
21	Vignette: Alex Builds Numbers with a Partner (a two-day lesson)	41
22	Mathematics: Investigating and Connecting, Grades Three through Five	53
23	Driving Investigation and Making Connections, Grades Three through Five	58
24	Content Connections, Grades Three Through Five	62
25	CC1: Communicating stories with data	62
26	CC2: Exploring changing quantities	70
27	CC3: Taking Wholes Apart and Putting Parts Together – Whole Numbers	82
28	CC3: Taking Wholes Apart and Putting Parts Together – Fractions	98
29	Understanding fractions as numbers; equivalence, and ordering fractions	99
30	Understanding decimal notation for fractions, and comparing decimal fractions	
31		109
32	CC 4: Discovering Shape and Space	119
33	Vignette: Santikone Builds Rectangles to Find Area	129
34	Critical Areas of Instructional Focus for Grades Three Through Five	135
35	Transition from Transitional Kindergarten Through Grade Five to Grades Six Through	
36	Eight	144
37	How does learning in transitional kindergarten through grade five lead to success in	
38	grades six through eight when students communicate stories told by data?	144

39	How does learning in grades transitional kindergarten through grade five lead to	
40	success in grades six through eight when students are exploring changing	
41	quantities?	144
42	How does learning in grades transitional kindergarten through grade five lead to	
43	success in grades six through eight when students are taking numbers apart,	
44	putting parts together, representing thinking, and using strategies?	145
45	How does learning in grades transitional kindergarten through grade five lead to	
46	success in grades six through eight when students are discovering shape and	
47	space?	145
48	Conclusion	146

49

50 **Note to reader:** The use of the non-binary, singular pronouns *they*, *them*, *their*, *theirs*,
51 *themselves*, and *themselves* in this framework is intentional.

52 **Why investigating and connecting mathematics?**

53 The goal of the California Common Core State Standards for Mathematics (CA
54 CCSSM) at every grade is for students to make sense of mathematics. To achieve this
55 in transitional kindergarten (TK) through grade five, students must experience rich
56 mathematical investigations that offer frequent opportunities for students to engage with
57 one another in connecting big ideas in mathematics.

58 Frequent opportunities for mathematical discourse, like implementing math talks, create
59 a climate for mathematical investigations, which promote understanding (Sfard, 2007),
60 language for communicating (Moschkovich, 1999) about mathematics, and
61 mathematical identities (Langer-Osuna and Esmonde, 2017). Mathematical discourse
62 can center student thinking on tasks like offering, explaining, and justifying
63 mathematical ideas and strategies, as well as attend to, make sense of, and respond to
64 the mathematical ideas of others. Mathematical discourse includes communicating
65 about mathematics with words, gestures, drawings, manipulatives, representations,
66 symbols, and other tools that make sense to and are helpful for learning. In the early
67 grades, students might, for example, explore geometric shapes, investigate ways to

68 compose and decompose them, and reason with peers about attributes of objects.
69 Teachers' orchestration of mathematical discussions (see Stein and Smith, 2011)
70 involves modeling mathematical thinking and communication, noticing and naming
71 students' mathematical strategies, and orienting students to one another's ideas.

72 Opportunities for mathematical discourse can emerge throughout the school day, even
73 for the youngest learners. Pencils are regularly needed at each table of students (How
74 many at each table? What is the total number of pencils needed?). More milk cartons
75 are needed from the cafeteria (How many more?). Other questions arise: How many
76 minutes before lunch time? How can you tell? How many more cotton balls are needed
77 for this activity? How do you know? Solving these and other problems in classroom
78 conversation allows children to see how mathematics is an indelible aspect of daily
79 living. As students progress through the elementary and into the middle grades,
80 authentic opportunities for mathematical discourse increase and deepen. Engaging and
81 meaningful mathematical activities (described in Chapter 2) encourage students to
82 explore and make sense of number, data, and space, and to think mathematically about
83 the world around them. Teachers can support their students' development of positive
84 mathematical identities by acknowledging the ways identities influence their
85 investigations of mathematics. Through structured classroom discourse, teachers can
86 foster the development of positive mathematical identities by acknowledging students'
87 histories and cultural backgrounds.

88 Equitable instruction also means that students are ensured access to rich mathematics
89 and are well prepared for the pathways they choose. Tracking—which often manifests
90 as early as the elementary grades—can occur through the practice of ability grouping
91 and limiting options for students by restricting development. Instead, teachers should
92 focus on heterogeneous grouping (see Complex Instruction, Cohen and Lotan, 1997;
93 Featherstone et al., 2011), as well as guidance throughout this document to support the
94 participation of all learners in rich mathematical activity.

95 The grade-four vignette that follows, influenced by research about supporting
96 linguistically and culturally diverse English learners in mathematical activities, highlights

97 ways that teachers can build on students' existing knowledge and support their
98 developing understandings.

99 ***Vignette: Comparing Numbers and Place Value Relationships – Grade Four,***
100 ***Integrated English Language Development (Integrated ELD)***

101 Source: Tulare County Office of Education under the Creative Commons Attribution-
102 Non Commercial-Share Alike 4.0 International License.

103 **Background:** Mrs. Verners' 30 fourth graders have been learning about place value
104 during the first few weeks of the school year and are approaching the end of the unit.
105 The lessons and math routines focused students on grade-level standards for Number
106 and Operations in Base Ten focused on place value. The task will be one of their first
107 experiences within a larger task focused on the same concepts. The design relies on
108 independent and collaborative work.

109 The class is comprised predominantly of Latinx students, and over half of the students
110 are linguistically and culturally diverse learners (identified as English learners at each of
111 the Emerging, Expanding, and Bridging levels.) Two students in the class have
112 identified learning disabilities. The fourth-grade team of teachers at this school meets
113 weekly to discuss and plan their math lessons, discussing instructional strategies and
114 resources that they are using to ensure all students feel supported accessing and
115 understanding the content. Before this lesson, the teacher used her designated-ELD
116 time to preview and practice the discourse of "compare and contrast" in a mathematical
117 context (i.e., more than, less than, equal to, greater than, how many more, how many
118 times more) to give English learners the language support needed to participate in the
119 lesson (ELD.PI.4.1).

120 **Lesson Context:** Daily lessons and classroom routines have focused on place value.
121 Students know how to identify the place value of given digits, and they write numbers in
122 standard, word, and expanded form. Students compare numbers using their
123 understanding of place value and inequality symbols. They have had some experiences
124 describing these comparisons orally and in writing. Mrs. Verners is working to develop

125 student understanding of how the places within the place value system are related
126 through multiplying and dividing by ten. Students have analyzed the relationship
127 between the value of a digit in two locations within a number. For instance, they
128 understand that in the number 5,500, the 5 in the thousands place is ten times greater
129 than the 5 in the hundreds place. In this task, they will explore the relationship between
130 values of a common digit as they compare several different numbers.

131 Mrs. Verners designed the lesson to provide students the opportunities to apply what
132 they have learned about the relationships within the base ten place value system and
133 comparing numbers within the context of a real-world situation. Students initially engage
134 with the content independently, then meet in small groups to collaborate. The strategy
135 with the groupwork is to use a sharing of ideas to deepen student understanding of the
136 relationship between the value of a digit located in different places within numbers. The
137 previous lessons helped students establish a foundation through focused attention on
138 place value concepts. Mrs. Verners and her grade-level team created opportunities to
139 develop background knowledge regarding the places described within the task before
140 beginning the math portion. The teachers decided to integrate a map and introductory
141 activity during social studies to start a discussion and identify the location within the task
142 on the map. The learning target and clusters of the CA CCSSM and California English
143 Language Development Standards (CA ELD Standards) in focus for today's lesson are
144 listed below.

145 **Learning Targets:** The students will organize fourth grade population data for different
146 locations across the United States in order to compare and describe the relationships
147 between the values of digits within the number.

148 CA CCSSM:

- 149 • 4.NBT.1 - Recognize that in a multi-digit whole number, a digit in one place
150 represents ten times what it represents in the place to its right. For example,
151 recognize that $700/70 = 10$ by applying concepts of place value and division;
- 152 • 4.NBT.2 - Read and write multi-digit whole numbers using base-ten numerals,
153 number names, and expanded form. Compare two multi-digit numbers based

154 on meanings of the digits in each place, using $>$, $=$, and $<$ symbols to record
155 the results of comparisons;

156 • 4.OA.1 - Interpret a multiplication equation as a comparison, e.g., interpret
157 $35=5 \times 7$ as a statement that 35 is 5 times as many as 7 and 7 times as many
158 as 5. Represent verbal statements of multiplicative comparisons as
159 multiplication equations;

160 • 4.OA.2 - Multiply or divide to solve word problems involving multiplicative
161 comparison, e.g., by using drawings and equations with a symbol for the
162 unknown number to represent the problem, distinguishing multiplicative
163 comparison from additive comparison;

164 • SMP.1 - Make sense of problems and persevere in solving them;

165 • SMP.7 - Look for and make use of structure.

166 CA ELD Standards (Expanding):

167 • ELD.PI.4.1 - Exchanging information and ideas with others through oral
168 collaborative discussions on a range of social and academic topics;

169 • ELD.PI.4.10 - Writing literary and informational texts to present, describe, and
170 explain ideas and information.

171 **Task:** There are almost 40,000 fourth graders in Mississippi and almost 400,000 fourth
172 graders in Texas. There are almost 4 million fourth graders in the United States.

173 • We write 4 million as 4,000,000. There are about 4,000 fourth graders in
174 Washington, DC. Use the approximate populations given to solve.

175 a. How many times more fourth graders are there in Texas than in Mississippi?

176 b. How many times more fourth graders are there in the United States than in
177 Texas?

178 c. How many times more fourth graders are there in the United States than in
179 Washington, DC?

180 (Source: Illustrative Mathematics, 2016a)

181 **Lesson Excerpts**

182 **Day 1:** During social studies, Mrs. Verners introduces the math task to her students,
183 introducing the idea of exploring populations in different locations in the United States.
184 She gives students the task handout that includes a map of the US and asks students to
185 identify their home state. She refers to a copy of the map under the document camera
186 to serve as a visual. Students discuss with their small groups and share their ideas with
187 the whole class. She asks students to shade California yellow.

188 Next, she asks them to discuss their location in California. Mrs. Verners models how to
189 place a dot to represent their city in its approximate location. She reminds students of
190 the key included on the handout, clarifying that “key” is a multiple-meaning word and
191 asks students if they know of another way this word is used. Mrs. Verners makes a
192 connection between a key, like a house key, and the key on their map, which is used to
193 help you understand the symbols and colors used on the map. The conversation
194 continues and she helps students to identify the United States, Texas, Mississippi, and
195 Washington, DC on the map and represent them on the key. Mrs. Verners tells her
196 students that the map will be used for the next day’s math lesson.

197 **Day 2:** Mrs. Verners launches the math lesson through a three-read activity (San
198 Francisco Unified School District, 2015). She first asks students to make sense of the
199 context with one another, revisiting the map and telling students that they will be talking
200 about approximate populations of fourth graders in these different locations. She asks
201 the students to use personal whiteboard to write synonyms for “estimate” or
202 “approximate.” Informed by a quick formative check where students show their
203 whiteboards, Mrs. Verners asks for students to share with their partner their words,
204 highlighting some of the examples she hears on the whiteboard at the front of the
205 classroom. Mrs. Verners says that these words (pointing to her list on the whiteboard)
206 are synonyms that mean about or close to. She explains that when we use numbers are
207 not exact, we sometimes use the words almost or about to say that these numbers are
208 estimates or approximations. She says that the English word “approximate” is
209 “aproximado” in Spanish, and asks, “Quien sabe otras palabras matemáticas que se
210 oyen igual o similar en ingles?” (Who knows other math words that sound similar in

211 English?) Possible student answers: “Estimado” (estimate), “Angulo” (angle), and
212 “Linea” (line). This reference to cognates supports linguistic development in the
213 Spanish-speaking EL students by using their primary language as an asset to learn
214 English. Mrs. Verner adds these words to the math cognate chart that posted in the,
215 classroom to both elevate the value of home language and to make cross-language
216 connections that accelerate English language proficiency.

217 Next, she asks students to reason with each other about relevant quantities. Mrs.
218 Verners asks the students to estimate the number of fourth-grade students at their
219 school. Students make individual estimates and records them on their individual
220 whiteboards. Students share their estimates with a partner and justify how they decided
221 on their particular estimate. She lists seven estimates on the whiteboard and asks
222 students to discuss the estimates with their small groups to determine if all the
223 estimates are reasonable (make sense) or not and why. Mrs. Verners asks two groups
224 to share their thinking with the class. The explanations are similar; both state that 300 is
225 an unreasonable estimate because they have three classes of fourth graders and each
226 class about 30 students, not 100 students to make 300. She tells the class that they just
227 estimated the population of fourth graders at their school and that today they will be
228 using the approximate populations of fourth graders of the locations they marked on
229 their map the previous day.

230 She asks the class to discuss with their partners what they think population means.
231 Mrs. Verners reminded the class to use (if needed) their sentence starters. Mrs.
232 Verners models the use of the “I think that...because” sentence starter as one way to
233 begin describing the meaning of population to a partner. She circulates to listen to
234 student conversations and then asks several students to share.

235 **Sample Sentence Starters:**

- 236 • I think that...because
- 237 • I notice that...
- 238 • I agree with...
- 239 • I want to add to what...said.

240 • I respectfully disagree; I think...

241 Mrs. Verners: As I listened to you talk with your partners, I heard different
242 ideas about what a population is. Who would like to share what
243 you and your partner discussed? Alex.

244 Alex: I think population is like the amount of people in a state.

245 Sara: I think it could be a city too.

246 Mrs. Verners: Would anyone like to add on to what Alex or Sara said? Yes,
247 Maria.

248 Maria: So, the population is the amount of people in a city or state.

249 Mrs. Verners: Yes, for this task we are going to think about the population as
250 the number of people in a given location such as a city, state, or
251 country.

252 Mrs. Verners then asks students to turn to one another and reason about what
253 mathematical questions they might ask about populations. Once they have shared
254 ideas, Mrs. Verners tells the students that they will be looking at the population of fourth
255 grade students in the different locations, the places they identified on their maps. She
256 tells the students that she going to read the task aloud and wants the students to listen
257 carefully and point to each location on the map when she reads it in the task. In line with
258 the 3-read protocol familiar to the students, students are asked to reread the task
259 silently, underlining or circling important ideas in the task to help them make sense of
260 what they are reading. Students take turns sharing something that they underlined or
261 circled with their small group. Although teachers cannot assume that all students are
262 able to read in their home language, translations of the task are provided.

263 Next, students are asked to individually complete the data table by writing the fourth-
264 grade population of each location using digits in standard form in order to organize the
265 population data that they were given in the task. Mrs. Verners explains that “table” is a
266 multiple-meaning word. She explains that there are different types of tables. In math,
267 tables are used to record information and organize data. She shows students the t-table

268 on their task handout and says that this is an example of a table used in math. After
269 asking her students to begin working independently, Mrs. Verners asks for several of
270 her students to meet her at her small group table. Here, she works with her English
271 learners to collaboratively complete the t-table. She facilitates the conversation using
272 the following types of questions:

- 273 • Where can you find the population of each location in the text? How is the
274 population written?
- 275 • How can we rewrite the populations from word form to standard form?
- 276 • What are the digits in this number? What digits do we use in our base ten
277 number system?
- 278 • What do you notice about the location of the digit 4 in the numbers in your
279 table? What does the location of the digit 4 tell you about its value?

280 After working together to discuss and create their data tables, the teacher excuses her
281 small group to return to their seats. Mrs. Verners brings the class back together and
282 describes how they will work with their small group during the next portion of the task to
283 answer several questions comparing the population of fourth graders in the different
284 locations and explaining these comparisons in writing.

285 Mrs. Verners poses the question, “How many times greater is [blank] than [blank]? She
286 orchestrates discussion about the difference between additive comparisons and
287 multiplicative comparisons. She then shows the class two sentence frames that she has
288 written on the board and reads them to the class, and tells them that they may use
289 these frames as they are writing or they may create sentences on their own. Her
290 sentence frames are:

- 291 • The number of fourth grades in [blank] is [blank] times as many as the fourth
292 graders in [blank].
- 293 • There are [blank] times as many fourth graders in [blank] than [blank].

294 Students are asked to complete a and b collaboratively with their group, saving c to
295 complete on their own so that Mrs. Verners can use this information to check the
296 level of student understanding:

- 297 a. How many times more fourth graders are there in Texas than in Mississippi?
- 298 b. How many times more fourth graders are there in the United States than in Texas?
- 299 c. How many times more fourth graders are there in the United States than in
300 Washington, DC?

301 The teacher circulates as students are working in small groups and ask questions to
302 support and extend student thinking. She has the following questions at the ready,
303 alternating as necessary based on the status of the discussion:

- 304 • What do you notice about the numbers/populations listed in your table?
- 305 • What relationship do you notice between these numbers?
- 306 • Do you notice a pattern in the place value of the digit 4?
- 307 • What tools might help you as you're trying to represent the place value of the
308 4 in each of these numbers? (base ten blocks, place value chart, etc.)
- 309 • How would you describe the relationship between the digit 4 in these numbers?
- 310 • You noticed that each place value is $\times 10$ from the place before it. How might
311 you find the relationship between 4,000 and 4,000,000?

312 Mrs. Verners selects three groups to share their explanation from question a. Within
313 each group, she selects one student to represent the group and present to the whole
314 class. She considers students that have recently presented and intentionally selects
315 students who have not had an opportunity to present their thinking to the whole class
316 recently, preparing them beforehand so they can plan how they will share. While
317 circulating around the room, she also continues efforts to support their class norm that
318 all students have good math ideas and selects students that represent a range of
319 strategies. Mrs. Verners asks the students who have been selected to practice what
320 they will say to their table groups before presenting in front the whole class. After the

321 students share their group's explanation, Mrs. Verners asks questions to deepen
322 student understanding and make connections between the different explanations that
323 were presented. Next, she asks all students to reread their explanations in part a and
324 provides them time to add on to their explanation to make it stronger or to revise their
325 thinking.

326 Mrs. Verners asks the students to think about the explanations they have heard and
327 practice with their partner. She asks them to use what they have learned from their
328 work on parts a and b the task to complete part c independently. She tells the students
329 that she is interested in looking at their work and reading their writing in part c so that
330 she can learn about what students understand about comparing numbers. Students
331 write their explanations independently.

332 **Teacher Reflection and Next Steps:** Mrs. Verners collects the student work and
333 reviews their independent work and explanation from part c. As she reads, she analyzes
334 whether or not students were able to generalize their place value understanding to
335 describe the relationship between the digit 4 in the population of fourth graders in
336 Washington DC, and the United States. Students have had experience describing the
337 relationship between a digit in a given place value and the place to its right or left;
338 however, this question asks them to describe the relationship of a digit three places to
339 the left. As Mrs. Verners analyzes the student work, she discovers that while the
340 majority of her students understand and are able to describe these place value
341 relationships, a small group of students are struggling to express their thoughts in
342 writing. This small group contains students with a range of needs, including linguistically
343 and culturally diverse English learners (two designated as Emerging ELs, one
344 Expanding EL), one student with a learning disability, and two students that she has
345 noticed are struggling with place value concepts. She decides that she will work with
346 these students in small groups the following day to determine if they are having trouble
347 with the concept or if they are having difficulty using writing to explain their thinking.
348 Mrs. Verners sees that students were able to deepen their understanding of place value
349 relationships through the use of this task and decides that she would like to give the
350 students the opportunity to engage in another task to further develop these concepts

351 before the end of the place value unit.

352 In the context of California schools, the phrase “all students” is inclusive of all groups,
353 including students from a range of diverse linguistic and cultural backgrounds and
354 learning needs. **Linguistically and culturally diverse students** who are learning
355 English face a dual challenge in English-only settings as they endeavor to acquire
356 mathematics content and the language of instruction simultaneously. Teachers can
357 support their progress, in part, by drawing on students’ existing linguistic and
358 communicative ability and making language resources available, particularly during
359 small group work. The ability for the child to use their home language in these early
360 years can ensure they are able to express their knowledge and thinking and not be
361 limited by their level of English proficiency. Teachers can also highlight specific
362 vocabulary as it arises in context or **revoice** students’ mathematical contribution in more
363 formal terms, describing how the precise mathematical meaning might differ from the
364 common use of the same word (e.g., words like “yard,” “difference,” or “area”). All
365 students, including students with learning differences, will benefit from these and similar
366 attentions during whole class, small group/partner, or independent work periods.
367 Additional discussion of equity-based shifts in the teacher’s role is found in Chapter 2.

368 **Mathematics: Investigating and Connecting, Transitional** 369 **Kindergarten Through Grade Two**

370 Young learners come to school with a rich set of mathematical knowledge and
371 experiences. Starting from infancy and into the toddler years, children develop a
372 knowledge base about mathematics. Infancy research shows that babies demonstrate
373 an understanding about number essentially from birth (National Research Council,
374 2001). Some infants and most young children show that they can understand and
375 perform simple addition and subtraction by at least three years of age, often using
376 objects (National Research Council, 2001). These studies suggest that children enter
377 the world prepared to notice and engage in it quantitatively.

378 In the early grades, students spend much of their time exploring, representing, and
379 comparing whole numbers with a range of different kinds of manipulatives. For a

380 student who is interested in dinosaurs, the opportunity to sort pictures or toy stand-ins of
381 the dinosaurs into herbivores and carnivores (or other interesting attributes) and then
382 counting the number of dinosaurs in each category may be a highly engaging activity.
383 Some students enjoy the challenge of recreating structures with building blocks that
384 connect or snap together, or erecting with magnetic builders. Students might create a
385 structure that other students duplicate, describe, and analyze.

386 Finally, nurturing of students' mathematical explorations may create a classroom
387 atmosphere where students believe they can solve problems and learn engaging new
388 concepts. Discovering repeating digits in a hundreds chart can be powerful for a young
389 student and spark new curiosities about numbers that can be investigated. Students
390 might also be astonished to realize that one added to any whole number equals the next
391 number in the counting sequence. Activities like these nurture students' interest and
392 encourage future mathematical investigations.

393 Mathematics in the early elementary grades is rooted in exploration and discovery that
394 build on and develop this early knowledge base. The CA CCSSM offer guidelines¹ for
395 both what mathematics topics are considered essential to learn and how young
396 mathematicians should engage in the discipline through the practices (Standards for
397 Mathematical Practice, or SMPs). The SMPs are central to the mathematics classroom
398 and teachers should be intentional about teaching mathematical content through the
399 SMPs. From the earliest grades, mathematics involves making sense of and working
400 through problems. In kindergarten, first, and second grades, students begin to build the
401 understanding that doing mathematics involves solving problems, as well as discussing
402 how they solved them through a range of approaches. Young students also reason
403 abstractly and quantitatively. They begin to recognize that a number represents a
404 specific quantity and connect the quantity to written symbols. For example, a student
405 may write the numeral 11 to represent an amount of objects counted, select the correct
406 number card 17 to follow 16 on a calendar, or build two piles of counters to compare

¹ Unlike kindergarten and beyond, transitional kindergarten does not have grade-specific content standards. Therefore, the guidelines in this chapter draw from the California Preschool Learning Foundations (for children at age 60 months).

407 amounts of 5 and 8. In addition, young students begin to draw pictures, manipulate
408 objects, or use diagrams or charts to express quantitative ideas.

409 Modeling and representing is central to students' early experiences with mathematizing
410 their world. In early grades, students begin to represent problem situations in multiple
411 ways—by using numbers, objects, words, or mathematical language; acting out the
412 situation; making a chart or list; drawing pictures; or creating equations, and so forth.
413 While students should be able to adopt these representations as needed, they need
414 opportunities to connect the different representations and explain the connections. For
415 example, a student may use cubes or tiles to show the different number pairs for five, or
416 place three objects on a 10-frame and then determine how many more are needed to
417 “make a 10.” Students rely on manipulatives and other visual and concrete
418 representations while solving tasks and record an answer with a drawing or equation.
419 Students need to be encouraged to answer questions such as, “How do you know?”
420 which reinforces their reasoning and understanding and helps students develop
421 mathematical language.

422 What is a Model?

423 Modeling, as used in the CA CCSSM, is primarily about using mathematics to describe
424 the world. In elementary mathematics, a model might be a representation such as a
425 math drawing or a situation equation (operations and algebraic thinking), line plot,
426 picture graph, or bar graph (measurement), or building made of blocks (geometry). In
427 grades six through seven, a model could be a table or plotted line (ratio and proportional
428 reasoning) or box plot, scatter plot, or histogram (statistics and probability). In grade
429 eight, students begin to use functions to model relationships between quantities. In high
430 school, modeling becomes more complex, building on what students have learned in
431 kindergarten through grade eight. Representations such as tables or scatter plots are
432 often intermediate steps rather than the models themselves. The same representations
433 and concrete objects used as models of real-life situations are used to understand
434 mathematical or statistical concepts. The use of representations and physical objects to
435 understand mathematics is sometimes referred to as “modeling mathematics,” and the

436 associated representations and objects are sometimes called “models.”

437 Source: The University of Arizona (n.d.).

438 Students in the early grades must have frequent opportunities for mathematical
439 discourse, including opportunities to construct mathematical arguments and attend to,
440 make sense of, and critique the reasoning of others (SMP.3). Young students begin to
441 develop their mathematical communication skills as they participate in mathematical
442 discussions involving questions such as, “How did you get that?” and, “Why is that
443 true?” They explain their thinking to others and respond to others’ thinking. Students
444 can learn to adopt and use these types of questions. For example, sentence frames or
445 charts that teacher can refer to on the wall—especially if they reflect work generated by
446 the class—would be helpful in building activities that support long-term engagement
447 with mathematics. These language support tools are effective for all students and are
448 especially important for English Learners. In activities like Compare and Connect
449 (Stanford University, 2017), students compare two mathematical representations (e.g.,
450 place value blocks, number line, numeral, words, fraction blocks) or two methods (e.g.,
451 counting up by fives, going up to 30 and then coming back down three more). In this
452 activity, teachers might ask the following:

- 453 ● Why did these two different-looking strategies lead to the same results?
- 454 ● How do these two different-looking visuals represent the same idea?
- 455 ● Why did these two similar-looking strategies lead to different results?
- 456 ● How do these two similar-looking visuals represent different ideas?

457 In another activity, Critique, Correct, Clarify (Stanford University, 2017) , students are
458 provided with ambiguous or incomplete mathematical arguments (e.g., “two hundreds is
459 more than 25 tens because hundreds are bigger than tens”) asked to practice
460 respectfully making sense of, critiquing, and suggesting revisions together.

461 As students engage in mathematical discourse, they begin to develop the ability to
462 reason and analyze situations as they consider questions such as, “Do you think that
463 would happen all the time?” and, “I wonder why...?” These questions drive

464 mathematical investigations. Students construct arguments not only with words, but also
465 using concrete referents, such as objects, pictures, drawings, and actions. They listen to
466 one another's arguments, decide if the explanations make sense, and ask appropriate
467 questions. For example, to solve $74 - 18$, students might use a variety of strategies to
468 discuss and critique each other's reasoning and strategies. The process of using
469 student discussion and argumentation to drive learning is explored further in Chapter 4.

470 Through experiences with math centers, collaborative tasks, and other rich, open-ended
471 activities, young learners understand ways to use appropriate tools purposefully and
472 strategically. Younger students begin to consider tools available to them when solving a
473 mathematical problem and decide when certain tools might be helpful. In environments
474 that support this, a kindergartner may decide to use available linking cubes to represent
475 two quantities and then compare the two representations side by side—or, later, make
476 math drawings of the quantities. In grade two, while measuring the length of the
477 hallway, students are able to explain why a yardstick is more appropriate to use than a
478 ruler. A student decides which tools may be helpful to use depending on the problem or
479 task and explain why they use particular mathematical tools. Students use tools such as
480 counters, place-value (base-ten) blocks, hundreds number boards, concrete geometric
481 shapes (e.g., pattern blocks or three-dimensional solids), and virtual representations to
482 support conceptual understanding and mathematical thinking. Students should be
483 encouraged to reflect on and answer questions such as, "Why was it helpful to use?"

484 From early on, children look for and make use of mathematical structure. For instance,
485 students recognize that $3 + 2 = 5$ and $2 + 3 = 5$. Students use counting strategies—such
486 as counting on, counting all, or taking away—to build fluency with facts to 5. Students
487 notice the written pattern in the "teen" numbers—that the numbers start with 1
488 (representing one 10) and end with the number of additional ones. While decomposing
489 two-digit numbers, students realize that any two-digit number can be broken up into
490 tens and ones (e.g., $35 = 30 + 5$, $76 = 70 + 6$). They use structure to understand
491 subtraction as an unknown addend problem (e.g., $50 - 33 =$ [blank] can be written as 33
492 $+$ [blank] $= 50$ and can be thought of as, "How much more do I need to add to 33 to get
493 to 50?"). Children also thrive when they have opportunities to look for and express

494 regularity in repeated reasoning. In the early grades, students notice repetitive actions
495 in counting, computations, and mathematical tasks. For example, the next number in a
496 counting sequence is one more when counting by ones and 10 more when counting by
497 tens (or one more group of 10). Students should be encouraged to answer questions
498 based on, “What would happen if ...?” and “There are 8 crayons in the box. Some are
499 red and some are blue. How many of each could there be?” Kindergarten students
500 realize eight crayons could include four of each color ($8 = 4 + 4$), 5 of one color and 3 of
501 another ($8 = 5 + 3$), and so on. Grade-one students might add three one-digit numbers
502 by using strategies such as “make a ten” or doubles. Students recognize when and how
503 to use strategies to solve similar problems. For example, when evaluating $8 + 7 + 2$, a
504 student may say, “I know that 8 and 2 equals 10, then I add 7 to get to 17. It helps if I
505 can make a ten out of two numbers when I start.” The process of using student
506 discussion and argumentation to drive learning is explored further in Chapter 4.

507 Students may arrive to the early elementary grades with unfinished learning from
508 transitional kindergarten, kindergarten, and grade one. When this occurs, it is important
509 that teachers provide support without making premature determinations that students
510 are low achievers, require interventions, or need to be placed in a group learning
511 different grade-level standards. Students develop at different times and at different
512 rates; what educators perceive as an apparent lack of understanding may not indicate a
513 real lack of understanding. The implementation of mathematics routines that encourage
514 students to use language and discuss their mathematics work are of benefit to all
515 students, particularly those who are learning English or who are challenged by the
516 demands of academic language for mathematics. Such supports allow educators to
517 help students strengthen understandings that may have been weak or incomplete in
518 their previous learning without formal intervention program. When more support is
519 warranted, teachers can access California’s Multi-Tiered System of Support (MTSS)
520 (California Department of Education, n.d.), which is designed to provide the means to
521 quickly identify and meet the needs of all students.

522 Standards-based instruction should be organized to support investigating big ideas in
523 mathematics and connecting content and mathematical practices within and across

524 grade levels. Big ideas in TK–2 mathematics content connect in the following four ways:

525 **Content Connections**


- 526 • (CC1) Communicating Stories with Data
- 527 • (CC2) Exploring Changing Quantities
- 528 • (CC3) Taking Wholes Apart, Putting Parts Together
- 529 • (CC4) Discovering Shape and Space

530 These content connections develop when students have opportunities to investigate
531 mathematics. Mathematical investigations can fall into one or more of these Drivers of
532 Investigation (DI):

- 533 • (DI1) Making Sense of the World (Understand and Explain)
- 534 • (DI2) Predicting What Could Happen (Predict)
- 535 • (DI3) Impacting the Future (Affect)

536 Students might make sense of their world (D1) by working with data (CC1) or exploring
537 the decomposition of number (CC2). Students might discuss solutions to a community
538 problem (D1) by exploring changing quantities related to the problem topic (CC4) or
539 examining the use of space within the problem context (CC3). Investigations should be
540 situated in contexts that invite students to wonder in ways that motivate or require
541 particular mathematical activity to drive the investigation. Any particular investigation
542 can meaningfully include several CA CCSSM domains, such Measurement and Data,
543 Number and Operations, and so on, through several of the SMPs as they conduct their
544 investigations. Chapter 4 illustrates how Content Connections, Drivers of Investigations,
545 and three SMPs come together across the grade bands.

546 Figure 6.1: Content Connections, Mathematical Practices and Drivers of Investigation



547

548 [Link to long description](#)

549 Figure 6.2 illustrates the connections among the features of such an investigative,
 550 connected approach. The intersections between Content Connections, the Standards
 551 for Mathematical Practice, and the Drivers of Investigation can guide instructional
 552 design. For example, students can make sense of the world (DI1) by exploring changing
 553 quantities (CC2) through classroom discussions wherein students have opportunities to
 554 construct viable arguments and critique the reasoning of others (SMP.3). These ideas
 555 are first illustrated for transitional kindergarten through grade two and will be revisited
 556 later in this chapter for grades three through five.

557 This document presents a “big idea” approach to mathematics to support teachers and
 558 students in making consistent, productive use of the mathematical practices and
 559 recognizing the connections among mathematics topics.

560 Figure 6.2: A Progression Chart of Big Ideas through Transitional Kindergarten through
 561 Grade Two:

Content Connections	Big Ideas: Grade TK	Big Ideas: Grade K	Big Ideas: Grade 1	Big Ideas: Grade 2
Communicating Stories with Data	Measure & Order	Sort & Describe Data	Make sense of Data	Represent Data
Communicating Stories with Data	Look for Patterns	n/a	Measuring with Objects	Measure & Compare Objects
Exploring Changing Quantities	Measure and Order	How Many?	Measuring with Objects	Dollars and cents
Exploring Changing Quantities	Count to 10	Bigger or Equal	Clocks and Time	Problem solving with measures
Exploring Changing Quantities	n/a	n/a	Equal Expressions	n/a
Exploring Changing Quantities	n/a	n/a	Reasoning about Equality	n/a
Taking Wholes Apart, Putting Parts Together	Create Patterns	Being flexible within 10	Tens and Ones	Skip Counting to 100
Taking Wholes Apart, Putting Parts Together	Look for Patterns	Place and position of numbers	n/a	Number Strategies
Taking Wholes Apart, Putting Parts Together	See and use Shapes	Model with numbers	n/a	n/a
Discovering shape and space	See and use shapes	Shapes in the world	Equal parts inside shapes	Seeing fractions in shapes

Content Connections	Big Ideas: Grade TK	Big Ideas: Grade K	Big Ideas: Grade 1	Big Ideas: Grade 2
Discovering shape and space	Make and measure shapes	Making shapes from parts	n/a	Squares in an array
Discovering shape and space	Shapes in space	n/a	n/a	n/a

562 **CC1: Communicating Stories with Data**

563 The ubiquity of data means that even the youngest learners use it to make sense of the
564 world. This includes using data about measurable attributes. In the early grades,
565 students describe and compare measurable attributes, classify objects and count the
566 number of objects in each category². As they progress across the early grades,
567 students represent and interpret data in increasingly sophisticated ways. Chapter 5
568 offers greater detail about how data can be explored across the grades through
569 meaningful mathematical investigations. This Content Connection invites students to:

- 570 ● Describe and compare measurable attributes (K.MD.A.1)
- 571 ● Classify objects and count the number of objects in each category (K.MD.B.3)
- 572 ● Measure lengths indirectly and by iterating length units (1.MD.A.1, 1.MD.A.2)
- 573 ● Tell and write time (1.MD.B.3)
- 574 ● Represent and interpret data (1.MD.C.4, 2.MD.C.8)
- 575 ● Measure and estimate lengths in standard units (2.MD.A.1, 2.MD.A.2, 2.MD.A.3,
576 2.MD.A.4)
- 577 ● Relate addition and subtraction to length (2.MD.B.5, 2.MD.B.6)
- 578 ● Work with time and money (2.MD.C.7)

579 Children are curious about the world around them, and might wonder about their
580 classmates' favorite colors, kinds of pets, or number of siblings. Young learners can
581 collect, represent, and interpret data about one another. Students can use graphs and
582 charts to organize and represent data about things in their lives. This data supports the

² Teachers should use their professional judgement in considering what attributes to measure, practicing particular sensitivity to any physical attributes.

583 asking and answering of questions about the information in charts or graphs, and can
584 allow them to make inferences about their community. Charts and graphs may be
585 constructed by groups of students as well as by individual students.

586 Students learn that many **attributes**—such as lengths and heights—are measurable.
587 Early learners develop a sense of measurement and its utility using **non-standard**
588 **units of measurements**. Through explorations, students discover the utility of
589 **standard measurements**.

590 This Content Connection can serve as the foundation for mathematical investigations
591 around measurement and data. In an activity on comparing lengths, called Direct
592 Comparisons, students place any three items in order, according to length:

- 593 ● Pencils, crayons, or markers are ordered by length.
- 594 ● Towers built with cubes are ordered from shortest to tallest.
- 595 ● Three students draw line segments and then order the segments from shortest to
596 longest.

597 In an activity on Indirect Comparisons, students model clay in the shape of snakes. With
598 a tower of cubes, each student compares their snake to the tower. Then students make
599 statements such as, “My snake is longer than the cube tower, and your snake is shorter
600 than the cube tower. So, my snake is longer than your snake.” (Adapted from ADE
601 2010.)

602 ***CC2: Exploring Changing Quantities***

603 Young learners’ explorations of changing quantities support their development of
604 meaning for operations, such as addition, subtraction, and early multiplication or
605 division. This Content Connection can serve as the basis for mathematical
606 investigations about operations. Students build on their understanding of addition as
607 putting together and adding to and of subtraction as taking apart and taking from.
608 Students use a variety of models—including discrete objects and length-based models
609 (e.g., cubes connected to form lengths) to model add-to, take-from, put-together, and
610 take-apart—and compare situations to develop meaning for the operations of addition
611 and subtraction and develop strategies to solve arithmetic problems with these

612 operations. Students understand connections between counting and addition and
613 subtraction (e.g., adding two is the same as counting on two). They use properties of
614 addition to add whole numbers and to create and use increasingly sophisticated
615 strategies based on these properties (e.g., “making 10s”) to solve addition and
616 subtraction problems within 20. By comparing a variety of solution strategies, children
617 build their understanding of the relationship between addition and subtraction. By
618 second grade, students use their understanding of addition to solve problems within
619 1,000 and they develop, discuss, and use efficient, accurate, and generalizable
620 methods to compute sums and differences of whole numbers. Students in primary
621 grades become proficient in addition and subtraction using methods that make sense to
622 them; this prepares them for the use of standard algorithms starting in grade 4. See also
623 the table *Development of Standard Algorithms across Grades TK–6* in this chapter.

624 Investigating mathematics by exploring changing quantities invites students to:

- 625 ● Know number names and the count sequence (K.CCA.1, K.CCA.2., K.CCA.3).
- 626 ● Count to tell the number of objects (K.CC.B.4, K.CC.B.5).
- 627 ● Compare numbers (K.CC.C.6, K.CC.C.7).
- 628 ● Understand addition as putting together and adding to, and understand
629 subtraction as taking apart and taking from (K.OA.A1, K.OA.A2, K.OA.A3,
630 K.OA.A4, K.OA.A5).
- 631 ● Represent and solve problems involving addition and subtraction (1.OA.A.1,
632 1.OA.A.2, 2.OA.A.1).
- 633 ● Understand and apply properties of operations and the relationship between
634 addition and subtraction (1.OA.B.3, 1.OA.B.4).
 - 635 ● Add and subtract within 20 (1.OA.C.5, 1.OA.C.6, 2.OA.B.2).
 - 636 ● Work with addition and subtraction equations (1.OA.D.7, 1.OA.D.8).
 - 637 ● Work with equal groups of objects to gain foundations for multiplication
638 (2.OA.C.3, 2.OA.C.4).
 - 639 ● Look for and make use of structure (SMP.7).
 - 640 ● Look for and express regularity in repeated reasoning (SMP.8).

641 Young learners benefit from ample opportunities to become familiar with number

642 names, numerals, and the count sequence. While mathematical concepts and
643 strategies can be explored and understood through reasoning, the names and
644 symbols of numbers and the particular count sequence is a convention to which
645 students become accustomed. Conceptually, students come to develop particular
646 foundational ideas through experiences with early counting: **cardinality** and **one-to-**
647 **one correspondence**.

648 In transitional kindergarten (TK), many opportunities arise for conversations about
649 counting. Consider the exchange below:

650 Nora: "Sami isn't being fair. He has more trains than I do."

651 Teacher: "How do you know?"

652 Nora: "His pile looks bigger!"

653 Sami: "I don't have more!"

654 Teacher: "How can we figure out if one of you has more?"

655 Nora: "We could count them."

656 Teacher: "Okay, let's have both of you count your trains."

657 Sami: "One, two, three, four, five, six, seven."

658 Nora: "One, two, three, four, five, six, seven." (*Fails to tag and count one of her*
659 *eight trains.*)

660 Sami: "She skipped one! That's not fair!"

661 Teacher: "You are right; she did skip one. We count again and be very careful to
662 make sure not to skip—but can you think of another way that we can figure out if
663 one of you has more?"

664 Sami: "We could line them up against each other and see who has a longer
665 train."

666 Teacher: "Okay, show me how you do that. Sami, you line up your trains, and
667 Nora, you line up your trains."

668 Opportunities to count and represent the count as a quantity, whether verbally or
669 symbolically, allow students to recognize that, in counting, each item is counted exactly
670 once and that each count corresponds to a particular number. Using manipulatives or
671 other objects to count, students learn to organize their items to facilitate this one-to-one
672 correspondence. Students also learn that the number at end of the count represents the
673 full quantity of items counted and that each subsequent number represents an
674 additional one added to the count. In Counting Collections (DREME TE, n.d.), teachers
675 ask young children to do the following:

- 676 • Count to figure out how many are in a collection of objects (a set of old keys,
677 teddy bear counters, rocks collected from the yard, arts and crafts materials,
678 etc.).
- 679 • Make a written representation of what they counted and how they counted it.



680

681 Source: Research and Play, n.d.

682 There are many benefits when younger learners are provided opportunities to represent
683 quantities with number words and numerals, as well as to represent number words and
684 numerals as quantities. Activities related to this Content Connection can support

685 teachers as they create opportunities for students to learn and grow.

686 To highlight representing quantities with number words in transitional kindergarten,
687 teachers can add questions about numbers that arise during class reading activities. In
688 a book about dogs, for instance, on the page showing a picture of two dogs, ask how
689 many dogs there are, and then ask questions such as:

- 690 ● How many legs does one dog have?
- 691 ● How many legs do two dogs have?
- 692 ● If one dog left the page, how many legs would be left?

693 Teachers can align instruction with proven English language development strategies,
694 such as the use of gestures, facial expressions, and other non-verbal movements as
695 communication strategies, sentence frames or **revoicing** student answers to support
696 the participation for all learners, including students learning English.


697 To integrate representing number words as quantities, teachers can build steps for
698 students to represent with their fingers the addends in a story problem. This can be
699 particularly effective during small- or whole-group time. Individual students can explain
700 to their classmates how they decided how many fingers to choose for each hand. For
701 example, “One day, two baby dinosaurs hatched out of their eggs. The mama
702 triceratops was so excited that she called to her auntie to come and see. Then four
703 more baby dinosaurs hatched! How many dinosaurs hatched all together? Marisol, can
704 you show me how many fingers you used?” Note that children across different
705 communities of origin learn to show numbers on their fingers in different ways. Children
706 may start with the thumb, the little finger, or the pointing finger. Support all of these
707 ways of showing numbers with fingers.

708 In *Feet Under the Table* (Confer, 2005), a group of children sit at a table with counters,
709 pencils, and paper. Without investigating or looking, students figure out how many feet
710 are under the table. They can use mathematical tools, such as cubes or drawings, that
711 will help them, and then represented their number on paper. Students then share how
712 they represented the feet on their paper and how many feet they think there are

713 altogether. When all the students are finished, they then peek under the table to check
714 their answers.

715 Developmentally, children become more efficient counters through experiences that
716 occur over time and in ways that support early addition and subtraction. Young learners
717 can build on what they know about counting to add on to an original count. For example,
718 tasks from *Cognitively Guided Instruction* (Carpenter et al., 2014) ask students to create
719 a set of a particular amount, say five cubes and to then add three more cubes. Students
720 can draw on what they know to first count out five cubes. Students might then use
721 different strategies to add on three more. Some students might count out three more
722 cubes separately, then start from one again and count out all eight cubes. Other
723 students might count on from five, naming the numbers as they go along—six, seven,
724 eight cubes. Students might also draw on other possible strategies.

725 Maria has 28 Pokémon cards in her collection. Her mom gives her some more cards for
726 her birthday. Now Maria has 61 cards. How many cards did her mom give her for her
727 birthday?



728
729 Teachers can notice student strategies as formative assessment, recognizing how their
730 young learners become increasingly efficient counters. Young learners also draw on
731 their counting strategies to develop early subtraction sense. Cognitively Guided
732 Instruction tasks might prompt students to begin with, say, eight cookies, then note that
733 three cookies were eaten. Students might count out eight cookies with manipulatives
734 like counting cubes, and then employ a range of strategies to figure out how to “take

735 away” three cookies. Students might remove three cubes from the original set and then
 736 count the remaining cubes to figure out how many remain. Other students might count
 737 backwards from the original set, landing of eight cookies.

738 **Common Addition and Subtraction Situations***

Common Addition and Subtraction Situations	Result Unknown	Change Unknown	Start Unknown
Add to	Two bunnies sat on the grass. Three more bunnies hopped there. How many bunnies are on the grass now? $2 + 3 = \square$	Two bunnies were sitting on the grass. Some more bunnies hopped there. Then there were 5 bunnies. How many bunnies hopped over to the first two? $2 + \square =$	Some bunnies were sitting on the grass. Three more bunnies hopped there. Then there were 5 bunnies. How many bunnies were on the grass before? $\square + 3 =$
Take from	Five apples were on the table. I ate 2 apples. How many apples are on the table now? $5 - 2 = \square$	Five apples were on the table. I ate some apples. Then there were 3 apples. How many apples did I eat? $5 - \square =$	Some apples were on the table. I ate 2 apples. Then there were 3 apples. How many apples were on the table before? $\square - 2 =$

739

Common Addition and Subtraction Situations	Total Unknown	Addend Unknown	Both Addends Unknown [†]
Put together/Take apart[‡]	Three red apples and 2 green apples are on the table. How many apples are on the table? $3 + 2 = \square$	Five apples were on the table. Three are red, and the rest are green. How many apples are green? $3 + \square =, - 3 = \square$	Grandma has 5 flowers. How many can she put in her red vase and how many in her blue vase? $5 = 0 + 5, 5 = 5 + 0$ $5 = 1 + 4, 5 = 4 + 1$ $5 = 2 + 3, 5 = 3 + 2$

740

Common Addition and Subtraction Situations	Difference Unknown	Bigger Unknown	Smaller Unknown
Compare**	(“How many more?” version): Lucy has 2 apples. Julie has 5 apples. How many more apples does Julie have than Lucy? (“How many fewer?” version): Lucy has 2 apples. Julie has 5 apples. How many fewer apples does Lucy have than Julie? $2 + \square =$, $- 2 = \square$	(Version with <i>more</i>): Julie has 3 more apples than Lucy. Lucy has 2 apples. How many apples does Julie have? (Version with <i>fewer</i>): Lucy has 3 fewer apples than Julie. Lucy has 2 apples. How many apples does Julie have? $2 + 3 = \square$, $3 + 2 = \square$	(Version with <i>more</i>): Julie has 3 more apples than Lucy. Julie has 5 apples. How many apples does Lucy have? (Version with <i>fewer</i>): Lucy has 3 fewer apples than Julie. Julie has five apples. How many apples does Lucy have? $- 3 = \square$, $\square + = 5$

741 *Adapted from Boxes 2–4 of *Mathematics Learning in Early Childhood: Paths Toward*
 742 *Excellence and Equity* (National Research Council, Committee on Early Childhood
 743 Mathematics 2009, 32–33).

744 ‡Either addend can be unknown, so there are three variations of these problem
 745 situations. “Both Addends Unknown” is a productive extension of this basic situation,
 746 especially for small numbers less than or equal to 10.

747 †These take-apart situations can be used to show all the decompositions of a given
 748 number. The associated equations, which have the total on the left of the equal sign (=),
 749 help children understand that the equal sign does not always mean *makes* or *results in*,
 750 but does always mean *is the same number as*.

751 **For the “Bigger Unknown” or “Smaller Unknown” situations, one version directs the
 752 correct operation (the version using *more* for the bigger unknown and using *less* for the
 753 smaller unknown). The other versions are more difficult.

754 Students will use different strategies to solve problems when teachers give the time and
 755 space to do so. The *5 Practices for Orchestrating Productive Mathematical Discussions*
 756 (Smith and Stein, 2011) offers useful instructional strategies to prepare for productive
 757 lessons with students. The five practices identified by the authors are:

- 758 • Anticipating likely student responses
- 759 • Monitoring students’ actual responses

- 760 • Selecting particular students to present their mathematical work during the whole
761 class discussion
- 762 • Sequencing the student responses
- 763 • Connecting different students' responses—to each other and to key mathematical
764 ideas.

765 Before offering students problems to discuss and solve together, teachers should work
766 through the problem themselves, anticipating what strategies students might use, as
767 well as what struggles and misconceptions students might bring to their work. Teachers
768 should explore the various methods that arise as students work to understand general
769 properties of operations. For example, in a number talk on the problem $8 + 7$, students
770 might come up with and share the following computation strategies:

771 Student 1: (Making 10 and decomposing a number) "I know that 8 plus 2 is 10,
772 so I decomposed (broke up) the 7 into a 2 and a 5. First, I added 8 and 2 to get
773 10, and then I added the 5 to get 15."

774 *This explanation could be represented as: $8 + 7 = (8 + 2) + 5 = 10 + 5 = 15$.*

775 Student 2: (Creating an easier problem with known sums) "I know 8 is $7 + 1$. I
776 also know that 7 and 7 equal 14. Then I added 1 more to get 15."

777 *This explanation could be represented as: $8 + 7 = (7 + 7) + 1 = 15$.*

778 The game "Pig,"³ found on YouCubed (Youcubed, n.d.a), can be played to practice
779 addition. The game involves students using dice (or an app to simulate a dice roll) in a
780 competition to be the first player to roll results that reach 100. Students take turns rolling
781 the dice and determine the sum. Students can either stop and record that sum or
782 continue rolling and add the new sums together as many times as they choose. When
783 they decide to stop, they record the current total and add it to their previous score. Note

³ Pig is a folk jeopardy dice game described by John Scarne in 1945, and was an ancestor of the modern game Pass the Pigs® (originally called PigMania®); Scarne, John (1945). Scarne on Dice. Harrisburg, Pennsylvania: Military Service Publishing Co.

784 that students should build understanding through activities that draw on concrete and
785 representational approaches to operations before engaging in abstract fluency games.
786 Other resources for addition activities include the National Council of Teachers of
787 Mathematics' (NCTM) *Illuminations* and *Illustrative Mathematics*.

788 Classroom activities can also support students developing understanding of the equal
789 sign as meaning that the quantity on one side of the equal sign must be the same
790 quantity as on the other side of the equal sign. For example, the "Moving Colors" task
791 (Youcubed, n.d.b), explores equality as students move around the room. Students are
792 given red or yellow colored circles (or other shapes). Teachers ask, "How many
793 students have red circles and how many have yellow circles?" With appropriate
794 accommodations, students encouraged to get up and move around the room to work
795 this out. Teachers ask, "How can we show that we have an equal number of each color
796 or more of one color than the other color?"

797 **Methods Used for Solving Single-Digit Addition and Subtraction Problems**

798 **Level 1: Direct Modeling by Counting All or Taking Away**

799 Represent the situation or numerical problem with groups of objects, a drawing, or
800 fingers. Model the situation by composing two addend groups or decomposing a total
801 group. Count the resulting total or addend.

802 **Level 2: Counting On**

803 Embed an addend within the total (the addend is perceived simultaneously as an
804 addend and as part of the total). Count this total, but abbreviate the counting by omitting
805 the count of this addend; instead, begin with the number word of this addend. The count
806 is tracked and monitored in some way (e.g., with fingers, objects, mental images of
807 objects, body motions, or other count words).

808 For addition, the count is stopped when the amount of the remaining addend has been
809 counted. The last number word is the total. For subtraction, the count is stopped when
810 the total occurs in the count. The tracking method indicates the difference (seen as the
811 unknown addend).

812 **Level 3: Converting to an Easier Equivalent Problem**

813 Decompose an addend and compose a part with another addend.

814 Source: Adapted from UA Progressions Documents, 2011a.

815 ***CC3: Taking Wholes Apart, Putting Parts Together***

816 Children enter school with experience at taking wholes apart and putting parts together,
817 a task that occurs in everyday activities such as slicing pizzas and cakes, building with
818 blocks, clay, or other materials. Decomposing challenges and ideas into manageable
819 pieces, and assembling understanding of smaller parts into understanding of a larger
820 whole, are fundamental aspects of using mathematics. Often these processes are
821 closely tied with SMP.7 (Look for and make use of structure). In the early grades, such
822 investigations might include composing and decomposing the number 5 into parts such
823 as 1 and 4 or 2 and 3, using manipulatives. This Content Connection spans and
824 connects many typically-separate content clusters. For example, students might also
825 decompose shapes, which connects to CC4.

826 Understanding numbers, including the structure of our number system (place value or
827 base 10) and relationships between numbers begins with counting and cardinality and
828 extends to a beginning understanding of **place value**. Young learners use numbers,
829 including written numerals, to represent quantities and to solve quantitative problems,
830 such as counting objects in a set; counting out a given number of objects; comparing
831 sets or numerals; and modeling simple joining and separating situations with sets of
832 objects. As they progress across the early grades, students develop, discuss, and use
833 strategies to compose and decompose numbers, noticing the numbers that exist inside
834 numbers. Through activities that build number sense, they understand how numbers
835 work and how they relate to one another.

836 Investigating mathematics by taking wholes apart and putting parts together invite
837 students to:

- 838 ● Work with numbers 11–19 to gain foundations for place value (K.NBT.A.1).
- 839 ● Extend the counting sequence (1.NBT.A.1).
- 840 ● Understand place value (1.NBT.B.2, 1.NBT.B.3, 2.NBT.A.1, 2.NBT.A.2,

- 841 2.NBT.A.3, 2.NBT.A.4).
- 842 ● Use place value understanding and properties of operations to add and subtract
- 843 (1.NBT.C.4, 1.NBT.C.5, 1.NBT.C.6, 2.NBT.B.5, 2.NBT.B.6, 2.NBT.B.7,
- 844 2.NBT.B.8, 2.NBT.B.9).
- 845 ● Look for and make use of structure (SMP.7)

846 Understanding the concept of a *ten* is fundamental to young students' mathematical

847 development. This is the foundation of the place-value system, which can be

848 productively investigated through this Content Connection. Young children often see a


849 group of 10 cubes as 10 individual cubes. Activities can support students in developing

850 the understanding of 10 cubes as a bundle of 10 ones, or a *ten*. Students can

851 demonstrate this concept by counting 10 objects and “bundling” them into one group of

852 10. Working with numbers between 11–19 are early ways to build the idea of numbers

853 structured as a bundle of ten and remaining ones.



854

855 In The Pocket Game (Confer, 2005; Youcubed, n.d.c), children explore the smaller

856 numbers inside larger numbers. Using number cards, students determine which of two

857 numbers is larger, then place both numbers in a paper pocket labeled with the larger

858 number. After playing the game, students are grouped to discuss what they notice about




859 the numbers inside the different pockets, ultimately seeing that each pocket number

860 contains all the smaller numbers within. After the discussion, teachers can prompt

861 students to predict which numbers they will find in the paper pocket labeled “three” and
862 rationalize their predictions, encouraging them to examine the paper pockets one by
863 one and talk about what they notice (and see if their predictions were accurate).
864 Conversation should focus on why those numbers were inside each pocket and why
865 other numbers were not.

866 After the game is played periodically over a number of weeks, teachers can facilitate a
867 discussion about why the pockets look the way they do at the end of a game. For
868 example, while viewing a pocket labeled “two,” students might be asked which numbers
869 they think will be inside. With predictions recorded, teachers can facilitate an
870 examination of the pocket and discuss why there are only ones and twos in the pocket.
871 This continues as students question why some numbers are *not* in the pocket.

872 Later in the year, revisit the game again. When they finish the game, they will figure out
873 which paper pocket has the most cards. In the activity “Race for a Flat,” two teams of
874 two players each roll number cubes in a place value game. The players find the sum of
875 the numbers they roll and take Units cubes to show that number. Then they put their
876 Units on a place value mat. When a team gets 10 Units or more, they trade 10 Units for
877 one Rod. As soon as a team gets blocks worth 100 or more, they make a trade for one
878 Flat. The first team to complete this wins the game.

<p style="text-align: center;">Hundreds</p> 	<p style="text-align: center;">Tens</p> 	<p style="text-align: center;">Ones</p> 

879

880 Students in the early grades will be working with whole numbers, and linear
881 representations are important. Transitional kindergarten through grade two teachers
882 may consider the effect of using number paths (Gardner, 2013). While number lines are
883 common in the early elementary grades, number paths are a particularly useful tool for
884 students. As Gardner states:

885 “A number line uses a model of length. Each number is represented by its length
886 from zero. Number lines can be confusing for young children. Students have to
887 count the "hops" they take between numbers instead of counting the numbers
888 themselves. Students' fingers can land in the spaces between numbers on a
889 number line, leaving kids unsure which number to choose. A number path is a
890 counting model. Each number is represented within a rectangle and the
891 rectangles can be clearly counted. A number path provides a more supportive
892 model of numbers, which is important as we want models that consistently help
893 students build confidence and accurately solve problems.”

894 The Learning Mathematics through Representations project (University of California,
895 Berkeley, n.d.) also offers activities for early and upper elementary grades that prepare
896 students to make later connections to fractions. Fair sharing problems also support

897 children’s developing understanding of fraction concepts through explorations with
898 grouping (Empson, 1999; Empson and Levi, 2011).

899 ***CC4: Discovering Shape and Space***

900 Young learners possess natural curiosities about the physical world. In the early grades,
901 students learn to describe their world using geometric ideas (e.g., shape, orientation,
902 spatial relations). They identify, name, and describe basic two-dimensional shapes,
903 such as squares, triangles, circles, rectangles, and hexagons, presented in a variety of
904 ways (e.g., with different sizes and orientations). They engage in this process with
905 three-dimensional shapes as well, such as cubes, cones, cylinders, and spheres. They
906 use basic shapes and spatial reasoning to model objects in their environment and to
907 construct more complex shapes. As they progress through the early grades, students
908 compose and decompose plane or solid figures (e.g., put two triangles together to make
909 a quadrilateral) and begin understanding part-whole relationships as well as the
910 properties of the original and composite shapes. As they combine shapes, they
911 recognize them from different perspectives and orientations, describe their geometric
912 attributes, and determine how they are alike and different, thus developing the
913 background for measurement and for initial understandings of properties such as
914 congruence and symmetry.

915 Investigating mathematics by discovering shape and space invite students to:

- 916 ● Identify and describe shapes (K.G.A.1, K.G.A.2, K.G.A.3).
- 917 ● Analyze, compare, create, and compose shapes (K.G.B.4, K.G.B.5, K.G.B.6)
- 918 ● Reason with shapes and their attributes (1.G.A.1, 1.G.A.2, 1.G.A.3, 2.G.A.1,
919 2.G.A.2, 2.G.A.3).

920 Young learners can begin to explore the idea of classifying objects in relation to
921 particular attributes—color, size, and shape. Students can build on these early
922 experiences to identify geometric attributes at a fairly early age. In grades one and two,
923 many teachers introduce terms like vertex, edge, and face. Students need ample time to
924 explore these attributes and make sense of the ways they relate to one another and
925 particular geometric shapes. Young learners often recognize shapes by appearance
926 and need time to explore attributes and their relationship to shapes.

927 Teachers can provide opportunities for young learners to compose and decompose
928 shapes around characteristics or properties and to explore typical examples of shapes,
929 as well as variants, and both examples and non-examples of particular shapes.

930 Classroom discussions can also surface and address common misconceptions students
931 have about shapes, such as triangles always rest on a side and not on a vertex or that a
932 square is not a rectangle.

933 In an activity on sorting shapes, students sort a pile of squares and rectangles into two
934 groups. They discuss how the rectangles and squares are alike and how they are
935 different. After students demonstrate an understanding of the differences between
936 squares and rectangles, the teacher provides each student with one square or rectangle
937 cutout. The teacher creates two groups—one side of the classroom includes students
938 with the square cutouts, while the students with rectangle cutouts stand on the opposite
939 side of the room. The differences in the rectangle and square cutouts (size and color)
940 allow the students focus on the shape attributes as they compare in and across groups.

941 Another activity, based on the popular board game *Guess Who?*, offers students the
942 opportunity to reason about the relationship between attributes and geometric shapes.
943 In “Guess What?” the objective for students to guess an opponent’s mystery shape
944 before the opponent guesses theirs. Players take turns asking “yes” or “no” questions
945 about character attributes (e.g., “Does your shape have angles?”). Shapes that no
946 longer fit the description of the opponents’ mystery shape are eliminated by flipping card
947 holders over. The first player to correctly guess the other players’ mystery shape wins.

948 Students can also use pattern blocks, plastic shapes, tangrams, or online manipulatives
949 to compose new shapes. Teachers can provide students with cutouts of shapes and ask
950 them to combine the cutouts to make a particular shape or to create shapes of their
951 own. Peers can then work together to recreate or decompose one another’s shapes.
952 When students work in pairs, it is helpful if linguistically diverse students work with
953 someone who is bilingual and speaks their home language so that they may use either
954 language as a resource in developing the concepts and mathematical language.

955 Classroom discourse is an important aspect of such activities. It may be valuable to
956 challenge students to test ideas about shapes using a variety of examples for a
957 category, asking open-ended questions, such as:

- 958 • “What do you notice about your shape?”
- 959 • “What happens if you try to draw a shape with just one side?”

960 Such mathematics conversations are important even for the youngest learners.
961 Teachers can provide access to sample questions as needed. Transitional kindergarten
962 teachers can take up students’ own questions and curiosities as an opportunity to
963 explore shapes. Consider the following exchange:

964 Mae: Is this a triangle? (*Holds up a square.*)

965 Teacher: What do you think? (*Asks other students in the small group to*
966 *contribute.*)

967 Students (in unison): No!

968 Teacher: Why not? Can you share how you can tell?

969 Zahra: Because a triangle doesn’t have four sides.

970 Teacher: I heard you say that a triangle doesn’t have four sides. How many sides
971 does a triangle have?

972 Mae: Three!

973 Teacher: So, Mae, what do you think? Is your shape a triangle?

974 Mae: No, it’s not a triangle.

975 Teacher: How can you tell?

976 Mae: Because it has four sides and triangles have three sides.

977 Teacher: I heard you say that your shape is not a triangle because it has four
978 sides and triangles have three sides. Is that right?

979 Mae: Yes.

980 Teacher: Class, do you agree with Mae?

981 Students (in unison): Yes.
982 Teacher: Mae, see if you can find a triangle and I'll come back to check what you
983 found.
984 Open-ended questions, such as, "What do we know about triangles?" or, "How did you
985 figure that out?" encourage them to respond in ways that allows them to think and
986 speak like mathematicians. Teachers can use responses to facilitate an organic
987 conversation, as in the excerpt above, that allows students to collaborate, provide
988 feedback, and built on one another's reasoning.

989 ***Vignette: Alex Builds Numbers with a Partner (a two-day lesson)***

990 **Grade:** 1

991 **Content Connection:** 2, Exploring Changing Quantities


992 **Drivers of Investigation:** 1, Make Sense of the World

993 **Concepts:** Meaning of number, patterns, addition

994 **SMPs:** SMP.2, 3

995 Classroom Narrative:

996 In first grade, Alex's class is building understanding of making numbers. The teacher,
997 Ms. Kim, launches the lesson with a whole class conversation with all students gathered
998 on the carpet by the front of the room; half of the students hold a small rack of beads.
999 Ms. Kim held a large rekenrek—an arithmetic rack with two rows of 10 beads each—
1000 and moved two beads from the top rack to one side and three beads from the second
1001 rack. Ms. Kim asked students, "How many beads do you see on this side of the rack?
1002 Turn and talk to your partner about how many beads you see altogether and how you
1003 can tell." Students turned to their peers excitedly and shared their ideas.



1004

1005 “Who wants to share? How many beads do you see?” the teacher asks. Students raise
1006 their hands. Ms. Kim decided to ask Alex to share, who, in eagerness to respond,
1007 sometimes overlooks key details. Alex says, “I see five beads.” Ms. Kim presses, “You
1008 see five beads. And how do you see it?” Alex continues, “Because there are two on the
1009 top and three on the bottom and that makes one, two, three, four, five.” Ms. Kim
1010 revoices, “I heard you say that you see five beads because there are two on the top and
1011 three on the bottom and two and three make five altogether. Is that right? Who agrees
1012 with Alex?” Several hands go up in the air.

1013 “Are there other ways to make a five?” Ms. Kim wonders. “Work with your partner. If you
1014 are holding the rekenrek, you are Partner A. Raise your hand if you are Partner A. If you
1015 are not holding a rekenrek, you are Partner B. Raise your hand if you are Partner B. Ok,
1016 Partner A – How else can you make a five? Use your rekenrek to show another way to
1017 make a five. Then it will be Partner B’s turn. Partner B—make five in a different way.”

1018 Students turn to their partners and begin to move beads. Some students move five
1019 beads over on the top row and none on the bottom. Others show four on the top row
1020 and one on the bottom. Several others are unsure, moving beads around playfully on
1021 the rekenrek.

1022 Ms. Kim moves around the carpet area, squatting down to meet with particular partner
1023 groups and listen to their conversations about making the number five. After a few
1024 minutes, the teacher reconvenes them for a discussion. While moving around the room

1025 and listening to the conversations in small groups or pairs, Ms. Kim noticed that some of
1026 the English learners are having trouble expressing their ideas to each other. Ms. Kim
1027 helps model the language needed and has students practice with their partner while
1028 moving the beads on their rekenrek. Ms. Kim makes a mental note to review this
1029 discourse in tomorrow's designated ELD lesson.

1030 The teacher opens with, "What were some other ways to make five?"

1031 Students share ways to make five. Ms. Kim revoices their answers, checking with the
1032 class to see whether their different combinations of number count up to five and
1033 allowing students to revise their thinking when it does not.

1034 Ms. Kim then introduces the activity they will be working for the rest of the lesson at
1035 their tables with their partners. Tables are provided number cards. Each partner will
1036 take turns turning over a number card and representing it on the rekenrek. The second
1037 partner is to ask, "How do you see it?" allowing the partner to explain. The roles are
1038 then changed. Partner B will represent the same number in a different way and Partner
1039 A will ask, "How do you see it?" Partners must agree that each combination does
1040 indeed count to the number on the card.

1041 Alex moves to their table with his partner, who has been holding the rekenrek. As Alex
1042 does so, the teacher uses knowledge of Alex's fidgetiness during partner work. Ms. Kim
1043 reminds Alex to use the fidget spinner when it is partner A's turn to hold the rekenrek.

1044 Alex relies on this as Partner A quickly turns over a number card, and exclaims, "Eight!"
1045 "So now you have to make an eight," declares Alex. Partner A moves the beads around
1046 playfully, moving all 10 beads to the side and counting them one by one. Upon reaching
1047 eight, Partner A pauses and moves the remaining two beads away.

1048 "Ok, I made eight. Now you say, 'How did I see it?'" Partner A states, chuckling.

1049 "How do you see it?" asks Alex. Partner A answers, "there are five on the top and one,
1050 two, three on the bottom. Your turn."

1051 Alex takes the rekenrek and moves one bead away from the top row and adds one
1052 bead from the second row. "I see four and four."


1053 They continue to take turns with new numbers. Ms. Kim circulates around the room
1054 asking students to explain their representations and supporting partners' interactions
1055 with one another. As Ms. Kim records their representations and explanations while
1056 moving from group to group. The teacher uses this time as a formative assessment
1057 opportunity and makes plans for the next day's discussion about patterns in
1058 representing numbers.

1059 **Critical Areas of Instructional Focus for Transitional Kindergarten**
1060 **through Grade Two**

1061 The mathematics content across transitional kindergarten through grade twelve
1062 progresses in accordance with the CA CCSSM principles of focus, coherence, and
1063 rigor. The Big Ideas network maps on the following pages highlight important and
1064 foundational content, shown as nodes, for each grade level. As students explore and
1065 investigate with the Big Ideas, they will likely encounter many different content
1066 standards and note the connections between them. In the network maps, the size of a
1067 node relates to the number of connections it has with other Big Ideas. The connections
1068 between Big Ideas are made when the two connected big ideas contain one or more of
1069 the same standards.

1070 The colors in the network nodes correspond to the colors used in the Content
1071 Connections, Big Ideas, and Standards tables, which indicate in more detail how grade
1072 level content standards can be addressed in the context of the CCs described in this
1073 Framework.

1074 Figure 6.3: Transitional Kindergarten Big Ideas



1075


1076 [Link to long description](#)

1077 **Figure 6.4. Transitional Kindergarten Content Connections, Big Ideas, and**
 1078 **Standards**

Content Connection	Big Idea	TK Standards
Communicating Stories with Data & Exploring Changing Quantities	Measure and Order	AF1.1, M1.1, M1.2, M1.3, NS2.1, NS2.3, NS1.3, G1.1, G2.1 NS1.4, NS1.5, MR1.1, NS1.1, NS1.2: Compare, order, count, and measure objects in the world. Learn to work out the number of objects by grouping and recognize up to 4 objects without counting.
Communicating Stories with Data & Taking Wholes Apart, Putting Parts Together	Look for patterns	AF2.1, AF2.2: NS1.3, NS1.4, NS1.5, NS2.1, NS2.3, G1.1, M1.2: Recognize and duplicate patterns - understand the core unit in a repeating pattern. Notice size differences in similar shapes.
Exploring Changing Quantities	Count to 10	NS1.4, MR1.1, AF1.1, NS2.2: Count up to 10 using one to one correspondence. Know that adding or taking away 1 makes the group larger or smaller by 1.
Taking Wholes Apart, Putting Parts Together	Create patterns	AF2.2, AF2.1, M1.2, G1.1, G1.2, G2.1: Create patterns - using claps, signs, blocks, shapes. Use similar shapes to make a pattern and identify size differences in the patterns.
Taking Wholes Apart, Putting Parts Together & Discovering Shape and Space	See and use shapes	G1.1, G1.2, NS2.3, NS1.4, MR1.1: Combine different shapes to create a picture or design & recognize individual shapes, identifying how many shapes there are.
Discovering Shape and Space	Make and measure shapes	G1.1, M1.1, M1.2, NS1.4: Create and measure different shapes. Identify size differences in similar shapes.
Discovering Shape and Space	Shapes in space	G2.1, M1.1, MR1.1: Visualize shapes and solids (2-D and 3-D) in different positions, including nesting shapes, and learn to describe direction, distance, and location in space.

1079 Figure 6.4 includes Preschool Foundations in mathematics for students at around 60
 1080 months of age. The related kindergarten standards for transitional kindergarten are
 1081 identified in the next section.

1082 **Figure 6.5: Kindergarten Big Ideas**




1083
 1084 [Link to long description](#)

1085 **Figure 6.6: Kindergarten Content Connections, Big Ideas, and Standards**

Content Connection	Big Idea	K Standards
Communicating Stories with Data	Sort & Describe Data	MD.1, MD.2, MD.3, CC.4, CC.5, G.4: Sort, count, classify, compare, and describe objects using numbers for length, weight, or other attributes.

Content Connection	Big Idea	K Standards
Exploring Changing Quantities	How Many?	CC.1, CC.2, CC.3, CC.4, CC.5, CC.6, CC.7, MD.3: Know number names and the count sequence to determine how many are in a group of objects arranged in a line, array, or circle. Fingers are important representations of numbers. Use words and drawings to make convincing arguments to justify work.
Exploring Changing Quantities	Bigger or Equal?	CC.4, CC.5, CC.6, MD.2, G.4: Identify a number of objects as greater than, less than, or equal to the number of objects in another group. Justify or prove your findings with number sentences and other representations.
Taking Wholes Apart, Putting Parts Together	Being Flexible within 10	OA.1, OA.2, OA.3, OA.4, OA.5, CC.6, G.6: Make 10, add and subtract within 10, compose and decompose within 10 (find 2 numbers to make 10). Fingers are important.
Taking Wholes Apart, Putting Parts Together	Place and position of numbers	CC.3, CC.5, NBT.1: Get to know numbers between 11 and 19 by name and expanded notation to become familiar with place value, for example: $14 = 10 + 4$.
Taking Wholes Apart, Putting Parts Together	Model with numbers	OA.1, OA.2, OA.5, NBT.1, MD.2: Add, subtract, and model abstract problems with fingers, other manipulatives, sounds, movement, words, and models.
Discovering Shape and Space	Shapes in the World	G.1, G.2, G.3, G.4, G.5, G.6, MD.1, MD.2, MD.3: Describe the physical world using shapes. Create 2-D and 3-D shapes, and analyze and compare them.
Discovering Shape and Space	Making shapes from parts	MD.1, MD.2, G.4, G.5, G.6: Compose larger shapes by combining known shapes. Explore similarities and differences of shapes using numbers and measurements.

1086 **Figure 6.7: Grade 1 Big Ideas**



1087


1088 [Link to long description](#)

1089 **Figure 6.8. Grade 1 Content Connections, Big Ideas, and Standards**

Content Connection	Big Idea	Grade 1 Standards
Communicating Stories with Data	Make Sense of Data	MD.2, MD.4, MD.3, MD.1, NBT.1, OA.1, OA.2, OA.3: Organize, order, represent, and interpret data with two or more categories; ask and answer questions about the total number of data points, how many are in each category, and how many more or less are in one category than in another.

Content Connection	Big Idea	Grade 1 Standards
Communicating Stories with Data & Exploring Changing Quantities	Measuring with Objects	MD.1 MD.2, OA.5: Express the length of an object by units of measurement e.g., the stapler is 5 red Cuisenaire rods long, the red rod representing the unit of measure. Understand that the measurement length of an object is the number of units used to measure.
Exploring Changing Quantities	Clocks & Time	MD.3, NBT.2, G.3: Read and express time on digital and analog clocks using units of an hour or half hour.
Exploring Changing Quantities	Equal Expressions	OA.6, OA.7, OA.2, OA.1, OA.8, OA.5, OA.4, OA.3, NBT.4: Understand addition and subtraction, using various models, such as connected cubes. Compose and decompose numbers to make equal expressions, knowing that equals means that both sides of an expression are the same (and it is not simply the result of an operation).
Exploring Changing Quantities	Reasoning about Equality	OA.3, OA.6, OA.7, NBT.2, NBT.3, NBT.4: Justify reasoning about equal amounts, using flexible number strategies (e.g., students use compensation strategies to justify number sentences, such as $23 - 7 = 24 - 8$).
Taking Wholes Apart, Putting Parts Together	Tens & Ones	NBT.4, NBT.3, NBT.1, NBT.2, NBT.6, NBT.5: Think of whole numbers between 10 and 100 in terms of tens and ones. Through activities that build number sense, students understand the order of the counting numbers and their relative magnitudes.
Discovering Shape and Space	Equal Parts inside Shapes	G.3, G.2, G.1, MD.3: Compose 2D shapes on a plane as well as in 3D space to create cubes, prisms, cylinders, and cones. Shapes can also be decomposed into equal shares, as in a circle broken into halves and quarters defines a clock face.

1090 Figure 6.9: Grade 2 Big Ideas



1091

1092 [Link to long description](#)

1093 **Figure 6.10. Grade 2 Content Connections, Big Ideas, and Standards**

Content Connection	Big Idea	Standards
Communicating Stories with Data	Measure & Compare Objects	MD.1, MD.2, MD.3, MD.4, MD.6, MD.9: Determine the length of objects using standard units of measures, and use appropriate tools to classify objects, interpreting and comparing linear measures on a number line.

Content Connection	Big Idea	Standards
Communicating Stories with Data	Represent Data	MD.7, MD.9, MD.10, G.2, G.3, NBT.2: Represent data by using line plots, picture graphs, and bar graphs, and interpret data in different data representations, including clock faces to the nearest 5 minutes.
Exploring Changing Quantities	Dollars & Cents	MD.8, MD.5, NBT.1, NBT.2, NBT.5, NBT.6, NBT.7: Understand the unit values of money and compute different values when combining dollars and cents.
Exploring Changing Quantities & Discovering Shape and Space	Problem Solving with Measure	NBT.7, NBT.1, MD.1, MD.2, MD.3, MD.4, MD.5, MD.6, MD.9, OA.1: Solve problems involving length measures using addition and subtraction.
Taking Wholes Apart, Putting Parts Together	Skip Counting to 100	NBT.1, NBT.3, NBT.7, OA.4, G.2: Use skip counting, counting bundles of 10, and expanded notation to understand the composition and place value of numbers up to 1,000. This includes ideas of counting in fives, tens, and multiples of hundreds, tens, and ones, as well as number relationships involving these units, including comparing.
Taking Wholes Apart, Putting Parts Together	Number Strategies	MD.5, NBT.5, NBT.6, NBT.7, OA.1, OA.2: Add and subtract 2-digit numbers, within 100, without using algorithms - instead encouraging different strategies and justification. Compare and contrast the different strategies using models, symbols, and drawings.
Discovering Shape and Space	Seeing Fractions in Shapes	G.1, G.2, G.3, MD.7: Divide circles and rectangles into equal shares and know them to be standard unit fractions. Identify and draw 2D and 3D shapes, recognizing faces and angles.
Discovering Shape and Space	Squares in an Array	OA.4, G.2, G.3, MD.6: Partition rectangles into rows and columns of unit squares to find the total number of square units in an array.

1094

1095

1096 **Mathematics: Investigating and Connecting, Grades Three**
1097 **through Five**

1098 Mathematics in grades three, four, and five rely on a student’s acquisition of a solid
1099 understanding of the concepts developed in the earlier grades. New challenges in
1100 mathematics are exciting and meaningful for students when they are able to connect
1101 previous learning to make sense of current grade level concepts. The goal of the CA
1102 CCSSM at every grade is for students to understand mathematics. This means far more
1103 than expecting students to master procedures and memorize facts, and may call for
1104 adjustments to the ways mathematics instruction is structured in the classroom. To
1105 understand mathematics, students must be the doers of mathematics—the ones who do
1106 the thinking, do the explaining, and do the justifying. In this paradigm, teachers engage
1107 all students in authentic, relevant mathematics experiences; they support learning by
1108 recognizing, respecting, and nurturing their students’ ability to develop deep
1109 mathematical understanding (Hansen and Mathern, 2008). As they plan for instruction,
1110 teachers are also doers of mathematics. Teachers work through the tasks themselves in
1111 order to anticipate the approaches students may take, partial understandings students
1112 may have, and challenges students may encounter in their explorations. *5 Practices for*
1113 *Orchestrating Productive Mathematical Discussions* (Smith and Stein, 2011) offers a
1114 structure for planning and implementing mathematical tasks and orchestrating the
1115 discourse that emerges in the class. Additional discussion of these shifts in the
1116 teacher’s role can be found in Chapter 2.

1117 What constitutes whether students are demonstrating understanding? A student can
1118 express an idea in their own words, build a concrete model, illustrate their thinking
1119 pictorially, or provide examples and possibly counterexamples. One might observe them
1120 making connections between ideas or applying a strategy appropriately in another
1121 related situation (Davis, 2006). Many useful indicators of deeper understanding are
1122 embedded in the SMPs. Teachers can note when students “analyze...the relationships
1123 in a problem so that they can understand the situation and identify possible ways to
1124 solve it,” as described in SMP.1. Other examples of observable behaviors specified in
1125 the SMPs include students’ abilities to

- 1126 ● use mathematical reasoning to justify their ideas;
- 1127 ● draw diagrams of important features and relationships;
- 1128 ● select tools that are appropriate for solving the particular problem at hand; and
- 1129 ● accurately identify the symbols, units, and operations they use in solving
- 1130 problems (SMP.3, 4, 5, 6).

1131 To teach mathematics for understanding, it is essential to actively and intentionally
1132 cultivate students' use of the SMPs. The introduction to the CA CCSSM is explicit on
1133 this point: "The MP standards must be taught as carefully and practiced as intentionally
1134 as the Standards for Mathematical Content. Neither should be isolated from the other;
1135 effective mathematics instruction occurs when the two halves of the CA CCSSM come
1136 together as a powerful whole" (CA CCSSM, 3). The SMPs are designed to support
1137 students' development across the school years. Students in primary grades make sense
1138 of and persevere to solve problems (SMP.1); as high school students investigate their
1139 grade level mathematics, they, too, make sense of problems and persevere in solving
1140 them. Further discussion of the continuum of SMPs is detailed in Chapter 4.

What is a Model?

1142 Modeling, as used in the CACSSM, is primarily about using mathematics to
1143 describe the world. In elementary mathematics, a model might be a
1144 representation such as a math drawing or a situation equation (operations and
1145 algebraic thinking), line plot, picture graph, or bar graph (measurement), or
1146 building made of blocks (geometry). In grades six through seven, a model could
1147 be a table or plotted line (ratio and proportional reasoning) or box plot, scatter
1148 plot, or histogram (statistics and probability). In grade eight, students begin to
1149 use functions to model relationships between quantities. In high school, modeling
1150 becomes more complex, building on what students have learned in kindergarten
1151 through grade eight. Representations such as tables or scatter plots are often
1152 intermediate steps rather than the models themselves. The same representations
1153 and concrete objects used as models of real life situations are used to
1154 understand mathematical or statistical concepts. The use of representations and

1155 physical objects to understand mathematics is sometimes referred to as
1156 “modeling mathematics,” and the associated representations and objects are
1157 sometimes called “models.”

1158 Taken from the K–12 Modeling Progression for the Common Core Math
1159 Standards The University of Arizona, n.d.

1160 SMPs are linguistically demanding, yet they provide opportunities to develop language,
1161 specifically the language of the discipline of mathematics; educators must remain aware
1162 of and provide support for students who may grasp a concept, yet struggle to express
1163 their understanding. For English learners as well as any students with learning
1164 differences, small group instruction should build the language needed for the demand of
1165 the mathematical concepts and standards in anticipation of the linguistic proficiency
1166 expectations of the lesson. Chapter 4, *Exploring, Discovering, and Reasoning With and*
1167 *About Mathematics*, closely examines the critical importance of the SMPs and provides
1168 additional guidance on supporting students on their path to becoming proficient
1169 practitioners of mathematics.

1170 Students who regularly incorporate the SMPs in their mathematical work develop
1171 mental habits that enable them to approach novel problems as well as routine
1172 procedural exercises, and to solve them with confidence, understanding, and accuracy.
1173 Specifically, recent research shows that an instructional approach focused on
1174 mathematical practices may be important in supporting student achievement on
1175 curricular standards and assessments, and that it also contributes to students’ positive
1176 affect and interest in mathematics (Sengupta-Irving and Enyedy, 2014). Regularly
1177 incorporating the SMPs gives students opportunities to make sense of the specific
1178 linguistic features of the genres of mathematics, and produce, reflect on, and revise
1179 their own mathematical communications. SMPs also offer teachers opportunities to
1180 engage in formative assessment, provide real-time feedback, and inform potential
1181 student language use issues that may arise as they develop their mathematical thinking.

1182 The content standards were built on progressions of topics across grade levels,
1183 informed by both research on children’s cognitive development and by the logical
1184 structure of mathematics. Transitional kindergarten through grade two classes help

1185 students build a foundation for all their future mathematics as they explore numbers,
1186 operations, measurement and shapes. Students learned place value and used methods
1187 based on place value to add and subtract within 1,000. They developed efficient,
1188 reliable methods for addition and subtraction within 100. Students continue developing
1189 efficient methods throughout grade three, and learn the **standard algorithms** for
1190 addition and subtraction in grade four (4.NBT.B.4).

1191 **Standard algorithm** is defined in this framework as a step-by-step approach to
1192 calculating, decided by societal convention, developed for efficiency. Flexible and
1193 fluent use of standard algorithms requires conceptual understanding. See CC3:
1194 Taking Wholes Apart and Putting Parts Together – Whole Numbers, for more on
1195 standard algorithms.

1196 In the earlier grades, students worked with equal groups and the array model, preparing
1197 the way for understanding multiplication. They used standard units to measure lengths
1198 and described attributes of geometric shapes. Mathematical investigations of core
1199 content—that is, the grade-level big ideas in mathematics—can be productively
1200 approached through the SMPs.

1201 The mathematics content of grades three, four, and five is conceptually rich and multi-
1202 faceted. Students who engaged in meaningful mathematics in transitional kindergarten
1203 through grade two are more likely to increase their mathematical understanding as they
1204 advance through subsequent grades. Across grades three, four, and five, they will
1205 expand this early mathematical foundation as they build understanding of the operations
1206 of multiplication and division, concepts and operations with fractions, and measurement
1207 of area and volume.

1208 Students may arrive in grades three, four, and five with unfinished learning from
1209 previous grades. When this occurs, it is important that teachers provide support without
1210 making premature determinations that students are low achievers, require interventions,
1211 or need to be placed in a group learning different grade-level standards. Students
1212 develop at different times and at different rates; what educators perceive as an apparent
1213 lack of understanding may not indicate a real lack of understanding. Mathematics

1214 routines that are designed to encourage students to use language and discuss their
1215 mathematics work support all learners across the grades. Achieve the Core (2018) lists
1216 a variety of Mathematical Language and Instructional Routines that are of benefit to all
1217 students, particularly those who are learning English or who are challenged by the
1218 demands of academic language for mathematics. One example is the “Collect and
1219 Display” routine in which the teacher listens for and notes the language students use as
1220 they engage in mathematics, whether with a partner, small group or whole class. The
1221 students’ language is then collected and displayed, serving as a collective record a
1222 reference as students continue to develop their mathematical language. Instructional
1223 routines such as “Contemplate Then Calculate” and “Connecting Representations” help
1224 students apply the SMPs and deepen their involvement in the study of mathematics. By
1225 utilizing well-chosen routines and practices, educators help students strengthen
1226 understandings that may have been weak or incomplete in their previous learning.

1227 Preparing students to be the reflective problem solvers envisioned in the CA CCSSM
1228 requires educators to cultivate all students’ abilities to persevere through challenges,
1229 explain the strategies they apply, and justify their conclusions. Research shows that
1230 students achieve at higher levels when they are actively engaged in the learning
1231 process (Boaler, 2016; CAST, 2020). Educators can increase student engagement by
1232 selecting challenging mathematics problems that invite *all* learners—including students
1233 who are linguistically and/or culturally diverse, and those with learning differences—to
1234 engage and succeed. Such problems are those that:

- 1235 ● involve multiple content areas;
- 1236 ● highlight contributions of diverse cultural groups;
- 1237 ● invite curiosity;
- 1238 ● allow for multiple approaches, collaboration, and representations in multiple
1239 languages; and
- 1240 ● carry the expectation that students will use mathematical reasoning.

1241 As teachers come to know their students, families, and communities well, they can
1242 increase the cultural relevance of mathematics instruction by connecting classroom
1243 mathematics to features of the community (TODOS, 2014, Ferlazzo, 2020). A photo of
1244 prices posted at a local store, for example, could initiate a mathematics lesson. If
1245 students' cultures have strong associations with music, dance or other forms of artistic
1246 expression, mathematics instruction can incorporate these elements. Readers will find
1247 guidance on supporting the academic growth of students with learning differences and
1248 linguistically and culturally diverse students in the Introduction to this Framework,
1249 Chapter 1. See also Chapter 2, Teaching for Equity and Engagement, which discusses
1250 in detail the value of teaching with open tasks as a means of engaging all learners at
1251 levels of challenge appropriate to them.

1252 **Driving Investigation and Making Connections, Grades Three through** 1253 **Five**

1254 Chapters 6, 7, and 8 of this framework emphasize students' active engagement in the
1255 learning process. Instruction is organized and designed in the spirit of *investigating* the
1256 "Big Ideas" of mathematics and *connecting* content and mathematical practices within
1257 and across grade levels. An idea becomes big when it includes connected mathematical
1258 content and a driver for investigation—it is the combination of content and investigation
1259 that makes content meaningful and important.

1260 Instruction as described in this framework intentionally draws conceptual connections
1261 within and across mathematical domains.

1262 The four Content Connections (CC) described in the framework organize content and
1263 provide mathematical coherence through the grades:

- 1264 • (CC1) Communicating Stories with Data
- 1265 • (CC2) Exploring Changing Quantities
- 1266 • (CC3) Taking Wholes Apart, Putting Parts Together
- 1267 • (CC4) Discovering Shape and Space

1268 The four CCs should be recognized as being of equal importance; they are not meant to
1269 be addressed sequentially. As captured in Figure 6.1, *Content Connections*,
1270 *Mathematical Practices and Drivers of Investigation*, there is considerable crossover
1271 among the standards and the content connections. A specific standard, for example,
1272 4.NF.A.2, may be addressed during an investigation in which students communicate
1273 stories with data (CC1), and the same standard might also be developed while
1274 engaging in lessons in which students take wholes apart and/or put parts together
1275 (CC3).

1276 These content connections should be developed through investigation of questions in
1277 authentic contexts. Students actively engage in learning when they find purpose and
1278 meaning in the learning. Mathematical investigations will naturally fall into one or more
1279 of these Drivers of Investigation (DI):

- 1280 • DI 1: Making Sense of the World (Understand and Explain)
- 1281 • DI 2: Predicting What Could Happen (Predict)
- 1282 • DI 3: Impacting the Future (Affect)


1283 Big Ideas that drive the design of instructional activities will link one or more content
1284 connections with a driver of investigation, such as communicating stories with data
1285 (CC1) to predict what could happen (DI2), or exploring changing quantities (CC2) to
1286 impact the future (DI3). Instruction should primarily involve tasks that invite students to
1287 make sense of these Big Ideas, elicit wondering in authentic contexts, and necessitate
1288 mathematics. Big Ideas in math are central to the learning of mathematics, link
1289 numerous mathematical understandings into a coherent whole, and provide focal points
1290 for students' investigations. Figure 6.13, Progression Chart of Big Ideas through Grades
1291 3–5, identifies some of the Big Ideas in grade levels three through five, and indicates
1292 the Content Connections with which they are readily associated. Later in this chapter,
1293 find a table of Content Connections, Big Ideas, and Standards specific to each grade
1294 level three through five, as well as a network diagram of the Big Ideas for the grade.

1295 Chapter 2 introduces the purpose and benefits of teaching around Big Ideas as one of
1296 the five main components of teaching for equity and engagement. Teachers of

1297 transitional kindergarten through grade five will find much of value in Chapter 2,
1298 including the vignette, Productive Partnerships, in which grade four students engage in
1299 and strengthen their capacity for several mathematical practices as they are challenged
1300 by an open task of creating equations using four 4's.

1301 An authentic activity or problem is one in which students investigate or struggle with
1302 situations or questions about which they actually wonder. Lesson design should be built
1303 to elicit that wondering. For example, environmental observations and issues on
1304 campus and in the local community provide rich contexts for student investigations and
1305 mathematical analysis as they concurrently help students develop their understanding
1306 of California's Environmental Principles and Concepts. An activity or task can be
1307 considered authentic if attempting to understand the situation or task creates for
1308 students a need to learn or use the mathematical idea or strategy. The content involved
1309 in the course of a single investigation cuts across several CA CCSSM domains,
1310 perhaps Measurement and Data, Number and Operations in Base Ten (NBT), and
1311 Operations and Algebraic Thinking (OA). Simultaneously, students employ several of
1312 the Mathematical Practices as they conduct their investigations. Chapter 4 illustrates
1313 how Content Connections, Drivers of Investigations, and three SMPs come together
1314 across the grade bands. Figure 6.12 illustrates the connections among the features of
1315 such an investigative, connected approach.

1316 Figure 6.11: Content Connections, Mathematical Practices and Drivers of Investigation



1317

1318 [Link to long description](#)

1319 The Progression Chart of Big Ideas through Grades 3–5 (below) links the big ideas for
 1320 each grade with relevant Content Connections. Specific SMPs, content standards, and
 1321 activities are highlighted in the discussion of each Content Connection.

1322 **Figure 6.12: Progression Chart of Big Ideas through Grades 3–5**

Content Connections	Big Ideas: Grade 3	Big Ideas: Grade 4	Big Ideas: Grade 5
Communicating Stories with Data	Represent Multivariable data	Measuring and plotting	Plotting patterns
Communicating Stories with Data	Fractions of shape and time	Rectangle Investigations	Telling a data story

Content Connections	Big Ideas: Grade 3	Big Ideas: Grade 4	Big Ideas: Grade 5
Communicating Stories with Data	Measuring	n/a	n/a
Exploring Changing Quantities	Addition and subtraction patterns	Number and shape patterns	Telling a data story
Exploring Changing Quantities	Number flexibility to 100	Factors & area models	Factors and groups
Exploring Changing Quantities	n/a	Multi-digit numbers	Modeling
Exploring Changing Quantities	n/a	n/a	Fraction connections
Exploring Changing Quantities	n/a	n/a	Shapes on a plane
Taking Wholes Apart, Putting Parts Together	Square tiles	Fraction flexibility	Fraction connections
Taking Wholes Apart, Putting Parts Together	Fractions as relationships	Visual fraction models	Seeing Division
Taking Wholes Apart, Putting Parts Together	Unit fraction models	Circles, fractions and decimals	Powers and place value
Discovering shape and space	Unit fraction models	Circles, fractions and decimals	Telling a data story
Discovering shape and space	Analyze quadrilaterals	Shapes and symmetries	Layers of cubes
Discovering shape and space	n/a	Connected problem solving	Shapes on a plane

1323 **Content Connections, Grades Three Through Five**

1324 ***CC1: Communicating stories with data***

1325 In the upper elementary grades, students acquire important foundational concepts
 1326 involving measurement, and increase the degree of precision to which they measure
 1327 quantities as they engage in solving interesting, relevant problems. They measure
 1328 various attributes including: time, length, weight, area, perimeter, and volume of liquids

1329 and solid figures (3.MD.1–4; 4.MD.1–4; 5.MD.1–5). Third-grade students develop an
1330 understanding of area, focusing on square units in rectangular configurations, and they
1331 build concepts of liquid volume and mass. As fourth-grade students solve problems in
1332 measurement, they discover and apply a formula to calculate areas of rectangles. They
1333 solve measurement problems involving time, money, distance, volume and mass. In fifth
1334 grade, students apply all of these skills as they focus on concepts of volume and use
1335 multiplicative thinking to calculate volumes of right rectangular prisms.

1336 Measurement problem contexts are well-suited to connect with data science concepts.
1337 Students can gather and analyze measurement data to answer relevant questions.
1338 Chapter 5 offers guidance as to how to integrate these content areas. Students apply
1339 reasoning and their growing understanding of multiplication and fractions to gather,
1340 represent, and interpret data in culturally meaningful contexts (SMP.1, 4, 7). While
1341 mathematical skills are necessarily in play when working with data, the emphasis is on
1342 representation and analysis; students need to be statistically literate in order to interpret
1343 the world (Van de Walle et al., 2014, 378).

1344 Students create and examine stories told by measurement and data as they

- 1345 ● solve problems involving measurement (3.MD.A.1, 2; 4.MD.A.1 – 3; 5.MD.1 – 5);
- 1346 and
- 1347 ● represent and interpret data (3.MD.B.3, 4; 4.MD.b.4; 5.MD.B.2).

1348 In their work with measurement and data, students use the SMPs to

- 1349 ● make sense of data and interpret results of investigations (SMP.1, 3, 6);
- 1350 ● construct arguments based on context as they reason about data (SMP.2, 3);
- 1351 and
- 1352 ● select appropriate tools to model their mathematical thinking ((SMP.4, 5, 6).

1353 Key to creating lessons that promote student discourse, curiosity and active learning is
1354 the nature of the question being investigated. When the class determines what
1355 information to gather, they are likely to be fully engaged in the process. Students are
1356 naturally interested in themselves and their peers, and are curious about the world
1357 around them. Science, history–social science, and California’s Environmental Principles

1358 and Concepts (EP&Cs) are prime for integrating in mathematics, as they connect to
1359 local contexts that are relevant to students and their communities. These local contexts
1360 offer a wide array of opportunities for collection and analysis of real-world data and
1361 engage students in investigations about local environmental phenomena that can
1362 directly support math instruction and the objectives of the standards and frameworks for
1363 these other disciplines. Referencing phenomena in their local communities, their lives,
1364 and experiences is an access point for linguistically and culturally diverse English
1365 learners. This approach supports concept development more effectively than examples
1366 that have minimal meaning to the learners, and can increase the difficulty of the
1367 exploration.

1368 The internet provides access to almost unlimited sources of current data of interest to
1369 students. Some possible “about us” investigations might include the following:

1370 ● Minutes spent traveling to school each day

1371 ● Minutes of screen time in the past week

1372 ● Numbers of pets in the family

1373 Other investigations may center on questions such as:

1374 ● What are typical temperatures in our area over the course of a year?

1375 ● What traffic patterns can we observe on nearby street(s)?

1376 ● What is the most common car color where we live? (*Data Tells Us* about
1377 Ourselves)

1378 ● How far do players run during various professional sports games (soccer,
1379 basketball, baseball, etc.)?

1380 ● How far do people have to travel to the nearest hospital in different counties of
1381 the state?

1382 ● How long does it take for various seeds to germinate? (Van de Walle et al., 2014)

1383 As students make decisions about how to gather the data, teacher guidance will likely
1384 be necessary. The question under investigation must be clearly defined and stated so
1385 that all data gatherers will be consistent as they collect and record responses. “Data
1386 Clusters and Distributions,” a lesson for upper elementary grades (PBS Learning Media,
1387 2008), focuses on the importance of consistency in data collection. The video portion of
1388 the lesson demonstrates how inconsistent data gathering led to incorrect findings; the
1389 characters in the video then collaborate to remedy the problem and begin to analyze the
1390 data. The lesson poses additional questions highlighting the value of interpreting the
1391 results of a study in order to gain knowledge and make decisions or recommendations.

1392 Investigations of data allow for integration and purposeful practice of the four operations
1393 and fractions concepts, both of which are major content areas in these grades. Third
1394 grade students use multiplication when they draw picture graphs in which each picture
1395 represents more than one object, or draw bar graphs in which the height of a given bar
1396 in tick marks must be multiplied by the scale factor to yield the number of objects in the
1397 given category. Fourth- and fifth-grade students convert measures within a given
1398 measurement system and use fractional values as they create and analyze line plots of
1399 data sets.

1400 ***Snapshot: Habitat and Human Activity***

1401 In this example (Lieberman and Brown, 2020), the teacher works with students to
1402 deepen their knowledge and skills of mathematics, science, English language
1403 arts/literacy (ELA), and the California EP&Cs through an investigation of habitats on
1404 campus. They will investigate how human activities can affect the number and diversity
1405 of organisms that live on campus.

1406 The mathematics-related focus of the learning will have students conduct an
1407 investigation that is local—ensuring it is relevant and meaningful to their lives. The
1408 teacher has decided to focus on content related to measurement and data by having
1409 students: generate measurement data using rulers (CC 1, 4, DI 3; 3.MD.B.4); represent
1410 data by drawing a scaled picture graph and a scaled bar graph (3.MD.B.3); recognize
1411 area as an attribute of plane figures and understand the concept of area measurement

1412 (3.MD.C.5); and, solve real-world and mathematical problems involving perimeters of
1413 polygons (3.MD.D.8).

1414 From a science perspective, students' investigations will focus on: gathering (CA NGSS
1415 SEP-3) and analyzing evidence (CA NGSS SEP-4); constructing an argument (CA
1416 NGSS SEP-7); and making a claim about the merit of a solution to a problem (CA
1417 NGSS 3-LS4-4).

1418 In alignment with EP&C II, students will analyze the results of their investigation to
1419 examine how "the long-term functioning and health of terrestrial, freshwater, coastal and
1420 marine ecosystems are influenced by their relationships with human societies" (CA
1421 EP&C II); and, how "decisions affecting resources and natural systems are based on a
1422 wide range of considerations and decision-making processes (CA EP&C V).

1423 Based on their investigations, mathematical analysis, and consideration of the
1424 environmental principles, students will choose to write either opinion pieces on topics or
1425 texts, supporting a point of view with reasons (ELA W.3.1), or informative/explanatory
1426 texts to examine a topic and convey ideas and information clearly (ELA W.3.2). In the
1427 course of this rich activity, English language development standards will be called into
1428 play: P1.C, 9 - 12; P2.A, 1, 2; P2.B, 3-5; P2.C, 6-7. In particular, the following ELD
1429 Standards are applicable to this snapshot:

1430 Part I: Interacting in Meaningful Ways

1431 A. Collaborative (engagement in dialogue with others)

1432 1. Exchanging information and ideas via oral communication and conversations

1433 2. Interacting via written English (print and multimedia)

1434 3. Offering opinions and negotiating with or persuading others

1435 4. Adapting language choices to various contexts

1436 B. Interpretive (comprehension and analysis of written and spoken texts)

1437 5. Listening actively and asking or answering questions about what was heard

1438 6. Reading closely and explaining interpretations and ideas from reading

1439 7. Evaluating how well writers and speakers use language to present or support
1440 ideas

- 1441 8. Analyzing how writers use vocabulary and other language resources
- 1442 C. Productive (creation of oral presentations and written texts)
- 1443 9. Expressing information and ideas in oral presentations
- 1444 10. Writing literary and informational texts
- 1445 11. Supporting opinions or justifying arguments and evaluating others'
- 1446 opinions or arguments
- 1447 12. Selecting and applying varied and precise vocabulary and other language
- 1448 resources)

1449 Part 2 A. Structuring Cohesive Texts

- 1450 1. Understanding text structure and organization based on purpose, text type,
- 1451 and discipline
- 1452 2. Understanding cohesion and how language resources across a text contribute
- 1453 to the way a text unfolds and flows

1454 Part 2 B. Expanding and Enriching Ideas

- 1455 3. Using verbs and verb phrases to create precision and clarity in different text
- 1456 types
- 1457 4. Using nouns and noun phrases to expand ideas and provide more detail
- 1458 5. Modifying to add details to provide more information and create precision

1459 Part 2 C. Connecting and Condensing Ideas

- 1460 6. Connecting ideas within sentences by combining clauses
- 1461 7. Condensing ideas within sentences using a variety of language resources

1462 During an initial exploration of campus, students looked for places to observe plants and
 1463 animals. They identified these areas on a simple map of the campus and recorded a
 1464 few examples of what they observed.

1465 Back in the classroom, students shared what they observed. The teacher introduced the
 1466 concept of habitat and explained that a healthy habitat provides the resources and
 1467 conditions necessary for a diversity of organisms (plants and animals) to survive. The
 1468 teacher also led a discussion about how human activity can affect the number and types
 1469 of organisms that will survive in an area.

1470 The teacher and students decided to work together to design an investigation to identify
1471 and gather data from both areas with different levels of human activity. They decided to
1472 compare areas: with more and fewer plants and animals; and, areas with more or less
1473 human activity. Prior to starting their outdoor investigation, the teacher introduced the
1474 relevant math standards and practices that they would use to analyze the data collected
1475 during the investigation. Students laid out and measured their rectangular study plots
1476 using yardsticks, recorded the numbers and types of plants and animals in the plots in a
1477 table; and determined the types and levels of human activities taking place near each
1478 plot (by identifying the different types of activities and how many students and adults
1479 were involved in each type).

1480 After collecting data, the class discussed the concept of area measurement. Students
1481 then recorded and analyzed their findings including the area of the different types of
1482 study plots and the nearby human activities. The students calculated the area of the
1483 rectangular study plots. They then used the data from their tables to create scaled bar
1484 graphs and/or scaled picture graphs of the number of animals and plants in the study
1485 plots. The teacher presented students with a real-world problem involving comparing
1486 the numbers of plants and animals in their study plots. The students used the graphs to
1487 make statements about the data (e.g., “There are x number of plants/animals in this
1488 study plot.” “There are more plants than animals in this plot.” “There are twice as many
1489 animals as plants in this plot.”). Students presented results using scaled bar and picture
1490 graphs.


1491 The teacher posed the question, “How do human activities affect the number and
1492 diversity (types) of organisms that live on campus?” Students were asked to construct
1493 an argument based on the analysis of their data about the effects of human activities on
1494 habitats and the organisms that live there. Working in teams, they designed a solution
1495 that might minimize the effects of human activities on organisms that live on campus.
1496 Using the results of their investigations, data collected and analyzed, and graphs,
1497 students wrote informative/explanatory texts that examined the topic of changes to
1498 habitats and conveyed their ideas about the problems and made claims about the
1499 merits of their solutions.

1500 As they concluded their investigations, students began to wonder by whom and how the
1501 decisions had been made about the design and use of the campus. One student, a new
1502 arrival to the school, also mentioned that there were many more plants and animals at
1503 their previous school. This comment initiated another major question and discussion
1504 about why some schools have lots of green space, trees, and gardens, and others have
1505 few or none. This conversation created a direct connection to the teacher’s upcoming
1506 history–social science unit where the focus will be on the distribution and use of
1507 resources and environmental justice.

1508 The following week, the class began a unit on three important topics: the ways in which
1509 people have used the resources of the local region and modified the physical
1510 environment (HSS 3.1.2.); the importance of public virtue and the role of citizens,
1511 including how to participate in a classroom, in the community, and in civic life (HSS
1512 3.4.2.); and, understanding that individual economic choices involve trade-offs and the
1513 evaluation of benefits and costs (HSS 3.5.3).

1514 To understand the stories told by measurement and data, students are required to
1515 expand beyond collecting and presenting data; they must be actively engaged in
1516 analyzing and interpreting data as well.

1517 One approach, called “turning the task around,” allows students to study a mystery
1518 graph that illustrates some unknown topic. For example, given the unlabeled line plot
1519 here, students can describe what they notice about the values shown, and make
1520 suggestions as to what this graph could reasonably represent.



1521

1522 Some possibilities might include:

1523 ● The lengths in inches of various insects

1524 ● The widths in inches of people’s fingers

1525 ● What fraction of a pizza different people ate

1526 ● What distance in miles students ran during physical education class

1527 ● Weights in grams of rocks in the class collection

1528 In the PBS task “What’s Typical, Based on the Shape of Data Charts?” students
1529 analyze two sets of data (collected by two different students) showing the heights of all
1530 the members of the school band. Both students measured the heights of the same 21
1531 band members, yet the numbers reported are not identical in the two data sets (PBS
1532 Learning Media, n.d.). Preliminary tasks invite students to find the range of the data
1533 (4.MD.B.4) and the mode (a middle-school topic) for each set. Students then consider
1534 and offer explanations as to why the two data sets might differ, and make
1535 recommendations to the band director as to how many each of sizes small, medium,
1536 and large band uniforms they should order.

1537 “Button Diameters,” from *Illustrative Mathematics* (Illustrative Mathematics, 2016b)
1538 emphasizes measurement skills: students measure buttons to the nearest fourth and
1539 eighth inch. After creating line plots of the data, students describe the differences
1540 between the two line plots they created, consider which line plot gives more information,
1541 and which is easier to read.

1542 Chapter 3 is devoted specifically to data science; it describes the vital role data science
1543 plays in the modern world and enumerates important principles in the learning of data
1544 science in kindergarten through grade twelve.

1545 ***CC2: Exploring changing quantities***

1546 Upper elementary grade students extend their understanding of operations to include
1547 multiplication and division. They study several ways of thinking about these operations,

1548 represent their thinking with tools, pictures, and numbers, and make connections among
1549 the various representations. Full understanding of the meanings of multiplication and
1550 division is essential, as students will need to apply the same thinking strategies when
1551 they begin operations with fractions. The development of solid understanding of these
1552 operations also prepares students for mathematics in middle school and beyond.

1553 In grades three through five, students advance their algebraic thinking as they

- 1554 ● understand properties of multiplication and the relationship between
1555 multiplication and division (3.OA.1, 2, 5, 6; 4.OA.2, 5, 6; 5.NF.3, 4, 7);
- 1556 ● use the four operations to solve problems with whole numbers (3.OA.7.8;
1557 4.NBT.4, 5; 5.NBT.5, 6); and
- 1558 ● use letters to stand for unknowns in equations (3.OA.3, 8; 4.2, 3).

1559 Simultaneously, they expand their use of all the SMPs. For example, they

- 1560 ● think quantitatively and abstractly using multiplication and division;
- 1561 ● model contextually based problems using a variety of representations;
- 1562 ● communicate thinking using precise vocabulary and terms; and
- 1563 ● use patterns they discover as they develop meaningful, reliable and efficient
1564 methods to multiply and divide (SMP.2, 4, 6, 8) numbers within 100.

1565 **Meanings of Multiplication and Division**

1566 In previous grades, students worked with the operations of addition and subtraction;
1567 now they develop understanding of the meanings of multiplication and division of whole
1568 numbers. They recognize how multiplication is related to addition (it can sometimes call
1569 for repeatedly adding equal-sized groups), how it is distinct from addition, and how it
1570 serves as a more efficient way of counting quantities.

1571 Students engage initially in multiplication activities and problems involving equal-sized
1572 groups, **arrays**, and **area models** (NGA/CCSSO, 2010c). Later (in grade four) they also

1573 solve **comparison** problems and use the terms factor, **multiple**, and **product**. Students
1574 who hear teachers consistently and intentionally using precise mathematics terms
1575 during instruction become accustomed to the vocabulary. Over time, as they gain
1576 experience and as their confidence increases, students begin to incorporate the
1577 language themselves.

1578 The most common types of multiplication and division word problems for grades three,
1579 four, and five (from the 2013 *Mathematics Framework*, Glossary) are summarized in the
1580 table below. As you read through the various problem situations, consider how the
1581 language associated with each type of problem might be confusing for a student who is
1582 learning English, and how teachers can support their students in acquiring precise
1583 mathematical language as they investigate mathematical content.

1584

1585 Common Multiplication and Division Situations*

Common Multiplication and Division Situations	Unknown Product	Group Size Unknown	Number of Groups Unknown
n/a	$= \square$	$\square =$ and $\div = \square$	$\square =$ and $\div = \square$
Equal Groups	<p>There are 3 bags with 6 plums in each bag. How many plums are there altogether?</p> <p>Measurement example You need 3 lengths of string, each 6 inches long. How much string will you need altogether?</p>	<p>If 18 plums are shared equally and packed inside 3 bags, then how many plums will be in each bag?</p> <p>Measurement example You have 18 inches of string, which you will cut into 3 equal pieces. How long will each piece of string be?</p>	<p>If 18 plums are to be packed, with 6 plums to a bag, then how many bags are needed?</p> <p>Measurement example You have 18 inches of string, which you will cut into pieces that are 6 inches long. How many pieces of string will you have?</p>
Arrays [†] , Area [‡]	<p>There are 3 rows of apples with 6 apples in each row. How many apples are there?</p> <p>Area example What is the area of a rectangle that measures 3 centimeters by 6 centimeters?</p>	<p>If 18 apples are arranged into 3 equal rows, how many apples will be in each row?</p> <p>Area example A rectangle has an area of 18 square centimeters. If one side is 3 centimeters long, how long is a side next to it?</p>	<p>If 18 apples are arranged into equal rows of 6 apples, how many rows will there be?</p> <p>Area example A rectangle has an area of 18 square centimeters. If one side is 6 centimeters long, how long is a side next to it?</p>
Compare	<p>A blue hat costs \$6. A red hat costs 3 times as much as the blue hat. How much does the red hat cost?</p> <p>Measurement example A rubber band is 6 centimeters long. How long will the rubber band be when it is stretched to be 3 times as long?</p>	<p>A red hat costs \$18, and that is three times as much as a blue hat costs. How much does a blue hat cost?</p> <p>Measurement example A rubber band is stretched to be 18 centimeters long and that is three times as long as it was at first. How long was the rubber band at first?</p>	<p>A red hat costs \$18 and a blue hat costs \$6. How many times as much does the red hat cost as the blue hat?</p> <p>Measurement example A rubber band was 6 centimeters long at first. Now it is stretched to be 18 centimeters long. How many times as long is the rubber band now as it was at first?</p>
General	$= \square$	$\square =$ and $\div = \square$	$\square \times b = p$ and $p \div b = \square$

1586 *The first examples in each cell focus on discrete things. These examples are easier for
1587 students and should be given before the measurement examples.


1588 † The language in the array examples shows the easiest form of array problems. A
1589 more difficult form of these problems uses the terms rows and columns, as in this
1590 example: “The apples in the grocery window are in 3 rows and 6 columns. How many
1591 apples are there?” Both forms are valuable.

1592 ‡ Area involves arrays of squares that have been pushed together so that there are no
1593 gaps or overlaps; thus array problems include these especially important measurement
1594 situations

1595 **Views and Interpretations of the Operation of Multiplication**


1596 When students focus on the **equal-groups** interpretation of multiplication, they find the
1597 total number of objects in a particular number of equal-sized groups (3.OA.1). This
1598 references their understanding of addition, but it is important that instructional
1599 approaches include repeated addition as one of *several* distinct and necessary
1600 interpretations of multiplication. As they continue, students will use multiplication to
1601 solve contextually relevant problems involving **arrays**, **area**, and **comparison** using a
1602 variety of representations to show their thinking (SMP.4, 5, 6, 3.OA.3; 4.OA.2, 4.NBT.5).

1603 Moving beyond the equal groups interpretation of multiplication can prove challenging
1604 for students. Arrays can serve as a likely next step, as they can be seen as the familiar
1605 equal-sized groups, but now the objects are arranged into orderly rows. This example
1606 shows, in each case, that when there are two groups of three cubes, there are six
1607 cubes, and $2 \times 3 = 6$.



1608

1609 **Two Equal-sized Groups** of three cubes




1610

1611 **Array:** Two rows (of equal size), with three cubes in each row

1612 The instructional goal should be to move students beyond counting and re-counting
1613 items singly to determine the total; instead, they recognize the groups or **rows** as the
1614 quantities that comprise the total. In the example above, as students find the product,
1615 six, they should be counting by threes (three in each row) rather than counting single
1616 cubes.

1617 To solve a problem such as, “How many seats are in our multi-purpose room? There
1618 are 20 rows of seats and each row has 16 seats,” students can think about and
1619 represent the problem with an array. Some students may use the distributive property to
1620 simplify the problem, perhaps realizing that $10 + 10 = 20$, multiplying $10 \times 16 = 160$ and
1621 adding $160 + 160 = 320$. Others might take the 16 apart, thinking $16 = 10 + 8$. They can
1622 then apply the distributive property: $10 \times 20 + 6 \times 20 = 200 + 120 = 320$.

1623 Students begin to view multiplication as area by building rectangles using sets of square
1624 tiles, which allows them to connect the now familiar array models with the newer idea of
1625 the area of a rectangle. Once students learn various ways to solve contextual story
1626 problems through creating, representing, and interpreting arrays, introducing the area
1627 interpretation of multiplication makes sense.



1628

1629 In grade three, students develop an understanding of area and perimeter by using
1630 visual models. Fourth graders extend their work with area and use formulas to calculate
1631 area and perimeter of rectangles. Students in grade five will continue to apply the equal-

1632 sized groups and area models, and will begin to use the standard algorithm to multiply
1633 whole numbers (5.NBT.B.5). Fifth graders use their understanding of whole number
1634 multiplication, along with concrete materials and visual models, to multiply fractions
1635 (4.NBT.B.5; 5.NBT.B.6, 5.NF.B.6). The interpretation of multiplication as area connects
1636 the first category of investigation *Exploring Changing Quantities* with the third category,
1637 *Stories told by Measurement and Data*. Further discussion and illustration of these
1638 topics are found below, and in the vignette, “Alex Builds Rectangles to Find Area.”


1639 Third grade students use square tiles to build rectangles and find the area can be found
1640 by multiplying the side lengths (3.MD.7)



1641

1642 In grade four, students apply the area and perimeter formulas for rectangles to solve
1643 problems (4.MD.3)

1644 *"What is the width of a swimming pool that has a length of 12 units and an area*
1645 *of 60 square units?"*



1646

1647 Grade five students find the areas of rectangles with fractional side lengths (5.NF.2.4b).



1648

1649 Beginning in fourth grade, students solve comparison problems in multiplication and
1650 division (4.OA.A.1). Comparison multiplication requires students to engage in thinking
1651 about some number of “times as many.” Expressing multiplicative relationships can
1652 necessitate the use of complex sentence structures, a challenge for all students, and

1653 perhaps especially for those who are English learners. Teachers support students by
1654 teaching and modeling the language of mathematics as well as giving students
1655 opportunities to practice that language.

1656 In Chapter 3, find the grade four multiplication vignette in which students struggle for
1657 understanding as they encounter multiplication as comparison. The vignette also
1658 addresses the teachers' analysis of the experience and decisions regarding plans for
1659 the next lesson.

1660 Comparison multiplication is particularly important in setting a foundation for
1661 scaling reasoning (5.NF.B.5) in grade five and demands careful introduction. The
1662 fifth-grade study of multiplication as scaling likewise sets the foundation for
1663 identifying scale factors and making scale copies in seventh grade and
1664 subsequent work with dilations and similarity (7.RP.1, 2, 3; 7.G.A.1). Presenting
1665 problems in familiar, culturally relevant contexts can help students to develop
1666 understanding and come to distinguish when **multiplicative** reasoning rather
1667 than **additive** reasoning is called for. They can compare quantities in the
1668 classroom (e.g., five times as many whiteboard pens as erasers, three times as
1669 many windows as doors, four times as much water as lemonade concentrate).
1670 Money can be a meaningful context, as seen in the following example,
1671 “Comparing Money Raised,” from *Illustrative Mathematics*, (Illustrative
1672 Mathematics, 2016c). Luis raised \$45 for the animal shelter, which was 3 times
1673 as much money as Anthony raised. How much money did Anthony raise?

1674 In fifth grade, students prepare for middle school work with ratios and proportional
1675 reasoning by interpreting multiplication as **scaling**. They examine how numbers change
1676 as the numbers are multiplied by fractions. Based on their previous work with whole
1677 number multiplication, students may overgeneralize, and believe that multiplication
1678 “always makes things bigger.” Teachers can anticipate such misconceptions and plan
1679 investigations to allow for exploration of various multiplicative situations (DI 1, 2; CC 2,
1680 3). Students should have ample opportunities to examine the following cases:

1681 a) When multiplying a number greater than one by a fraction greater
1682 than one, the number increases.

1683 b) When multiplying a number greater than one by a fraction less than
1684 one, the number decreases. This is a new interpretation of
1685 multiplication that needs extensive exploration, discussion, and
1686 explanation by students.

1687 **Examples:**

1688 • “I know $\frac{3}{4} \times 7$ is less than 7, because I make 4 equal shares from 7 but
1689 I only take 3 of them ($\frac{3}{4}$ is a fractional part less than one). If I’m taking
1690 a fractional part of 7 that is less than 1, the answer should be less than
1691 7.”

1692 • “I know that $2\frac{2}{3} \times 8$ should be more than 8, because 2 groups of 8 is 16
1693 and $2\frac{2}{3} > 2$. Also, I know the answer should be less than $24 = 3 \times 8$,
1694 since $\frac{2}{3} < 3$.”

1695 • “I can show by equivalent fractions that $\frac{3}{4} = \frac{3 \times 5}{4 \times 5}$. But I also see that $\frac{5}{5} = 1$, so the
1696 result should still be equal to $\frac{3}{4}$.”

1697 Story contexts matter greatly in supporting students’ robust understanding of the
1698 operations. Multiplication and division situations move beyond whole numbers, as
1699 students develop understanding of fractions and measure lengths to the quarter inch in
1700 third grade (3.MD.B.4), and later calculate area of rectangles with fractional side
1701 lengths. As noted in Chapter 3, historically, the majority of story problems and tasks
1702 children experienced in the younger grades tended to rely on contexts in which things
1703 are counted rather than measured to determine quantities (how many apples, books,
1704 children, etc., versus how far did they travel, how much does it weigh). Increased use of
1705 measurement contexts in the primary grades will support a student’s later work with
1706 fractions. A student who solves a measurement problem involving whole numbers will

1707 be able to apply the same reasoning to a problem involving fractions. Note that the
1708 Table of Common Multiplication and Division Situations above includes examples that
1709 call for measurement as well as for counting. The intent is to promote increased use of
1710 measurement contexts at all elementary grades.

1711 **Views/Interpretations of the Operation of Division**

1712 Students work with division alongside multiplication, and develop the understanding that
1713 these are **inverse** operations. They come to recognize division in two different
1714 situations: **partitive** division (also referred to as fair-share division), which requires
1715 equal sharing (e.g., how many are in each group?); and **quotitive** division (repeated
1716 subtraction or measurement division), which requires determining how many groups
1717 (e.g., how many groups can you make?) (3.OA.A.2).

1718 **Partitive Division** (also known as Fair-Share or Group Size Unknown Division)

1719 In partitive division situations, the number of groups or shares to be made is known, but
1720 the number of objects in (or size of) each group or share is unknown.

1721 **Discrete (counting) Example:** There are 12 apples on the counter. If you are
1722 sharing the apples equally among three bags, how many apples will go in each
1723 bag?




1724
1725 **Measurement Example:** There are 12 quarts of milk. If you are sharing the milk
1726 equally among three classes, how much milk will each class receive?

1727 **Quotitive Division** (also known as Measurement Division, Repeated Subtraction
1728 Division or Number of Group Unknown Division)

1729 In quotitive division situations, the number of objects in (or size of) each group or share
1730 is known, but the number of groups or shares is unknown.

1731 **Discrete (counting) Example:** There are 12 apples on the counter. If you place
1732 three apples in each bag, how many bags will you fill?



1733

1734

There will be four bags of apples

1735 **Measurement Example:** There are three quarts of milk. If you give three quarts
1736 to each class, how many classes will get milk?

1737 Both interpretations of division should be explored, as they both have important uses for
1738 whole number and for fraction situations. The action called for in the sample problems
1739 above illustrate that a quotitive situation typically differs from the action involved in a
1740 comparable problem posed in a partitive context. Representations of the actions will
1741 differ, and attention to how and why this occurs supports understanding of these two
1742 interpretations of division. In these grades, teachers use the language of **equal**
1743 **sharing, number of shares** (or groups), **repeated subtraction**, and the **size of each**
1744 **group**, with students rather than the more formal terms, partitive or quotitive. Again,
1745 teachers need to support students as they acquire the language of mathematics by
1746 teaching and modeling precise language and by giving students opportunities to
1747 practice that language.

1748 Students use the inverse relationship between multiplication and division when they find
1749 the unknown number in a multiplication or division equation relating three whole
1750 numbers. Viewing division as the inverse of multiplication presents a natural opportunity
1751 for introducing the use of a letter to stand for an unknown quantity (SMP.4, 6; 3.OA.A.4;
1752 4.OA.A.3). Students may be asked to determine the unknown number that makes the
1753 equation true in equations such as $8 \times n = 48$, $5 = n + 3$, $6 \times 6 = n$ (3.OA.A.4, 3.OA.D.8).

1754 Acquiring understanding of variables is an ongoing process that begins in grade three
 1755 and increases in complexity through high school mathematics.

1756 Example: *There are four apples in each of the bags on the counter, and there are 12*
 1757 *apples altogether. How many bags must there be?* The student can write the equation n
 1758 $\times 4$ and solve for n by thinking “what times four makes 12?” a missing factor approach
 1759 that utilizes the inverse relationship between multiplication and division.

1760 In grade three, students learn and develop the concept of division, building on the
 1761 understanding of the inverse relationship between multiplication and division (3.OA.B.5,
 1762 6, 3.OA.C.7). Grade-four students find whole number quotients, limited to single digit
 1763 divisors and dividends of up to four digits (4.NBT.B.6). Students in grade five extend this
 1764 understanding to include two-digit divisors and solve division problems (5.NBT.B.6). In
 1765 grades four and five, students benefit from using methods based on properties, the
 1766 relationship between multiplication and division, and place value to solve, illustrate, and
 1767 explain division problems (Carpenter et.al., 1997; Van de Walle et al., 2014). The
 1768 acquisition of the standard algorithm for division of multi-digit numbers is reserved for
 1769 grade six (6.NS.B.2).

1770 **Development of the Operation of Division**

Grade 3	Grade 4	Grade 5	Grade 6
Understand division as the inverse of multiplication (3.OA.B.6)	Solve division word problems (4.OA.A.2)	Use strategies based on place value, properties of operations and/or the relationship between multiplication and division to find quotients in division problems with two-digit divisors and up to 4-digit dividends; illustrate and explain the results (5.NBT.B.6)	Apply and extend previous understandings of multiplication and division to divide fractions by fractions and use visual fraction models and equations to represent the problem (6.NS.A.1)

Grade 3	Grade 4	Grade 5	Grade 6
Divide within 100 using the inverse relationship between multiplication and division (3.OA.C.7)	Use strategies based on place value, properties of operations and/or the relationship between multiplication and division to find quotients in division problems with one-digit divisors and up to 4-digit dividends; illustrate and explain the results (4.NBT.B.6)	Divide decimals to hundredths using strategies based on place value, properties of operations and/or the relationship between multiplication and division. Use a written method and explain reasoning (5.NBT.B.7)	n/a
n/a	n/a	Apply and extend previous understandings of division to divide unit fractions by whole numbers and whole numbers by unit fractions (5.NF.B.7)	n/a

1771 **CC3: Taking Wholes Apart and Putting Parts Together – Whole Numbers**

1772 Elementary students come to understand the structure of the number system by
 1773 building numbers and taking them apart; they make sense of the system as they explore
 1774 and discover numbers inside numbers. A significant part of students’ mathematical work
 1775 in grades three, four, and five is the development of efficient methods—methods that
 1776 they understand and can explain—for each operation with whole numbers. By engaging
 1777 in meaningful activities and explorations, students gain fluency with multiplication and
 1778 division with numbers up to 10. They discover ways to apply the commutative and
 1779 associative properties to solve multiplication problems. They use place value
 1780 understanding and the distributive property to simplify multiplication of larger numbers.

1781 Students use place value, take wholes apart, put parts together, and find numbers
1782 inside numbers when they

- 1783 ● use the four operations with whole numbers to represent and solve problems
1784 (3.OA.A.3, 3.OA.C.7, 3.OA.D.8; 3.NBT.2; 4.OA.A.2, 3, 4.OA.B.4.NBT.B.4, 5, 6;
1785 5.NBT.B.5, 6);
- 1786 ● use place value understanding and properties of operations to perform multi-digit
1787 arithmetic (3.OA.C.7, 3.OA.D.8; 4.NBT.B.4, 5; 5.NBT.B.5, 6);
- 1788 ● build fluency for products of one-digit numbers (3.OA.C.7);
- 1789 ● gain familiarity with factors and multiples (3.OA.B.6; 4.OA.B.4); and
- 1790 ● identify, generate, and analyze patterns and relationships (3.OA.D.9; 3.NBT.A.1;
1791 4.OA.C.5, 4.NBT.A.1, 3).

1792 Development of students' use of the SMPs continues as they

- 1793 ● apply the mathematics they already know to solve multiplication and division
1794 problems (SMP.1, 4);
- 1795 ● use pictures and/or concrete tools to model contextually based problems (SMP.4,
1796 5);
- 1797 ● communicate thinking using precise vocabulary and terms (SMP.3, 6); and
- 1798 ● use patterns they discover as they develop meaningful, reliable and efficient
1799 methods to multiply and divide (SMP.2, 4, 6, 8) numbers within 100.

1800 **Strategies and Invented Methods for Multiplication and Division**


1801 Students need opportunities to develop, discuss, and use efficient, accurate, and
1802 generalizable methods to compute. Explicit instruction in making reasonable estimates,
1803 along with ample practice with situations that call for estimation, strengthens students'
1804 ability to compute accurately, to explain their thinking, and to critique reasoning. The
1805 goal is for students to use general written methods for multiplication and division that
1806 they can explain and understand using visual models and/or place-value language
1807 (SMP.2, 6, 8; 3.OA.1, 3.OA.C.7; 4.NBT.B.5). In grade five, students learn the standard
1808 algorithm for multiplying multi-digit numbers, connecting this abstract method to their
1809 understanding of the operation of multiplication (SMP.2, 8; 5.NBT.A.1). Research
1810 reminds us that students who use invented strategies *before* applying standard

1811 algorithms understand base-ten concepts more fully and are better able to apply their
1812 understanding in new situations than students who learn standard algorithms first
1813 (Carpenter et.al., 1997). There is further merit in fostering students' use of informal
1814 methods before teaching algorithms. "The understanding students gain from working
1815 with invented strategies will make it easier for you to meaningfully teach the standard
1816 algorithms" (Van de Walle et al., 2014).

1817 Children often invent ways to take numbers apart to find an easier way to solve a
1818 problem. Students who know some, but not all multiplication facts use invented
1819 strategies to calculate 7×8 :

1820 Student A: *I know that $5 \times 8 = 40$, and then there are two more eights, so that makes 16.*
1821 *And then I add $40 + 16 = 56$, so $7 \times 8 = 56$.*

1822 Student A used the distributive property. To help the class recognize the usefulness of
1823 the property, the teacher draws an array of stars: eight rows of stars with seven stars in
1824 each row. As shown below, the teacher separates the columns to represent the
1825 student's thinking, showing eight rows with five (red) stars in each row and eight rows
1826 with two (black) stars in each row. The teacher invites Student A to show the class how
1827 this drawing represents their thinking.




1828

1829 Student A uses the pen to write “40” below the red part of the drawing, and 16 below the
1830 black part.

1831 Student A explains: *The red part is 8 x 5, and then the black part is 8 x 2, so it's 40 + 16.*

1832 Student B: *I knew that 7 x 7 = 49, and then there's one more seven, so I added 49 + 7 =*
1833 *56.*

1834 The teacher invites Student B to show the class the equations they used. Student B
1835 writes: $7 \times 7 = 49$, and $49 + 7 = 56$.



1836


1837 The teacher checks with the class for understanding of what Student B did, and calls on
1838 two other students to re-explain this strategy.

1839 The teacher asks the class to consider whether Student B used the distributive property,
1840 and how they could illustrate Student B's thinking. With input from classmates, Student
1841 B records the image here, illustrating a 7 x 7 unit (square) rectangle beside a 7 x 1 unit
1842 rectangle. The corresponding multiplication ($7 \times 7 = 49$) and addition ($49 + 7 = 56$) are
1843 included in the diagram. The teacher notes that if the 1-unit width of the smaller
1844 rectangle were indicated, it would make the multiplication $7 \times 1 = 7$ evident (the
1845 teacher's suggestion is noted in a contrasting color in the diagram).

1846 As students begin to multiply two-digit numbers using strategies based on place value
1847 and properties of operations (SMP.2, 7, 8; 3.OA.B.5, 3.OA.C.7; 4.NBT.B.5, 6), they find

1848 and explain efficient methods. Grade-four students record their processes with pictures
1849 and manipulative materials as well as with numbers.


1850 To multiply 36×94 , three students use place value understanding and the distributive
1851 property, yet they use three different recording methods to show their thinking.



1852

1853 Student A labels the partial products within each of the four rectangles in the picture:
1854 2700, 540, 120, and 24, and calculates the final sum beside the sketch.

1855 Student B calculates the four partial products and shows the thinking for each.



1856

1857 While it is essential that students understand and can explain the methods they use,
1858 variations in how they record their calculations are acceptable at this stage (Fuson and

1859 Beckmann, 2013). The recording method shown by Student C (below), for example,
1860 reflects the same thinking as that of Student D (below), but the locations where the
1861 students show the regroupings are different.

1862 Student C uses the standard algorithm with the regroupings shown above the partial
1863 products rather than above the “94” in the problem.

1864 Thinking:

1865 $6 \times 4 = 24$. The 4 is recorded in the ones place and the 2 tens are recorded in the tens
1866 column.

1867 $6 \times 90 = 540$. The 40 is shown by the 4 in the tens place; the 5 hundreds are recorded in
1868 the hundreds column.

1869 $30 \times 4 = 120$. The 20 is recorded in the tens and ones places; the 1 hundred is recorded
1870 in the hundreds column.

1871 $30 \times 90 = 2700$. The 7 hundreds are recorded in the hundreds place; the 2 thousands
1872 are recorded in the thousands place.

1873 Student work:

$$\begin{array}{r} 94 \\ \times 36 \\ \hline 52 \\ 44 \\ 720 \\ \hline 3384 \end{array}$$

1874

1875 Student D uses the standard algorithm with the regroupings shown above the factor
1876 “94.”

1877 **1** – This **1** represents the 100 in $30 \times 4 = 120$

1878 **2** – The **2** represents two 10s in $6 \times 4 = 24$

$$\begin{array}{r}
 \overset{21}{94} \\
 \times 36 \\
 \hline
 564 \\
 + 2820 \\
 \hline
 3384
 \end{array}$$

1879

1880 During thoughtfully guided class discussion, perhaps on several occasions, the
 1881 connections among the pictorial representation (A), the partial products method (B), and
 1882 the standard algorithm (C and D) become clear.

1883 In order to multiply using the standard algorithm successfully and with understanding in
 1884 grade five (5.NBT.B.5), students will need guidance in making connections between the
 1885 increasingly abstract methods of multiplying two-digit numbers. Building understanding
 1886 with concrete materials (e.g., base ten blocks) and visual representations (e.g., more
 1887 generic rectangular sketches) allows students to build the necessary foundation for the
 1888 formal algorithm. Students will rely on these skills and understandings for years to come
 1889 as they continue to multiply and divide multi-digit whole numbers and to add, subtract,
 1890 multiply, and divide rational numbers.

1891 The table below indicates the grade levels at which the CA CCSSM call for students to
 1892 use each of the standard algorithms. In general, the standards support the use of
 1893 invented strategies and recording methods as students acquire early understanding of
 1894 each operation, followed by the implementation of more formal algorithms at
 1895 subsequent grade levels. A longitudinal study compared groups of students who used
 1896 invented algorithms before they used standard algorithms with students who used
 1897 standard algorithms from the beginning. The researchers (Carpenter et.al., 1997)
 1898 concluded that “invented strategies can provide a basis for developing understanding of
 1899 multidigit operations, even when algorithms are taught.” Some parents and guardians
 1900 may express discomfort with the CCSSM expectation that instruction in standard
 1901 algorithms should follow, rather than initiate, students’ computation efforts. Indeed, in
 1902 the past, standard algorithms were typically taught as the primary and perhaps the only

1903 way to solve mathematics problems. Educators can share with families that research
1904 has revealed many benefits of invented strategies, including:

- 1905 • students make fewer computation errors,
- 1906 • less re-teaching is needed,
- 1907 • students develop number sense and increase their flexibility with number, and
- 1908 • students gain agency as doers and owners of mathematics (Van de Walle et al.,
1909 2014).

1910 Everyday Mathematics offers guidance for families, explaining how too-early instruction
1911 in standard algorithms can often lead to erroneous and even harmful ideas. Students
1912 may come to believe that mathematics is mostly about memorizing, that mathematics
1913 problems should be solved in a few minutes, and that there is just one right way to solve
1914 a problem.

1915 Note that the CA CCSSM call for no standard algorithms in transitional kindergarten
1916 through grade three. The progression of instruction in standard algorithms begins with
1917 the standard algorithm for addition and subtraction in grade four; multiplication is
1918 addressed in grade five; the introduction of the standard algorithm for whole number
1919 division occurs in grade six.

1920 **Development of Standard Algorithms across Grades TK–6**

Addition and Subtraction	Multiplication	Division	Operations with Decimals
<p>Grade 2: 2.NBT.5</p> <p>Fluently add and subtract within 100 using strategies based on place value, properties of operations, and/or the relationship between addition and subtraction.</p>	<p>Grade 3: 3.NBT.3</p> <p>Multiply one-digit whole numbers by multiples of 10 in the range 10–90 (e.g., 9×80, 5×60) using strategies based on place value and properties of operations.</p>	<p>Grade 4: 4.NBT.6</p> <p>Find whole-number quotients and remainders with up to four-digit dividends and one-digit divisors, using strategies based on place value, the properties of operations, and/or the relationship between multiplication and division. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.</p>	<p>Grade 5: 5.NBT.7</p> <p>Add, subtract, multiply, and divide decimals to hundredths, using concrete models or drawings and strategies based on place value, properties of operations, and/or the relationship between addition and subtraction; relate the strategy to a written method and explain the reasoning used.</p>
<p>Grade 3: 3.NBT.2</p> <p>Fluently add and subtract within 1000 using strategies and algorithms based on place value, properties of operations, and/or the relationship between addition and subtraction.</p>	<p>Grade 4: 4.NBT.5</p> <p>Multiply a whole number of up to four digits by a one-digit whole number, and multiply two two-digit numbers, using strategies based on place value and the properties of operations. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.</p>	<p>Grade 5: 5.NBT.6</p> <p>Find whole-number quotients of whole numbers with up to four-digit dividends and two-digit divisors, using strategies based on place value, the properties of operations, and/or the relationship between multiplication and division. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.</p>	<p>n/a</p>

Addition and Subtraction	Multiplication	Division	Operations with Decimals
Grade 4: 4.NBT.4 Fluently add and subtract multi-digit whole numbers using the standard algorithm.	Grade 5: 5.NBT.5 Fluently multiply multi-digit whole numbers using the standard algorithm.	Grade 6: 6.NS.2 Fluently divide multi-digit numbers using the standard algorithm.	Grade 6: 6.NS.3 Fluently add, subtract, multiply, and divide multi-digit decimals using the standard algorithm for each operation.

1921 **Pattern investigation** is a powerful means of building understanding, and can provide
 1922 access for students with visual strengths and any students who lack confidence with
 1923 numerical tasks. Investigating patterns helps students develop facility with multiplication,
 1924 and supports them on their path to fluency. There are many patterns to be discovered
 1925 by exploring the multiples of numbers. As they explore patterns visually, students find,
 1926 describe, and color patterns on number charts. They engage in partner and/or class
 1927 conversations in which they notice and wonder, explain their discoveries and listen to
 1928 and critique others' discoveries. Examining and articulating these mathematical patterns
 1929 is an important part of the work on multiplication and division.

1930 Example: On a multiplication table, each student colors in the multiples of a designated
 1931 factor (in this case, multiples of 4). The teacher poses questions, prompting students to
 1932 notice and wonder why the pattern they see occurs, and what all these multiples of four
 1933 have in common.

x	1	2	3	4	5	6	7	8	9	10
1	1	2	3	4	5	6	7	8	9	10
2	2	4	6	8	10	12	14	16	18	20
3	3	6	9	12	15	18	21	24	27	30
4	4	8	12	16	20	24	28	32	36	40
5	5	10	15	20	25	30	35	40	45	50
6	6	12	18	24	30	36	42	48	54	60
7	7	14	21	28	35	42	49	56	63	70
8	8	16	24	32	40	48	56	64	72	80
9	9	18	27	36	45	54	63	72	81	90
10	10	20	30	40	50	60	70	80	90	100

1934

1935 Students next circle on the 4s chart all the multiples of four that are also multiples of 5
 1936 (20, 40, 60, 80, 100) and analyze why only those 5 multiples coincide, where they are
 1937 located on the table, what those numbers have in common.

1938 **Fluency**

1939 Fluency is an important component of mathematics; it contributes to a student’s success
 1940 through the school years and will remain useful in daily life as an adult. What does
 1941 fluency mean in elementary grade mathematics? Content standard 3.OA.C.7, for
 1942 example, calls for third graders to “Fluently multiply and divide within 100, using
 1943 strategies such as the relationship between multiplication and division ... or properties
 1944 of operations.” Fluency means that students use strategies that are **flexible, efficient,**
 1945 and **accurate** to solve problems in mathematics. Students who are comfortable with
 1946 numbers and who have learned to compose and **decompose** numbers strategically
 1947 develop fluency along with conceptual understanding. They can use known facts to
 1948 determine unknown facts. They understand, for example, that the product of 4×6 will
 1949 be twice the product of 2×6 , so that if they know $2 \times 6 = 12$, then $4 \times 6 = 2 \times 12$, or 24.
 1950 In the past, fluency has sometimes been equated with speed, which may account for
 1951 the common, but counterproductive, use of timed tests for practicing facts. But in fact,
 1952 research has found that, “Timed tests offer little insight about how flexible students are

1953 in their use of strategies or even which strategies a student selects. And evidence
1954 suggests that efficiency and accuracy may actually be negatively influenced by timed
1955 testing.” (Kling and Bay-Williams, 2014, 489).

1956 Fluency is more than the memorization of facts or procedures, and more than
1957 understanding and having the ability to use one procedure for a given situation. Fluency
1958 builds on a foundation of conceptual understanding, strategic reasoning, and problem
1959 solving (NGA Center and CCSSO, 2010; NCTM, 2000, 2014). To develop fluency,
1960 students need to connect their conceptual understanding with strategies (including
1961 standard algorithms) in ways that make sense to them.

1962 Reaching fluency with multiplication and division within 100 represents a major portion
1963 of upper elementary grade students’ work. Practice should be organized to maximize
1964 student success. Some additional suggestions to support fluency and increase
1965 efficiency in learning multiplication and division facts include:

- 1966 ● Focus most heavily on products and unknown factors students understand but in
1967 which they are not yet fluent.
- 1968 ● Continue meaningful practice—and extra support as necessary—for those
1969 students who need it to attain fluency.
- 1970 ● Encourage students to use, work with and explore numbers.

1971 When practice is varied, playful, and tailored to student needs, students enjoy and learn
1972 more mathematics readily (Boaler, 2015; Kling and Bay-Williams, 2014, 2015).

1973 Interesting, worthwhile facts practice can be accomplished by engaging students in
1974 number talks/strings and games. Familiar card games such as *Concentration* or *War*
1975 are easily adapted to provide fact practice (Kling and Bay-Williams, 2014, 493).

1976 For example, pairs of students can use a deck of playing cards (with the face cards
1977 removed) to practice multiplication facts: The cards are shuffled and four cards are
1978 turned face up between the players. The remaining cards are placed face down in a
1979 stack. Player A selects two of the face-up cards, calculates the product and explains the

1980 strategy they used. Player B confirms or challenges the product—they may ask for
1981 further explanation of the strategy—and if the product is correct, Player A claims those
1982 two cards. Player B turns over two cards from the stack to replace those taken by
1983 Player A, and then takes their own turn. For further discussion of fluency and additional
1984 resources, see Chapter 3.

1985 The acquisition of fluency with multiplication facts begins in third grade and
1986 development continues in grades four and five. Together, this acquisition establishes
1987 the foundation for work with ratios and proportions in grades six and seven. To support
1988 this development, teachers must provide students with learning opportunities that are
1989 enjoyable, make sense, and connect to previous learning about the meanings of
1990 operations and the properties that apply. Research shows that when students are under
1991 time pressure to memorize facts devoid of meaning, working memory can become
1992 blocked. Such stressful experiences tend to defeat learning, and for many students can
1993 lead to persistent, generalized anxiety about their ability to succeed in mathematics
1994 (Boaler, Williams, and Confer, 2015).

1995 The following are some general strategies that can be used to help students know from
1996 memory all products of two one-digit numbers (3.OA.C.7).

1997 Strategies for Learning Multiplication Facts (SMP.2, 4, 8; 3.OA.C.7):

- 1998 • Multiplication by zeros and ones
- 1999 • Doubles (twos facts), doubling twice (fours), doubling three times (eights)
- 2000 • Tens facts (relating to place value, 5×10 is 5 tens, or 50)
- 2001 • Fives facts (knowing that the fives facts are half of the tens facts)
- 2002 • Know the squares of numbers (e.g., $6 \times 6 = 36$)
- 2003 • Patterns (e.g., for nines, $6 \times 9 = 6 \times 10 - 6 \times 1 = 60 - 6 = 54$)

2004 **Investigating and Applying Properties of Multiplication**

2005 As students develop strategies for solving multiplication problems, they naturally use
2006 properties of operations to simplify the tasks. Students are not explicitly required to call
2007 the properties they use by their formal names, but they are expected to apply them
2008 strategically throughout these grades as they calculate quantities (SMP.5, 7; 3.OA.B.5,
2009 3.OA.C.7; 4.NBT.B.4, 6; 5.OA.A.1, 2; 5.NBT.A.4, 5.NBT.B.5). Given that precise
2010 mathematical language is expected at all grades (MP.6) and that students acquire
2011 language readily when it is used consistently and in context, teachers can encourage
2012 students' use of the names of the properties involved in the mathematics they are doing.
2013 Teachers support facility with the operations of arithmetic by providing frequent
2014 opportunities for students to explore and discuss various multiplication strategies and
2015 properties (SMP.3, 4, 5, 8, ELD.P9), and by highlighting the efficacy of the strategies as
2016 they arise in practice (Kling, Bay-Williams, 2015).

2017 In this brief classroom episode, the teacher challenges the students to multiply 7×24
2018 and to explain their strategies. The goal is to promote students' critical examination of
2019 several methods, and to look for connections among them. Several students explain
2020 their thought processes for solving 7×24 . The teacher records students' methods on
2021 the board, based on the responses below, using symbolic notation.

Jax

$$\begin{array}{r} 7 \times 24 \\ \quad \swarrow \searrow \\ 20 + 4 \end{array}$$
$$7 \times 20 = 140$$
$$7 \times 4 = 28$$
$$140 + 28 = 168$$

2022

- 2023
- Jax: I skip counted by two seven times, and $7 \times 2 = 14$, so that means $7 \times 20 =$
- 2024 140 because 20 is ten times as much as two. Then I had to multiply 7×4 , and

2025 that was 28. I know 2×7 is 14, so I added $14 + 14$. Then I added $140 + 28$ and
 2026 got 168.

2027 • Lucca: I used 25 instead of 24. I did 7×25 and that equals 175, because that's
 2028 like 7 quarters. But it's not really 25, it is 24, so I had to take away an extra
 2029 seven. So I took away five (of the seven) to get 170, and then took away two
 2030 more to get to 168.

Pippin

$$7 \times 24$$

$$10 + 10 + 4$$

$$7 \times 10 = 70$$

$$7 \times 10 = 70$$

$$70 + 70 = 140$$

$$7 \times 4 = 28$$

$$140 + 28 = 168$$

2031
 2032 • Pippin: My way is kind of like Jax's. I know $7 \times 10 = 70$, and there are two tens in
 2033 24, so I did 7×10 again. $70 + 70 = 140$. And $7 \times 4 = 28$, so $140 + 28 = 168$.

Jax	Lucca	Pippin
2, 4, 6, 8, 10, 12, 14, so	$7 \times 25 = 175$	$7 \times 10 = 70$
$7 \times 2 = 14$	$175 - 5 = 170$	$7 \times 10 = 70$
$7 \times 20 = 140$	$170 - 2 = 168$	$70 + 70 = 140$
$7 \times 2 = 14$, and $14 + 14 = 28$, so $7 \times 4 = 28$		$7 \times 4 = 28$
$140 + 28 = 168$		

2034 The teacher asks the class to consider what is the same and what is different about the
2035 three methods. Students point out that all three methods produce the same result, and
2036 that they all took the number 24 apart, but that they did that differently. A few students
2037 say that that method is tricky and they don't know why Lucca did that. The teacher
2038 replies that they will talk about Jax and Pippin's methods first and then ask Lucca to
2039 explain the thinking behind that method.

2040 The teacher asks Jax and Pippin to describe more about how their methods are alike.

- 2041 ● Jax: We both broke the 24 apart and we both multiplied 7×4 .
- 2042 ● Pippin: And we both got the same product.
- 2043 ● Teacher: So, you both knew that you could multiply 7×24 by taking the 24 apart,
2044 finding parts of the product and then putting all the parts together?
- 2045 ● Jax and Pippin: Yes!
- 2046 ● Teacher: Aha! So, you used the distributive property! We will have to try some
2047 more problems and see if your method always works.
- 2048 ● Teacher: Now let's figure out whether Lucca used the distributive property, too.

2049 The class focuses attention on Lucca's method, and at the end of the discussion the
2050 teacher tells the students that they will have more opportunities to try out these methods
2051 on other problems and to see when they are useful and how they can help solve
2052 problems more easily.

2053 **Commutative Property:** As they work with equally-sized groups, arrays, and area,
2054 students encounter many opportunities to employ the commutative property of
2055 multiplication. They may notice that they also use commutativity to solve addition
2056 problems. In story contexts, there is a difference between "two groups of three objects
2057 each" (e.g., pencils, ants, pounds, quarts) and "three groups with two objects each."
2058 Students discover the commutative property by noticing that the result in both cases is a
2059 total of six objects. This also supports their ability to become fluent with multiplication
2060 within 100: if a student knows $4 \times 6 = 24$, then they know that 6×4 also is equal to 24.

2061 **Associative Property:** Experiences in which students must multiply three factors, such
2062 as $3 \times 5 \times 2$, provide opportunities to apply the associative property. A student can first
2063 calculate $3 \times 5 = 15$, then multiply 15×2 to find the product 30. Another student may

2064 find $5 \times 2 = 10$ first, then multiply 3×10 to find the same product, 30. Again, students
2065 can observe that the associative property applies to both addition and multiplication.

2066 **Distributive Property:** Students frequently use the distributive property to discover
2067 products of whole numbers (such as 6×8) based on products they can find more easily.
2068 A student who knows that $3 \times 8 = 24$ can use that to recognize that since $6 = 3 + 3$, then
2069 $6 \times 8 = (3 + 3) \times 8 = 3 \times 8 + 3 \times 8$, and that $3 \times 8 + 3 \times 8 = 24 + 24 = 48$.

2070 Another student may use knowledge that $6 \times 8 = 6 \times (4 + 4)$ to solve: $6 \times 8 = 6 \times (4 + 4)$
2071 $= 6 \times 4 + 6 \times 4 = 24 + 24 = 48$.

2072 The distributive property may also involve subtraction. A student may solve 6×8 by
2073 beginning with the familiar 6×10 : $6 \times 8 = 6 \times (10 - 2) = 6 \times 10 - 6 \times 2 = 60 - 12 = 48$.

2074 ***CC3: Taking Wholes Apart and Putting Parts Together – Fractions***

2075 In grades one and two, students partitioned circles and rectangles into two, three, and
2076 four equal shares and used fraction language (e.g., halves, thirds, half of, a third of).

2077 Their experiences with fractions were concrete and related to geometric shapes.

2078 Starting in grade three, important foundations in fraction understanding are established,
2079 and the topic calls for careful development at each level.

2080 There are several ways to think about fractions, which increases the complexity and
2081 significance of this body of learning. Children begin formal work with fractions in third
2082 grade, with a focus on **unit fractions** and **benchmark fractions**. Fourth and fifth grade
2083 students move on to fraction equivalence and operations with fractions. Fifth grade
2084 mathematics includes the development of the meaning of division of fractions, a
2085 sophisticated idea which needs careful attention and preparation in prior grades.

2086 Students often struggle with key fraction concepts, such as “Understand a fraction as a
2087 number on the number line...” (3.NF.2) and “Apply and extend previous understandings
2088 of division to divide unit fractions by whole numbers and whole numbers by unit
2089 fractions” (5.NF.B.7). It is imperative to present fractions in meaningful contexts and to
2090 allow ample time for the careful development of fraction concepts at each stage.

2091 Proficiency with fractions is essential for success in more advanced mathematics such
2092 as percentages, ratios and proportions, and algebra.

- 2093 To develop fraction concepts, upper-elementary students should
- 2094 ● develop understanding of fractions as numbers (3.NF.1, 2);
 - 2095 ● understand decimal notation for fractions, and compare decimal fractions
 - 2096 (4.NF.B.5, 6, 7);
 - 2097 ● extend understanding of fraction equivalence and ordering (3.NF.3; 4.NF.A.1, 2);
 - 2098 and
 - 2099 ● apply and extend previous understandings of operations to add, subtract, multiply
 - 2100 and divide fractions (4.NF.B.3, 4; 5.NF.1–7).

2101 As students work with fractions, they use the SMPs. For example:

- 2102 ● Think quantitatively and abstractly, connecting visual and concrete models to
- 2103 more abstract and symbolic representations of fractions (SMP.2).
- 2104 ● Model contextually based problems mathematically, and using a variety of
- 2105 representations (SMP.4, 5).
- 2106 ● Select and use tools such as number lines, fraction squares, or illustrations
- 2107 appropriately to communicate mathematical thinking precisely (SMP.5, 6).
- 2108 ● Make use of structure to develop benchmark fraction understanding (SMP. 7).

2109 ***Understanding fractions as numbers; equivalence, and ordering fractions***

2110 Grade three students begin with **unit fractions**, building on the idea of partitioning

2111 wholes into equal parts and become familiar with **benchmark** fractions such as one-

2112 half. In fourth grade, the emphases are on equivalence, ordering, and beginning

2113 operations with fractions and decimal fractions. Fifth-grade students apply their previous

2114 understandings of the operations to add, subtract, multiply and divide fractions (in

2115 limited situations).


2116 **Development of Fraction Concepts Grades 3–5**

Development of Fraction Concepts: Grade 3	Development of Fraction Concepts: Grade 4	Development of Fraction Concepts: Grade 5
Understand unit fractions as equal parts of a whole (3.NF.A.1)	Explain equivalence of fractions and generate equivalent fractions (4.NF.A.1)	Solve addition and subtraction fraction problems by finding equivalent fractions, using visual models or equations (5.NF.A.1, 2)
Understand fractions as numbers on a number line (3.NF.A.1)	Compare fractions with unlike numerators and denominators by finding equivalent fractions (4.NF.A.2)	Use benchmark fractions and number sense to estimate with fractions and determine reasonableness (5.NF.A.2)
Use unit fractions as building blocks (3.NF.A.2)	Apply previous understandings of addition and subtraction to solve fraction problems using visual models and/or equations (4.NF.B.3)	Apply previous understandings of multiplication to multiply fractions by a whole number or a fraction, and view multiplication of fractions as scaling (5.NF.B.3, 4, 5)
Understand equivalence and compare fractions in limited cases (3.NF.A.3)	Apply previous understandings of multiplication to multiply a fraction by a whole number (4.NF.B.4)	Use visual fraction models or equations to represent and solve fraction multiplication problems (5.NF.B.6)
[Blank]	Understand decimal notation and compare decimal fractions to the hundredths place (4.NF.B)	Use visual models to solve story problems involving division of fractions by whole numbers and whole numbers by unit fractions in limited situations (5.NF.B.7)

2117 An important goal is for students to see unit fractions as the basic building blocks of all
2118 fractions, in the same sense that the number one is the basic building block of whole

2119 numbers. Students make the connection that, just as every whole number is obtained
2120 by combining a sufficient number of ones, every fraction is obtained by combining a
2121 sufficient number of unit fractions (adapted from UA Progressions Documents, 2013a).
2122 While the idea of $\frac{3}{4}$, as a number may be difficult for students to grasp initially, “putting
2123 together three one-fourths” is more readily accessible. To develop this concept,
2124 students can use concrete materials to build a number, and then see the connections
2125 between the concrete model and the representational, and abstract approaches.

2126 Students might use concrete materials such as fraction bars (in this case, one orange
2127 rectangle is identified as one-fourth of the whole) to physically put together three one-
2128 fourth pieces. They can illustrate this rectangular representation on paper, and record it
2129 symbolically as $\frac{1}{4} + \frac{1}{4} + \frac{1}{4} = \frac{3}{4}$. Teachers support students in making these
2130 connections by asking that they record their thinking in several ways, giving
2131 opportunities for discussion and comparison of various representations, and being
2132 explicit about how the representations express the same idea.



2133

2134 To probe students’ current understanding of fractions as equal parts of a whole, the
2135 teacher poses a question to the class: “What fraction of this square is the blue triangle?”



2136

2137 Akiko and Parker study the square arrangement of four tangram pieces. Akiko says,
2138 “The blue triangle is $\frac{1}{4}$, because there are four pieces.” Parker says, “I don’t think
2139 that’s $\frac{1}{4}$, but I’m not sure what it is.” As they worked with their tangram pieces, Parker

2140 put two of the small triangles together, forming a square. Akiko commented, “The two
2141 little triangles make a square just like the purple square. What if we build our own
2142 square like this one?” They used tangram pieces to build their own four-piece square.
2143 Once they completed building the square, Parker picked up the large triangle, and
2144 flipped it over to cover the three smaller pieces (two triangles and square). Akiko
2145 exclaimed, “I get it! The big triangle is half of the square, not $\frac{1}{4}$!”

2146 At the beginning stages of fraction work, students need considerable experience
2147 exploring various concrete and visual materials in order to build understanding of
2148 fractions as equal parts of a whole (3.NF.1,3; ELD I7). It is natural for students, using
2149 their understanding of whole numbers, to think that if a whole is split into 4 parts,
2150 regardless of whether those parts are of equal size, then each part must be $\frac{1}{4}$ of the
2151 whole. Similarly, if students rely on their whole number thinking, they often expect that a
2152 unit fraction with a smaller denominator will be less than a unit fraction with a larger
2153 denominator, e.g., $\frac{1}{4}$ must be less than $\frac{1}{6}$ (Van de Walle et al., 2014).

2154 Third- through fifth-grade students explore fractions with concrete tools and develop the
2155 more abstract understanding of fractions on the number line (SMP.2, 4, 5; 3.NF.2,
2156 4.NF.2, 3, 4; 5.NF.3, 4, 6). Round fraction pieces are commonly available, and serve
2157 well for establishing such ideas as $\frac{1}{4}$ is *half of one half*, and $\frac{1}{6}$ is a smaller size
2158 fraction piece than $\frac{1}{2}$ and that 3 sixths pieces together make a half-circle equal to $\frac{1}{2}$.
2159 Using multiple models for fractions can help to enlarge and solidify concepts. As with
2160 other tools used for building mathematical concepts, each fraction manipulative has
2161 advantages as well as limitations. While fraction circles are helpful for establishing
2162 relative sizes of unit fractions, a number line or fraction bars might be a better choice for
2163 finding the sum of $\frac{1}{2}$ and $\frac{1}{3}$.

2164 Other useful manipulatives for fractions include:

- 2165 ● Fraction bars
- 2166 ● Fraction squares or rectangles
- 2167 ● Tangrams
- 2168 ● Pattern block pieces
- 2169 ● Cuisenaire rods


- 2170 ● Paper strips, for folding halves, fourths, thirds, etc.
- 2171 ● Rulers/meter sticks
- 2172 ● Number lines
- 2173 ● Geoboards

2174 The process of preparing some of their own fraction tools is valuable for young students
 2175 (Burns, 2001). It increases their understanding of fractions as parts of a whole and
 2176 supports recognition of the relative sizes of fractional parts. For example, they can
 2177 create fraction strips from construction paper. As they cut halves, fourths, and eighths of
 2178 the whole, students discover that $\frac{1}{4}$ is half of $\frac{1}{2}$, and $\frac{1}{8}$ is half of $\frac{1}{4}$, leading to the
 2179 generalization that when a whole is partitioned into more equal shares, the parts
 2180 become progressively smaller.

2181 Alternatively, students can fold paper strips to create fractional parts.

2182 **Examples:**

- 2183 ● Show the fraction $\frac{1}{4}$ by folding the piece of paper into equal parts. "I know that
 2184 when the number on the bottom is 4, I need to make four equal parts. By folding
 2185 the paper in half once and then again, I get four parts and each part is equal.
 2186 Each part is worth $\frac{1}{4}$."



- 2187
- 2188 ● Shade $\frac{3}{4}$ using the fraction bar you created. "My fraction bar shows fourths.
 2189 The 3 tells me I need three of them, so I'll shade them. I could have shaded any
 2190 three of them and I would still have $\frac{3}{4}$."




2191

2192 **Example (Representing Fractions on the Number Line):** Use your fraction bar and
 2193 the number line given to locate the fraction $\frac{3}{4}$. Explain how you know your mark is in
 2194 the right place.

2195 **Solution:** "When I use my fraction strip as a measuring tool, it shows me how to divide
 2196 the unit interval into four equal parts (since the denominator is 4). Then I start from the

2197 mark that has '0' and I measure off three pieces of $\frac{1}{4}$ each. I circled the pieces to show
2198 that I marked three of them. This is how I know I have marked $\frac{1}{4}$."



2199

2200 Ordering fractions from least to greatest provides opportunity for students to reason
2201 about relative sizes of fractions. Students can determine how to put fractions such as
2202 $\frac{5}{3}$, $\frac{2}{5}$, and $\frac{5}{4}$. in order from least to greatest, using reasoning along with concrete
2203 materials or drawings. They can explain verbally how they know that $\frac{5}{3}$ is greater than
2204 $\frac{5}{4}$. "There are five thirds and five fourths, but thirds are bigger pieces than fourths, so
2205 $\frac{5}{3}$ is bigger than $\frac{5}{4}$." Benchmark reasoning is also useful here. "I know that $\frac{2}{5}$ is
2206 less than one and it's even less than $\frac{1}{2}$. And $\frac{5}{3}$ and $\frac{5}{4}$ are both more than 1. So, $\frac{2}{5}$
2207 is the smallest."

2208 Comparing and ordering fractions can be challenging for upper elementary students.
2209 They need repeated experiences reasoning about fractions and justifying their
2210 conclusions using a variety of visual fraction models to develop benchmark reasoning
2211 (SMP.1, 2, 4, 5, 7; ELD I6, P9). Students in these grades who are overly reliant on their
2212 understanding of whole numbers may have particular difficulty recognizing the
2213 relationship between the numerator and denominator of a fraction. Frequent, sustained
2214 discussion of ideas in both small groups and whole class settings will be necessary.

2215 Three students were discussing how to put $\frac{1}{3}$, $\frac{3}{5}$, and $\frac{1}{2}$ in order from least to
2216 greatest. Alana is a linguistically and culturally diverse student with strong problem-
2217 solving skills, yet is reluctant to share ideas with the whole class. As is the case for
2218 Alana, many students who are learning English are more confident expressing their
2219 thinking in small group settings. The teacher has paired Alana with Miriam, who helps
2220 Alana practice expressing ideas in English, and Gus, who often uses visual
2221 representations to make sense of mathematics situations.

- 2222 • Miriam: $1/3$ and $3/5$ are equal because you just add 2 to 1 (the numerator of
2223 $1/3$) to get 3 (the denominator of $1/3$) and you add 2 to 3 (the numerator of
2224 $3/5$) to get 5 (the denominator of $3/5$). So, they're the same.
- 2225 • Alana: But wait! That doesn't make sense! $1/3$ is less, isn't it? Because $3/5$ is
2226 more than half and $1/3$ is not as big as $1/2$.
- 2227 • Gus: Let's do it with our fraction pieces.

2228 The children build $1/3$, $3/5$, and $1/2$ with their fraction pieces. They compare and find that
2229 $1/3$ is less than $1/2$ and $1/2$ is less than $3/5$. The conversation continues.

- 2230 • Miriam: Why didn't my way work?
- 2231 • Alana: I think because the thirds pieces are not the same size as the fifths
2232 pieces.
- 2233 • Gus: But we only had 1 third, and there are three $1/5$ ths, so when you put
2234 them together to make $3/5$, that's bigger than just one third.
- 2235 • Alana: Isn't $1/2$ a benchmark fraction? I can tell that $1/3$ is less than $1/2$
2236 because when a fraction is the same as $1/2$, the denominator is always two
2237 times as big as the numerator. Like, $1/2$, $2/4$, $3/6$, $4/8$ and $5/10$.
- 2238 • Miriam: Oh yeah—I remember we talked about how $1/2$ can have lots of
2239 names. But would you tell me again how you know that $3/5$ is bigger than
2240 $1/3$?

2241 Alana explains again, pointing to the fraction pieces. The teacher, observing the
2242 conversation, is pleased to note Alana's involvement, and notes that Alana used the
2243 word "benchmark". In several groups, some confusion remains; the teacher decides to
2244 conduct a whole-class discussion to develop this idea further.

2245 The grade-four task, *Doubling Numerators and Denominators*, from *Illustrative*
2246 *Mathematics* (Illustrative Mathematics, 2016d), provides opportunity for such reasoning
2247 and class discussion of fraction concepts.

2248 The task is based on the following:

- 2249 1. How does the value of a fraction change if you double its numerator? Explain
2250 your answer.

2251 2. How does the value of a fraction change if you double its denominator?


2252 Explain your answer.

2253 As students are developing fraction concepts and beginning to use fractional notation,
2254 they need to recognize $\frac{a}{b}$ as a quantity that can be placed on a number line, and that it
2255 may be located between two whole numbers, or may be equivalent to a whole number
2256 (where $a = b$). Students develop an understanding of order in terms of position on a
2257 number line, following the mathematical convention that the fraction to the left is said to
2258 be smaller and the fraction to the right is said to be larger.

2259 The use of precise mathematical terms is essential in order to support all students'
2260 understanding: $\frac{3}{4}$ is read as “three fourths.” Casual language such as “three over four”
2261 or “three out of four” (except when discussing ratios or probability situations)
2262 undermines fragile understanding of fractions, interferes with academic language
2263 acquisition, and may lead to misapplication of whole number reasoning in fraction
2264 situations. EL students, especially, need explicit teaching of precise mathematical
2265 language, and benefit from its consistent use in mathematics classes.

2266 The number line reinforces the analogy between fractions and whole numbers. Just as
2267 5 is the point on the number line reached by marking off 5 times the length of the unit
2268 interval from 0, so is $\frac{5}{3}$ the point obtained by marking off 5 times the length of a
2269 different interval as the basic unit of length, namely the interval from 0 to 1.3.

2270 Locating fractions on the number line calls for reasoning about relative sizes of fractions
2271 and whole numbers (SMP.2, 5, 7). In this context, familiarity and comfort with the use of
2272 benchmark fractions is of great value. Where, for example, does $\frac{3}{8}$ belong on the
2273 number line pictured here? A student who uses benchmark reasoning can begin by
2274 locating $\frac{1}{4}$ midway between 0 and $\frac{1}{2}$, and then place $\frac{3}{8}$ midway between $\frac{1}{4}$ and
2275 $\frac{1}{2}$.



2276

2277 In the process of labelling locations on the number line in relation to benchmark
 2278 numbers such as $\frac{1}{2}$, students expand understanding of equivalence. For example,
 2279 they find that the location marked $\frac{1}{2}$ coincides with $\frac{2}{4}$. Such observations can lead to
 2280 powerful insights; students need time to think and talk about fraction ideas.

2281 **Snapshot: Grade Three Fractions**

2282 As is the case in many classrooms, students vary considerably at any moment in their
 2283 talents, skill levels, enthusiasm and willingness to persevere. Teachers are regularly
 2284 challenged to meet the needs of all learners simultaneously. The use of problems that
 2285 are accessible and can be extended to allow greater depth and exploration, along with
 2286 strategic student pairings and careful attention to student thinking makes it possible for
 2287 a teacher to provide appropriate prompts and supports as students work on problems.

2288 In this classroom episode, there are two third graders who work together as partners,
 2289 combining their strengths. Desmond has announced repeatedly since the beginning of
 2290 the school year a love of mathematics and says, "I like to think about numbers in my
 2291 head just for fun." Desmond gives evidence of advanced thinking in classwork, often
 2292 choosing to extend problems beyond what is expected at the grade level. Ellie is a
 2293 capable thinker, curious, and very verbal. Ellie loves to draw and finds that pictures help
 2294 make sense of mathematics.

2295 The teacher has chosen this task so that students can use their understanding of the
 2296 relationship between $\frac{1}{2}$ and $\frac{1}{4}$ to build larger fractions from unit fractions (3.NF.A.1,
 2297 2, 3; SMP.2, 3, 5, 8). Consider the conversation between these two third graders and
 2298 their teacher as the students work to locate $\frac{1}{4}$ and $\frac{3}{4}$ on a number line that has only
 2299 the locations for 0, 1 marked.

2300 Desmond: We found $\frac{1}{2}$ on the number line; that was easy. Then, half of $\frac{1}{2}$ is
2301 one-fourth, so we marked one-fourth on the number line.

2302 Ellie: Yes, because $\frac{1}{4}$ is half of $\frac{1}{2}$, like with our fraction pieces! See? It takes 2
2303 of these (pointing to the distance from 0 to $\frac{1}{4}$ on the number line) to get to $\frac{1}{2}$.

2304 Desmond: And then this is two-fourths (pointing to $\frac{1}{2}$), too.

2305 Ellie: What do you mean? That's already $\frac{1}{2}$, right?

2306 Desmond: Yes, but it can be $\frac{1}{2}$ and also be $\frac{2}{4}$; you just said so, really, because
2307 you said it takes two $\frac{1}{4}$'s to make $\frac{1}{2}$.

2308 Ellie: Wait. Let's get the fraction pieces and build $\frac{2}{4}$...okay, I think you're right,
2309 $\frac{1}{2}$ is the same as $\frac{2}{4}$.

2310 Teacher: How can that place on the number line be both $\frac{2}{4}$ and $\frac{1}{2}$? Does that
2311 make sense?

2312 Ellie: Yes; I built it and I can draw two fourths and it makes $\frac{1}{2}$. So, that's $\frac{1}{4}$,
2313 then $\frac{2}{4}$, and then that will be $\frac{1}{4}$!

2314 Teacher: What about this place, then? (pointing to 1). How does that fit in here?


2315 Desmond: It's four fourths. So, 1 can be 1 whole or it can be four fourths! Hey,
2316 we can do $\frac{3}{4}$ and then $\frac{4}{4}$; and keep going! Can we make the number line
2317 longer? Or, wait! We can do half of a fourth, can't we? Like fractions in between
2318 the fourths?

2319 Teacher: Sure; it sounds like you have an idea about finding more fraction locations.
2320 See what you can find, and then shall we ask the class to investigate what other names
2321 we can find for one-half and for one?

2322 The CA CCSSM have updated the language describing fractions in which the
2323 numerator is greater than the denominator: fractions can be described as *less*
2324 *than one*, *equal to one*, or *greater than one*. The term "improper fraction" carries
2325 with it the implication that the fraction must be rewritten in another format, such as
2326 a mixed number. Fractions greater than one, such as $\frac{5}{2}$, are simply numbers in

2327 themselves and are constructed in the same way as other fractions. Further,
2328 depending on the context of a problem, re-naming a fraction greater than one as
2329 a mixed number may cause a problem to be less readily understood and/or
2330 solved.

2331 For example, to construct $\frac{5}{2}$, students might use a fraction strip as a measuring tool to
2332 mark off lengths of $\frac{1}{2}$. Then they count five of those halves to get $\frac{5}{2}$.



2333

2334 **Some important concepts related to understanding fractions include:**

- 2335
- Fractional parts must be equal-sized.
- 2336
- The number of equal parts tells how many make a whole.
- 2337
- As the number of equal pieces in the whole increases, the size of the fractional
- 2338
- pieces decreases.
- 2339
- The size of the fractional part is relative to the whole.
- 2340
- When a shape is divided into equal parts, the denominator represents the number
- 2341
- of equal parts in the whole and the numerator of a fraction is the count of the
- 2342
- demarcated congruent or equal parts in a whole (e.g., $\frac{3}{4}$ means that there are 3
- 2343
- one-fourths).
- 2344
- Common benchmark numbers such as 0, $\frac{1}{2}$, $\frac{3}{4}$, and 1 can be used to determine
- 2345
- if an unknown fraction is greater of smaller than a benchmark fraction.
-


2346 ***Understanding decimal notation for fractions, and comparing decimal***
2347 ***fractions***

2348 In grade four, students use decimal notation for fractions with denominators 10 or 100
2349 (4.NF.C.6), understanding that the number of digits to the right of the decimal point

2350 indicates the number of zeros in the denominator. This lays the foundation for
2351 performing operations with decimal numbers in grade five. Students learn to add
2352 decimal fractions by converting them to fractions with the same denominator (SMP.2;
2353 4.NF.C.5). For example, students express $3/10$ as $30/100$ before they add $30/100 +$
2354 $4/100 = 34/100$. Students can use graph paper, base-ten blocks, and other place-value
2355 models to explore the relationship between fractions with denominators of 10 and 100
2356 (adapted from Number and Operations-Fractions, 3–5, Progressions for the Common
2357 Core State Standards in Mathematics, 2018).


2358 Students make connections between fractions with denominators of 10 and 100 and
2359 place value. They read and write decimal fractions, and it is important that teachers
2360 encourage students to read decimals in ways that support developing understanding
2361 (Van de Walle et al., 2014). When decimals are read using precise language, students
2362 learn to write decimals flexibly, e.g., by writing thirty-two hundredths as both 0.32 and
2363 $32/100$. Conversely, imprecise reading of decimals, such as “0 point 32” rather than as
2364 “thirty-two hundredths” undermines sense-making and obscures the connection
2365 between fraction and decimal values. Correct use of language around decimals is
2366 particularly important in supporting the learning of linguistically and culturally diverse
2367 students.

2368 Students represent values such as 0.32 or $32/100$ on a number line. They reason that
2369 $32/100$ is a little more than $30/100$ (or $3/10$) and less than $40/100$ (or $4/10$). It is closer to
2370 $30/100$, so it would be placed on the number line near that value (SMP.2, 4, 5, 7).



2371
2372 Students compare two decimals to hundredths by reasoning about their size (SMP.3, 7;
2373 4.NF.7). They relate their understanding of the place-value system for whole numbers to
2374 fractional parts represented as decimals. Students compare decimals using the
2375 meaning of a decimal as a fraction, making sure to compare fractions with the same

2376 denominator and ensuring that the wholes are the same. For example, if the number
2377 0.36 is located as indicated by the blue arrow, where are the numbers 0.67 and 0.92
2378 located? Expressing one's ideas about how numbers are related can be difficult. All
2379 students, and particularly linguistically and culturally diverse learners, benefit from direct
2380 instruction on the use of compare and contrast language. A student's weak response
2381 may indicate insufficient language to express the relationship between decimals and
2382 fractions rather than a lack of understanding of the concept.



2383

2384 In grade three, students begin to develop understanding of benchmark fractions. Fourth
2385 grade students extend this understanding to connect familiar benchmark fractions with
2386 corresponding decimals.

- 2387
- The teacher asks the students to write the number “five tenths.” Some write it as
2388 a decimal, and others use the fraction form. To help students recognize that 0.5
2389 is equivalent to $\frac{1}{2}$, the teacher calls for students to name the benchmark
2390 fraction equal to $\frac{5}{10}$, and highlights this connection.
 - On a 10 x 10 square grid, students color in 25 small squares to illustrate the
2391 decimal 0.25. On a comparable grid, students color $\frac{1}{4}$ of the whole grid, and
2392 discover that $\frac{1}{4}$ of the grid is the same number of small squares, 25. They can
2393 use this visual model to see that $\frac{1}{4} = 0.25$ (Van de Walle et al., 2014). This
2394 exercise can be done with other familiar fractions such as $\frac{1}{2}$, $\frac{3}{5}$, or $\frac{75}{100}$.
2395


2396 **Applying and extending previous understanding of operations to add, subtract,**
2397 **multiply and divide fractions**

2398 Students are expected to “apply and extend previous understandings” to operate with
2399 fractions. To do so, they must deeply understand the meanings of the four operations
2400 and be supported in their efforts to make connections between operations with whole

2401 numbers and operations with fractions (SMP.2, 4, 7; 4.NF.B.3, 4; 5.NF.1–7). In grades
2402 four and five, students begin operating with fractions; the algorithms for operations with
2403 decimals are addressed in grade six (6.NS.B.3). In an active learning environment,
2404 where students explore, challenge ideas, and make connections among various topics,
2405 they experience mathematics as a coherent, understandable body of knowledge and
2406 come to expect that previous learning will support their acquisition of new concepts.

2407 A solid understanding of the relationship between addition and subtraction helps a
2408 fourth grader solve a problem such as: *The recipe calls for $2\frac{1}{4}$ cups of rice. Ravi*
2409 *already has $\frac{3}{4}$ cup of rice. How much more rice does Ravi need?* While the story
2410 problem can be solved using subtraction, the context does not suggest a **take-away**
2411 situation. This problem is more logically interpreted as **comparison** subtraction ($2\frac{1}{4} -$
2412 $\frac{3}{4}$), to find the difference between the quantities or as **missing addend** addition ($\frac{3}{4} +$
2413 $\dots = 2\frac{1}{4}$), with the intention of finding how much more is needed. Students can
2414 represent the situation with visual fraction models as they have done in whole number
2415 problem situations. The problem can be modeled quite literally, using measuring cups
2416 filled with rice (or a substitute for rice, such as sand), or with fraction tools (fraction bars,
2417 for example), a number line, or a bar diagram, as shown here. Class conversation
2418 paired with written recordings of the various actions, representations, and equations
2419 support students in making the necessary connections between the concrete,
2420 representational, and abstract expressions of the problem.

2421 *The recipe calls for $2\frac{1}{4}$ cups of rice. Ravi already has $\frac{3}{4}$ cup of rice. How much more*
2422 *rice does Ravi need?*



2423
2424 The longer bar, labeled $2\frac{1}{4}$ cups, is compared to a shorter bar, representing $\frac{3}{4}$ cup.
2425 The unknown in the problem is represented by the gap between the two lengths.

2426 Intentional, guided class discussion of how these subtraction strategies and illustrations
2427 work equally well to solve whole number problems can help students to make
2428 necessary connections (SMP.2, 7; 4.NF.B.4, 5.NF.B.6, 7; ELD. Connecting ideas 6).

2429 Teacher: What if the problem involved whole numbers rather than fractions?
2430 What if the problem asked instead: The recipe calls for five cups of rice. Ravi
2431 already has two cups of rice. How much more rice does Ravi need? How would
2432 you solve it and illustrate it?

2433 Students describe to their partners how the two problems are alike.

2434 Teacher: Would the same approach and a similar diagram work to solve the
2435 whole number problem? Show us!

2436 Students respond, sharing the thinking and diagrams they used in each case,
2437 and make connections between the two.


2438 Multiplication of a fraction by a whole number can be seen as parallel to multiplication of
2439 whole numbers. This is an opportunity for reflection on whole number strategies and
2440 active investigation and discussion of how these strategies apply with fractions. If 5×4
2441 is understood as “five groups of four,” “a rectangle with dimensions of five meters by
2442 four meters,” or “five copies of the quantity four,” then $5 \times \frac{1}{4}$ can be understood as “5
2443 groups of $\frac{1}{4}$,” “a rectangle with dimensions of $5 \times \frac{1}{4}$ meters,” or “five copies of the
2444 quantity $\frac{1}{4}$.” The strategies and representations used with whole number
2445 multiplication—repeated addition, jumps on the number line, or area—can be used with
2446 fractions. Tasks and problems presented in contexts that make sense to students make
2447 learning accessible, even without direct instruction on “how to multiply fractions.”

2448 Whether the student illustrates with fraction manipulatives (five one-fourth pieces), or
2449 perhaps 5 jumps of distance $\frac{1}{4}$ on a number line, the reasoning is the same as would
2450 be used with whole number multiplication (SMP.2, 4, 5, 6; 4.NF.B.4).

- 2451 ● The recipe says to bake the pan of cookies for $\frac{1}{4}$ of an hour. How long will it
2452 take to bake five pans of cookies, one pan at a time?
2453 ● Dean and Jean ran the $\frac{1}{4}$ mile track five times. How far did they run?

- 2454 ● At our party, we will give each friend $\frac{1}{4}$ pound of candy. There will be five
2455 friends at the party. How much candy do we need?
- 2456 ● We are painting a line of the playground to mark the start for the runners. The
2457 line will be five feet long, and $\frac{1}{4}$ foot wide. If the paint we have will cover four
2458 square feet, will that be enough?

2459 To solve the whole number multiplication 5×4 , one could use an area interpretation,
2460 illustrating the problem with a rectangle of dimensions five units by four units. In the
2461 rectangle below, there are five rows of squares, with four squares in each row, for a
2462 total of 20 square units.



2463

2464 Using the same reasoning and a comparable illustration, one can use an area
2465 interpretation to solve $5 \times \frac{1}{4}$. In this example, the rectangle will have a height of five
2466 units and a width of $\frac{1}{4}$ unit. The area of this figure can then be seen as five $\frac{1}{4}$ unit
2467 pieces, or $\frac{1}{4} + \frac{1}{4} + \frac{1}{4} + \frac{1}{4} + \frac{1}{4}, = \frac{5}{4}$.

2468 When both factors are fractions less than one, students may expect that multiplication
2469 will result in a product that is greater than either factor, as is often the case with whole
2470 number multiplication. It can be helpful to remind students that with whole numbers, the
2471 product is not always greater than the factors. Multiplying any number (n) by one results


2472 in a product equal to that number, e.g., $1 \times 14 = 14$. Students can then reason about
2473 how the product of two fractions that are less than one can be less than either of the
2474 factors, e.g., $1/4 \times 2/5 = 2/20$ (SMP.1, 6, 7).

2475 Students sometimes lose sight of what is the whole as they multiply fractions. The
2476 understanding that they are finding a part of a part of a whole underlies fraction
2477 multiplication and requires emphasis and thoughtful discussion. Illustrations can often
2478 mitigate the difficulty of making sense of these situations and can support English
2479 learners with a visual of an abstract concept. Again, the illustrations correspond to the
2480 ways used for representing whole number multiplication.

2481 ● *After the party, there was $1/3$ of the cake left. Bren ate $1/4$ of the remaining $1/3$
2482 cake. How much of the whole cake did Bren eat?*

2483 There was $1/3$ of the cake left. Bren ate $1/4$ of the remaining $1/3$ cake.

2484 ● *Zack had $2/3$ of the lawn left to cut. After lunch, Zach cut $3/4$ of the grass that
2485 was left. How much of the whole lawn did Zack cut after lunch?* (Van de Walle et
2486 al., 2014, 243)




2487

2488 ● *The milk carton is labelled $1/2$ gallon. If Idalia drank $3/8$ of the full carton, what
2489 fraction of a gallon did Idalia drink?*



- 2490
- 2491 • Jack ran $\frac{1}{3}$ of the distance along the $\frac{3}{4}$ mile track. What fraction of a mile did
- 2492 Jack run?



- 2493
- 2494 Jack ran $\frac{1}{3}$ of the distance.
-
-

2495 Solidly establishing the meaning of multiplication with fractions is essential in order for

2496 students to develop the concept of division with fractions in fifth grade. Identifying how

2497 fraction division relates to previous work with whole number division supports students

2498 in making sense of the concept of fraction division. The goal in fifth grade is for students

2499 to understand what it means to divide with fractions, with applications limited to

2500 instances involving a unit fraction and a whole number (SMP.2, 7; 4; 5.NF.B.3, 7). This

2501 conceptual understanding deserves thoughtful attention to prepare students to continue

2502 with proportional relationships in later grades. As with whole-number operations,

2503 students who develop and discuss methods that make sense to them as they begin to

2504 calculate with fractions will be more capable of applying reasoning in new situations

2505 than if they are prematurely taught an algorithm for solving division of fractions

2506 problems. The development of algorithms for fraction calculation, such as the common

2507 denominator method, is reserved for middle school grades.

2508 Dividing a unit fraction by a whole number, such as $\frac{1}{3} \div 4$, can be related to a

2509 comparable problem with whole numbers, such as $3 \div 4$. *If there are three cups of soup*

2510 *to share equally among four people, how much soup will each person have?* A fraction

2511 question that calls for the same reasoning: *If there is $\frac{1}{3}$ gallon of juice to share equally*

2512 *among four people, how much juice can each person have?*

2513 Fifth graders also divide a whole number by a unit fraction, such as $4 \div \frac{1}{3}$. Again,
2514 understanding of division with whole numbers and a meaningful context, support
2515 students in making sense of this problem: *If there are 4 cups of soup, and each serving*
2516 *is $\frac{1}{3}$ cup, how many servings of soup are there?*

2517 When a fraction problem is presented in a familiar context, students can illustrate the
2518 problem in ways that make sense to them, and solve it using logic and invented
2519 strategies. It may not be obvious to the student which operation is involved, and yet the
2520 solution is accessible.

2521 **Snapshot: Dividing by a Unit Fraction**

2522 The fifth-grade teacher has selected the *Illustrative Mathematics* grade-five task,
2523 “Dividing by One-Half” (Illustrative Mathematics, n.d.a) as a means for students to
2524 grapple with the idea of dividing a whole number by a fraction. Student partners will
2525 solve these four fraction problems using their own illustrations and strategies. Then the
2526 class will work together to determine which of the four problems can be solved by
2527 calculating $3 \div \frac{1}{2}$, and explain how they know.

- 2528 1. Shauna buys a three-foot-long sandwich for a party and then cuts the
2529 sandwich into pieces, with each piece being $\frac{1}{2}$ -foot long. How many pieces
2530 does Shauna get?
- 2531 2. Phil makes three quarts of soup for dinner. Their family eats half of the soup
2532 for dinner. How many quarts of soup does Phil’s family eat for dinner?
- 2533 3. A pirate finds three pounds of gold. In order to protect the riches, they hide
2534 the gold in two treasure chests, with an equal amount of gold in each chest.
2535 How many pounds of gold are in each chest?
- 2536 4. Leo used half of a bag of flour to make bread. If Leo used three cups of flour,
2537 how many cups were in the bag to start?

2538 Once the students have found solutions, they will discuss with their partners which
2539 operation is involved, and write the equation that could be used to calculate the answer.

2540 During the class discussion, students will focus on reaching consensus on which of the
2541 four problems calls for the division calculation $3 \div \frac{1}{2} = 6$ and justifying their conclusions.

- 2542 ● Number 1 is easily solved based on an illustration of a three-foot long sandwich.
2543 The corresponding calculation is $3 \div \frac{1}{2}$, and the question being asked in this
2544 case is, “how many $\frac{1}{2}$ foot long pieces of sandwich are there in a 3-foot long
2545 sandwich?” This is an example of measurement, or quotitive division.



2546

- 2547 ● Number 2 is a multiplication situation, in which the question calls for finding part
2548 of a whole. It can be solved by the calculation $\frac{1}{2} \times 3 = 1\frac{1}{2}$.
2549 ● Number 3 calls for the calculation $3 \div 2 = 1\frac{1}{2}$. It is a division problem, but is not
2550 solved by dividing 3 by $\frac{1}{2}$.
2551 ● Number 4 is another division situation and can be calculated using the equation 3
2552 $\div \frac{1}{2}$ or the equation $3 = \frac{1}{2} \times$ [blank]? This can be thought of as partitive division
2553 or as a missing factor situation which asks the question, “three cups of flour is
2554 half of what amount of flour?”

2555 The teacher will facilitate a whole-class discussion during which students justify their
2556 conclusions and find consensus. The expectations include the following:

- 2557 ● Most (if not all) student pairs will solve at least three of the four problems
2558 correctly.
2559 ● Justifying which operation is used in each case will be challenging.
2560 ● Students will disagree about which operation was used in some cases.

2561 Careful analysis of the meaning of the operations, particularly of division by a fraction,
2562 will be necessary; the teacher’s questioning and prompts will play a vital role.

2563 **CC 4: Discovering Shape and Space**

2564 Second-grade students work in one-dimensional space, using rulers to measure length.

2565 The development of two- and three-dimensional space takes place in grades three
2566 through five. Younger grade students learned to identify common geometric figures and
2567 to count the numbers of sides and corners. In grades three through five, students
2568 deepen their understanding of the properties of shapes and apply their understanding to
2569 organize shapes into categories and analyze hierarchical relationships.

2570 Students explore shape and space in the upper-elementary grades as they develop the
2571 following:

- 2572 ● Strategies for solving problems involving measurement and conversion of
2573 measurements from larger to smaller units (4.MD.A.1; 5.MD.A.1)
- 2574 ● Understanding of concepts of area, perimeter, and volume of solid figures
2575 (3.MD.C.6; 4.MD.B.3; 5.MD.C.3, 4, 5)
- 2576 ● Understanding of concepts and measurement of angles; draw and identify lines
2577 and angles (4.MD.C.5, 6, 7, 4.G.1, 2)
- 2578 ● Ability to reason with shapes and their attributes; categorize shapes by their
2579 properties and recognize the hierarchical relationships among two-dimensional
2580 shapes (3.G.1, 2; 4.G.2; 5.G.B.3, 4)

2581 In their work with shapes and space concepts, students use the SMPs to

- 2582 ● think quantitatively and abstractly, connecting visual and concrete models to
2583 more abstract and symbolic representations;
- 2584 ● select appropriate tools to model their mathematical thinking;
- 2585 ● communicate their ideas clearly, specifying units of measure accurately; and
- 2586 ● discern patterns and structural commonalities among geometric figures.

2587 Students begin exploration of area concepts by covering rectangles with square tiles
2588 and learning that these can be described as **square units**. Two-dimensional measure is
2589 a significant advance beyond students' previous experience with linear measure, and

2590 deserves reflection and careful instruction. Initially, students count the number of square
2591 units used to find the area.

2592 Students can use one-inch square tiles to cover the surface of a book's cover or the
2593 surface of their desks. As students work, the teacher looks for organization in their
2594 arrangements of the tiles, wondering, "Are they creating rows? Do they start by forming
2595 a frame around the edge of the surface?" Based on observation of various approaches,
2596 the teacher asks students to share strategies that enabled them to cover the whole
2597 surface without leaving any gaps. By posing questions and inviting comparison of
2598 results, the teacher can guide students' development of accurate and efficient methods
2599 of measuring area. *I see that this group has six rows of tiles. How many tiles are in each*
2600 *row? What do we notice about the number of tiles in each row? How can that help us to*
2601 *figure out the area of this rectangle?*

2602 Explorations of area need not be limited to one-inch tiles as the unit of measure. Large
2603 squares cut from cardboard or other sturdy materials can be used to measure area of
2604 larger areas such as rectangular regions on the playground.

2605 With further tiling experience, students discover that they can multiply the side lengths
2606 (the number of rows of tiles x how many tiles are in each row) to find the area more
2607 efficiently, and no longer need to count square units singly. They make sense of this by
2608 connecting to their prior work with the array model of multiplication. In third grade,
2609 students measure only areas of rectangles with whole number length sides as they
2610 develop these understandings. They will apply this thinking in grades four and five,
2611 when rectangles involve fractional side lengths (SMP.2, 5, 6, 7; 3.OA.A.3; 3.MD.C.5, 6,
2612 7; 4.MD.A.3). Students should understand and be able to explain why multiplying the
2613 side lengths of a rectangle yields the same measurement of area as counting the
2614 number of tiles (with the same unit length) that fill the rectangle's interior, and to explain
2615 that one length tells the number of unit squares in a row and the other length tells how
2616 many rows there are (3.MD.C.7; 4.MD.A.3).

2617 Along with developing area concepts, upper elementary students now recognize
2618 perimeter as an attribute of plane figures. The concept of perimeter is introduced in

2619 grade three, but confusion between the terms area and perimeter is common
2620 throughout grades three through five, a reminder that the distinction between linear and
2621 area measurement needs to be explored and emphasized at this stage of learning.
2622

2623 As students find the perimeter of a 4 x 6 rectangle, one student offers: “I added 4 + 6 +
2624 4 + 6 (pointing to each of the four sides of the rectangle in turn), and that was 10 + 10,
2625 so 20 cm.” Another student reports, “I added the sides like this: 4 + 4 = 8 and 6 + 6 =
2626 12, so 8 + 12 = 20 cm.” A third student explains, “I added 4 + 6 and that was 10, so it’s 2
2627 x 10 = 20 cm.” The teacher displays these examples and asks the class to describe how
2628 the methods are alike and how they differ, and whether they will all work for finding the
2629 perimeter of other rectangles. In the discussion that follows, the class observes that the
2630 methods all use addition to find the perimeter, and one method uses addition and
2631 multiplication. The students agree the methods all work because the opposite sides of a
2632 rectangle have the same lengths. The teacher draws attention to this idea to highlight
2633 the linear nature of perimeter, and invites a student to outline with a colorful pen the
2634 perimeter of the rectangle under discussion.

2635 Questions about how students can measure the length of the perimeter (add the four
2636 side lengths) versus how they can find the area of the interior of the rectangle (multiply
2637 the number of rows by the number of tiles in a row) give students a chance to deepen
2638 their understanding of how and why area and perimeter are measured differently, and
2639 are identified by different types of units. To develop genuine understanding, instruction
2640 must focus on the concepts of perimeter and area (studying the mathematics) rather
2641 than applying formulas such as $2(l + w)$ and $l \times w$ (answer-getting), as described by
2642 Phil Daro in the video *Against Answer-getting* (SERP, 2014).

2643 The vignette in this chapter, “Santikone Builds Rectangles to Find Area,” presents a
2644 multi-day lesson incorporating many of the space and measurement concepts
2645 developed in grades three through five.

2646 In “Garden Design,” a grade three performance assessment found at Inside
2647 Mathematics (The University of Texas at Austin, n.d.), students find and compare areas
2648 of rectilinear figures. The task explores the idea that figures can have different
2649 dimensions, yet contain the same area.

2650 Fifth-grade students expand on their understanding of two-dimensional area
2651 measurement to develop concepts of volume of solid figures, with a particular focus on
2652 the volume of rectangular prisms (5.MD.C.3, 4, 5). Students need concrete experiences
2653 building with three-dimensional cubes to reach understanding of the concept and
2654 eventually to derive a formula for calculating volume (SMP.2, 4, 6, 7). When students
2655 build rectangular prisms from cubes, they find they will make layers of cubes and can
2656 recognize how each layer represents the area of the corresponding two-dimensional
2657 rectangle.

2658 Fifth-grade students explore the ideas of volume and scaling with a focus on rectangular
2659 solids (5.MD.C.3, 4, 5). They might investigate what happens when, for example, they
2660 double the length, width, and height of a rectangular solid. They find that the volume
2661 increases not by two or by four, but by a factor of eight, since $2 \times 2 \times 2 = 8$. This
2662 discovery is often quite surprising to students. Before they get to the point of
2663 generalizing this phenomenon, they should think about the effects of scaling the
2664 different dimensions by different factors.

2665 The task “Box of Clay,” at *Illustrative Mathematics* (Illustrative Mathematics, n.d.b),
2666 (challenges students’ understanding of volume and scaling, as well as whether they
2667 recognize how length x width x height can be used to calculate volume (5.MD.C.3, 4, 5).

2668 *A box 2 centimeters high, 3 centimeters wide, and 5 centimeters long can hold*
2669 *40 grams of clay. A second box has twice the height, three times the width, and*
2670 *the same length as the first box. How many grams of clay can it hold?*

2671 Tasks such as this help students understand what happens when they scale the
2672 dimensions of a right rectangular solid (SMP.2, 5, 7; 5.MD.C.3, 4, 5). In this case, the
2673 volume is increased by a factor of six: the height is doubled, the width is tripled, and the
2674 length remains the same ($2 \times 3 \times 1$), so the volume of the larger box is 240 grams of
2675 clay.

2676 Exploring angles, the space between two rays that have a common endpoint, begins in
2677 grade four (4.MD.C.5, 6, 7). Students have had previous experience identifying and

2678 counting the corners of plane figures, and often assume that an angle is that point
2679 where two line segments join. It is important that students come to understand an angle
2680 as some portion of a 360° rotation around the point where two rays meet. Fourth-grade
2681 students are expected to sketch and measure angles using a protractor. Students can
2682 make their own protractors as a means of deepening understanding of an angle as a
2683 measure of rotation around the center of a circle (4.MD.C.6,7; SMP.1, 3, 5, 7).


2684 **Snapshot: Creating Protractors**

2685 Grade 4 teacher, Mr. Flores, has noticed that some of the students still exhibit confusion
2686 about angles, often identifying the point at which two rays or line segments meet as an
2687 angle. Mr. Flores decides to engage them in building protractors to increase their
2688 ownership and understanding of the concept. After several guided steps, students will
2689 investigate methods of finding angle measures independently. Mr. Flores provides each
2690 student (or pair of students) with:

- 2691 • a set of fraction circles,
2692 • a square of cardstock (larger than the diameter of the whole fraction circle), and
2693 • a straightedge ruler.

2694 The teacher guides students through these steps to label a circle with angles of 0° , 90° ,
2695 180° and 360° :

- 2696 1) outline the whole fraction circle on the cardstock square
2697 2) align the $\frac{1}{2}$ fraction piece within the circle; draw a line across the circle to create a
2698 diameter.
2699 3) label one end of the diameter as 0° , and the opposite end as 180° .
2700 4) place the right angle of the $\frac{1}{4}$ fraction piece at the origin, to find and mark 90°
2701 angle.
2702 5) place a second $\frac{1}{4}$ fraction piece adjacent to the first (180° is already marked), and
2703 a third $\frac{1}{4}$ fraction piece, which allows the marking of 270° .



2704

2705 When students place the final $\frac{1}{4}$ fraction piece, the full circle is complete, and the
2706 marking 360° coincides with the 0° spot, as shown in the image above.

2707 Students continue to explore independently with other fraction pieces ($\frac{1}{8}$, $\frac{1}{3}$, $\frac{1}{12}$,
2708 etc.), figuring and marking as many degree measures as the fraction pieces permit.

2709 Students are likely to discover additional measures to mark on the protractor by aligning
2710 a fraction piece alongside a previously marked angle measure (e.g., after labeling a 30°
2711 angle using the twelfths, a student may align an eighth piece beside it and discover they
2712 can mark a 75° angle, reasoning that $30^\circ + 45^\circ = 75^\circ$).

2713 Mr. Flores allows time for the students to collaborate, explain their thinking to a partner,
2714 and make additional discoveries.

2715 Once completed, Mr. Flores engages the class in an academic conversation to compare
2716 their results. Mr. Flores displays the vocabulary words and terms collected by listening
2717 to students' work during the lesson to support the discussion. Students share their
2718 discoveries and report how they found any measures that others may not have
2719 discovered. Students discuss the use of the protractors as a tool. Several report that
2720 they have seen commercially made protractors, and some have them at home, but they
2721 are proud of their "homemade" protractors.

2722 Mr. Flores is satisfied that students are growing in their understanding of angle concepts
2723 and angle measures as well as gaining skill in using a protractor (4.MD.C.6,7). In
2724 subsequent lessons, students will demonstrate how they measure angles on various
2725 polygons or other available objects and justify the measurements they identify.

2726 The growth of students' reasoning about geometric shapes across grades three to five
2727 is considerable. Along with growth of reasoning in this content area, students also
2728 encounter significant new vocabulary. Mathematics instruction should seek to support

2729 all students’ language facility—including content and language development of students
 2730 learning English. Graphic displays of terms and properties, choral responses, partner
 2731 talk, and the use of gestures can be helpful. Manipulative tools such as two- or three-
 2732 dimensional geometric figures, straws or other straight objects that can be used to
 2733 construct and compare geometric figures, and technological tools that allow students to
 2734 illustrate figures with specified properties can all support students as they make sense
 2735 of the vocabulary involved.

2736 **Development of Shape Concepts**

Grade 3	Grade 4	Grade 5
Categorize shapes by attributes and recognize that different shapes may share certain attributes (3.G.A.1)	Classify shapes based on properties of their lines and angles, including symmetry, parallel and perpendicular lines (4.G.A.2, 3)	Understand that attributes found in a category of two-dimensional figures are shared by all figures in sub-categories of that category. For example, they verify that, based on properties, squares are a sub-category of rectangles (5.G.B.3).
Be familiar with several sub-categories of quadrilaterals: rhombus, rectangle, square; draw non-examples of quadrilaterals that do not fit into any of these sub-categories (3.G.A.1)	Categorize special triangles: equilateral, isosceles, right, and scalene; and special quadrilaterals: rhombus, square, rectangle, parallelogram, trapezoid (4.G.A.2)	Analyze and diagram the hierarchical relationships of properties among two-dimensional figures (5.G.B.4)

2737 The Understanding Language/Stanford Center for Assessment, Learning, and Equity
 2738 (SCALE) project at Stanford University (Zweirs et al., 2017) describes eight specific
 2739 *Math Language Routines* designed to support and develop students’ academic
 2740 language. These include student-centered routines that are readily implemented in the
 2741 classroom; one example is “Convince Yourself, a Friend, a Skeptic.” This routine calls
 2742 for students to justify their mathematical argument as a way to

- 2743 1. satisfy themselves;
- 2744 2. convince a friend (who asks questions and encourages further verbal or written
2745 explanation, or perhaps an illustration); or
- 2746 3. convince a student skeptic, who will challenge and offer counter-arguments to
2747 help refine the argument.

2748 Presenting multiple examples of **regular** and **irregular** figures in various sizes and
2749 orientations can help students recognize the similarities and differences among
2750 properties of geometric figures. Note that “regular” is a word that has one meaning in
2751 everyday usage and a distinct, specific meaning as it applies to geometric figures. Multi-
2752 meaning terms often present a challenge to English learners and others with learning
2753 differences; teachers can provide additional supports and/or time. Thoughtful attention
2754 to student partners/groups, non-verbal cues, or verbal prompts (e.g., “You can tell this
2755 shape is regular because ...”) can help a student develop the concept as well as the
2756 pertinent academic language.

2757 ● Third-grade students categorize shapes by **attributes** and recognize that
2758 different shapes may share certain attributes. Vocabulary includes: rhombus,
2759 rectangle, square, and quadrilateral.


2760 ● Fourth-grade students gain familiarity with additional attributes and shape
2761 names, including **symmetry**, **parallel** and **perpendicular** lines, **parallelograms**,
2762 and **trapezoids**. They identify angles and specific types of triangles: **acute**,
2763 **obtuse**, **right**, **isosceles**, **equilateral** and **scalene**.

2764 ● In fifth grade, a greater degree of analysis is demanded as students describe and
2765 diagram the hierarchical relationships of properties among two-dimensional
2766 figures. For example, they verify that, based on properties, squares are a **sub-**
2767 **category** of rectangles.

2768 Research on the development of geometric thought describes a progression in the
2769 elementary grades from simple recognition of how a shape looks through analysis, and

2770 informal deduction. Progress is sequential; a child must work through each level to
2771 move to the next higher stage, and experiences rather than age determine when a child
2772 is ready to advance (Van de Walle et al., 2014, 246–361; Breyfogle and Lynch, 2010).
2773 Consequently, instruction at any grade must account for students who are progressing
2774 at various rates. Activities that have multiple entry points, call for hands-on, active
2775 learning, and invite student discourse enable all students to contribute and to advance
2776 their thinking. When justification of conclusions is an expectation in a classroom,
2777 students have opportunity to evaluate results and to recognize and to challenge claims
2778 that are not sufficiently supported by mathematical reasoning (SMP.3). The vignette,
2779 Polygon Properties Puzzles, in Chapter 10, Technology and Distance Learning in the
2780 Teaching of Mathematics, offers a glimpse into a classroom as grade four students
2781 apply mathematical practices (SMP.1, 3, 5, 6, 7) and show understanding of the
2782 properties of various polygons as they illustrate polygons and defend their reasoning.

2783 Overgeneralization of geometric ideas often occurs in these grades, as students attempt
2784 to integrate the new concepts with previous knowledge. For example, students may
2785 come to believe that all rectangles have two longer and two shorter pairs of parallel
2786 sides, and thus that squares are not rectangles. Or, that a triangle that is “tilted” is not a
2787 triangle (e.g., triangle a, below). Instruction must include examples of geometric figures
2788 in many orientations and with unusual dimensions (e.g., triangle b, trapezoid c, below).



2789
2790 Students need repeated opportunities to examine and discuss examples and non-
2791 examples to strengthen a concept.

2792 Possible tasks:



2793

- 2794 ● My friend said that this (shape above) was not a square: Is my friend right?
2795 Why/why not?
- 2796 ● Draw an example of a quadrilateral that is a parallelogram and another
2797 quadrilateral that is not a parallelogram. Explain why the second one is not a
2798 parallelogram.
- 2799 ● Cut two paper squares diagonally to create four congruent right triangles. Then,
2800 using the 4 triangles, how many different shapes can you make? We will use the
2801 rule that touching sides must be the same length. Draw each shape you made,
2802 and be ready to share and explain your thinking.
- 2803 ● On a page, using a straight edge, draw five lines, no two of which may be
2804 parallel. Convince your partner that your drawing matches the requirements
2805 (Sullivan and Lilburn, 2002).
- 2806 ● I drew a shape with four sides but none of the four sides were the same length.
2807 Draw what my shape might have looked like (Sullivan and Lilburn, 2002, 81).
2808 After drawing, plan to compare your shape with your partner's.
- 2809 ● A shape is made of two smaller shapes that are the same shape and the same
2810 size and that are not rectangles. What might the larger shape look like (Sullivan
2811 and Lilburn, 2002, 83)? Convince your group members that your shape fits the
2812 requirements. How many different shapes did your group find? How can we know
2813 if others are possible?

2814 When fifth-grade students organize two-dimensional shapes in a hierarchical structure,
2815 they are demonstrating the informal deduction stage of growth. At higher grade levels,
2816 students move to formal deduction and **rigor**.

2817 ***Vignette: Santikone Builds Rectangles to Find Area***

2818 **Grades:** 3, 4

2819 **Content Connections:** 2, Exploring Changing Quantities; 4, Discovering Shape and
2820 Space

2821 **Drivers of Investigation:** 1, Make Sense of the World; 3, Impact the Future

2822 **Concepts:** Measurement, area, perimeter, multiplication

2823 **SMPs:** SMP.2, 3, 5, 6

2824 Background:

2825 Santikone’s third-grade class is building understanding of the operations of
2826 multiplication and division and concepts of perimeter and area. Their teacher plans a
2827 two- to three-day lesson, knowing that these are pivotal concepts and that integrating
2828 multiple concepts in a meaningful context is more effective than addressing a single
2829 concept in isolation. Santikone, like many of their classmates, responds with
2830 excitement, is actively engaged, and retains learning well when their classroom tasks
2831 involve using math tools and allow students to approach problems in a variety of ways.
2832 For Santikone, working with an instructional aide is an additional tool to support their full
2833 participation in these activities.

2834 The teacher has chosen a task that addresses third grade measurement and area
2835 content while simultaneously calling on skills of multiplication and division. To conclude
2836 the lesson, each student will compose a paragraph explaining their reasoning.

2837 Classroom Narrative:

2838 Santikone and their instructional aide listen as the teacher, Ms. B, describes what the
2839 class will be doing.

2840 “Our challenge is to find all the ways to make a rectangle with a loop of string that
2841 is 36-inches long. Then we will make some decisions about what these
2842 rectangles could be used for, and which would be the best choices.”

2843 Ms. B asks the students to imagine what that would look like, and what part of the
2844 rectangles the string would represent. The teacher draws a rectangle on the board, and
2845 tells students to think about the line as if it were the string. After a few seconds, Ms. B
2846 asks children to talk to partners about what part of the rectangle the string represents.

2847 As the students discuss with their partners, Santikone and their instructional aide
2848 discuss a few ideas in preparation for the whole-class discussion: *it’s the outside of the*
2849 *rectangle; it’s the edge; it’s like a fence or maybe a wall.* The aide nudges Santikone to
2850 record their thinking and rehearse their contribution to the upcoming discussion.

2851 Ms. B opens the floor to the whole class and listens as children talk, and records their
2852 ideas, including Santikone's. The list includes *edge, side, outside, fence, area,*
2853 *perimeter, line.* In a short discussion, in which Ms. B reminds the students of their
2854 previous lesson about what they called the "outside" of a polygon, the class agrees that
2855 "perimeter" is the word that fits best, and that the class will be making rectangles with a
2856 perimeter of 36 inches (SMP.3, 6; 3.MD.D.8). Ms. B notes that the word "area"
2857 appeared in the list, and asks students to recall what they have previously learned
2858 about area. Ms. B reminds the class that they may find it useful to refer to the math wall
2859 (a large space on the wall where the class has posted definitions, drawings, and
2860 counter-examples of the shapes they have studied so far this year) in the classroom.
2861 During the lesson, Santikone's aide supports their shifts of attention to the word "area,"
2862 to the math wall, and so on.

2863 After a brief discussion, Ms. B tells the students that after they explore, finding
2864 rectangles with a perimeter of 36 inches, they will talk more about area.

2865 Ms. B continues, posting directions:

- 2866 1. Arrange the string to form rectangles along the grid lines on your paper.
- 2867 2. Draw each rectangle on the grid paper, recording length and width in inches
2868 along the sides (SMP.2, 5, 6; 3.MD.B.4).
- 2869 3. Talk with your group about how you know you have found all the possible
2870 rectangles (SMP.3, 6; 3.G.1).
- 2871 4. Bring your ideas to the class when we gather to share.

2872 Ms. B supplies each group with a large sheet of one-inch grid paper, rulers, and a string
2873 loop. Children gather paper, pencils, and markers they will use to record the rectangles
2874 they make and move to their work spaces.

2875 Independent Student Investigations:

2876 Santikone wonders whether it is possible to make many different rectangles (how
2877 many?) with the same string, and whether they will all have the same area. Upon joining
2878 their partners, Santikone immediately picks up the string and tries to make a rectangle
2879 on the grid paper. Santikone's aide joins the group and supports their interactions by
2880 asking peers to repeat what others have said, and making sure that Santikone both

2881 listens and is heard. When Santikone tries to form the corners and cannot hold the
2882 string still, a teammate volunteers to help. The group decides on a plan: each person
2883 will make one rectangle with a helper, and then they will pass the string to the next
2884 person so each person gets to build some of the rectangles. Another team member will
2885 draw the rectangle and record its dimensions on the grid paper.

2886 Santikone tries again to form a rectangle that is four inches wide. A partner helps by
2887 holding the string still at two corners while Santikone stretches the string to find that it
2888 makes a length of 14 inches. The team works together to draw this first rectangle, and
2889 they write down the dimensions.

2890 Work proceeds until the group is satisfied they have found all the possible rectangles.


2891 After the students have worked to find all the rectangles, Ms. B calls for attention. The
2892 teacher tells the class they get to continue the investigation, and directs them:

- 2893 ● Work with your group to find the *area* of each rectangle you found; record the
2894 area for each rectangle on your drawing (SMP.2,6; 3.MD.C.5, 6).
- 2895 ● Talk with your group about what each rectangle could represent in the world and
2896 be ready to share with the class (SMP.2,3; ELD P 10,11,12).

2897 Ms. B circulates as groups find the areas of the rectangles, noting strategies students
2898 use. Some count single unit squares, others count how many rows there are in the
2899 figure (e.g., four square inches in each row), and count by fours to find the total number
2900 of square inches. A few students make multiplication connections, such as “Well, there
2901 are four in each row and there are 14 rows, so isn’t that like a multiplication problem?”
2902 Ms. B hears a student say the area is like an **array**. Some students discuss whether
2903 they should count the 9 x 9 square they have drawn; they are debating whether a
2904 square is also a rectangle. Several students express surprise that there were so many
2905 rectangles possible and they all have the same perimeter, but not the same area.

2906 Ms. B reminds students to think and talk to each other about what each shape of
2907 rectangle might represent in the real world, and to get ready to share their discoveries
2908 and ideas. Ms. B circulates among the students, encouraging partners to practice out
2909 loud with each other what they will say to the class. Particularly attentive to language

2910 development, Ms. B pauses a few minutes to support all students, including English
2911 learners, in their efforts to express their thinking. During this final group work period, the
2912 teacher identifies a few groups' posters that represent different approaches and/or
2913 organizational methods; Ms B will invite students to present these samples to initiate the
2914 class discussion.



2915

2916 Team Presentation Session:

2917 Santikone is excited that Ms. B asked their group to share their poster and how they
2918 found the areas of their rectangles. The team members explain how they found each
2919 rectangle and report the areas, which they found by counting by 1s, 2s, 3s, up to 9s (the
2920 lengths of the rows they made).

2921 Another team shares their thinking; they figured out they could find areas by multiplying.
2922 A rectangle of width 1 inch had a length of 17, and there were 17 square inches in that
2923 area. They noticed that $1 \times 17 = 17$, and that meant they could multiply to find the area.

2924 A lively discussion develops regarding whether the 9 x 9-inch square should be included
2925 in the list of rectangles, and Ms. B welcomes this discussion of important grade level
2926 mathematics. Aware that students often need extra time to develop understanding of a
2927 square as a special example of the category of rectangles, the teacher asks teams to
2928 review their knowledge of what makes a rectangle, a topic they had discussed
2929 previously. The points included the following:

- 2930
- Rectangles have four sides.

- 2931 • Rectangles include square corners.
- 2932 • Rectangles have two sides across from each other that are the same lengths.

2933 Casey agrees, but says to include that rectangles have to have two long sides and two
2934 short sides. Sumira challenges: “Why do there have to be long sides and short sides? I
2935 thought when we talked before we said all the sides could be the same, like in a
2936 square.” Santikone walks to the math wall, and reviews the pictures and descriptions of
2937 “rectangle” and “square” posted. Santikone comes back, and excitedly tells Sumira they
2938 agree. With a few more minutes of discussion, the class comes to consensus and
2939 includes the 9 x 9-inch square rectangle in the list of nine possible rectangles with whole
2940 number length sides, and a perimeter of 36.

2941 Ms. B focuses attention on the questions of which rectangle has the greatest area, and
2942 which of the rectangles would be most useful at school, at home, or in the community,
2943 and why.

2944 Students talk a few moments about whether a “long, skinny” or a “shorter, wider”
2945 rectangle is better. When the class discussion resumes, Santikone comments that the 1
2946 x 17 rectangle is so long and skinny it would not be useful for many things, and wider
2947 ones are probably better for most things. Another student says that some of the
2948 rectangles look like they are the shape of a book or a door. Others describe how various
2949 rectangles could be the shape of a playground, a pool, a garden, or a sandbox. A
2950 number of students claim the rectangles that have the largest areas (the 8 x 10
2951 rectangle and the 9 x 9 square rectangle), would be the “best” for most things.

2952 Lesson Extension and Conclusion:

2953 Ms. B introduces the plan for students to write in their journals: they will explain why
2954 there are so many different rectangles that have the same perimeter, describe how they
2955 could use one of the rectangles to represent something real (dog run, pool, garden,
2956 etc.), and explain why they made that choice. Ms. B attends to the linguistically diverse
2957 students in the class and reminds them of the sentence frames they have found helpful
2958 in past lessons. Ms. B invites them to practice by sharing their responses with a partner
2959 and reading their written work aloud when they are finished.


2960 Santikone, having already decided that a pool would be the perfect way to use a
2961 rectangle, cheerfully explains this choice and illustrates a sunny day, blue sky, and a
2962 “long, medium-skinny” pool in the journal.

2963 **Critical Areas of Instructional Focus for Grades Three Through Five**

2964 The mathematics content across grades TK–12 progresses in accordance with the CA
2965 CCSSM principles of focus, coherence, and rigor. The Big Ideas network maps on the
2966 following pages highlight important and foundational content, shown as nodes, for each
2967 grade level. As students explore and investigate with the Big Ideas, they will likely
2968 encounter many different content standards and note the connections between them. In
2969 the network maps, the size of a node relates to the number of connections it has with
2970 other Big Ideas. The connections between Big Ideas are made when the two connected
2971 big ideas contain one or more of the same standards.

2972 The colors in the network nodes correspond to the colors used in the Content
2973 Connections, Big Ideas, and Standards tables, which indicate in more detail how grade
2974 level content standards can be addressed in the context of the CCs described in this
2975 Framework.

2976 **Figure 6.13. Grade 3 Big Ideas**



2977

2978 [Link to long description](#)


2979 **Figure 6.14: Grade 3 Content Connections, Big Ideas, and Standards**

Content Connection	Big Idea	Grade 3 Standards
Communicating Stories with Data	Represent Multivariable Data	MD.3, MD.4, MD.1, MD.2, NBT.1: Collect data and organize data sets, including measurement data; read and create bar graphs and pictographs to scale. Consider data sets that include three or more categories (multivariable data) for example, when I interact with my puppy, I either call her name, pet her, or give her a treat.

Content Connection	Big Idea	Grade 3 Standards
Communicating Stories with Data & Taking Wholes Apart, Putting Parts Together & Discovering Shape and Space	Fractions of Shape & Time	MD.1, NF.1, NF.2, NF.3, G.2: Collect data by time of day, show time using a data visualization. Think about fractions of time and of shape and space, expressing the base unit as a unit fraction of the whole.
Communicating Stories with Data	Measuring	MD.2, MD.4, NBT.1: Measure volume and mass, incorporating linear measures to draw and represent objects in two-dimensional space. Compare the measured objects, using line plots to display measurement data. Use rounding where appropriate.
Exploring Changing Quantities	Addition and Subtraction Patterns	NBT.2, , OA.8, OA.9, MD.1: Add and subtract within 1000 - Using student generated strategies and models, such as base 10 blocks. e.g., use expanded notation to illustrate place value and justify results. Investigate patterns in addition and multiplication tables, and use operations and color coding to generalize and justify findings.
Exploring Changing Quantities	Number Flexibility to 100	OA.1, OA.2, OA.3, OA.4, OA.5, OA.6, OA.7, OA.8, NBT.3, MD.7, NBT.1: Multiply and divide within 100 and justify answers using arrays and student generated visual representations. Encourage number sense and number flexibility - not “blind” memorization of number facts. Use estimation and rounding in number problems.
Taking Wholes Apart, Putting Parts Together	Square Tiles	MD.5, MD.6, MD.7, OA.7, NF.1: Use square tiles to measure the area of shapes, finding an area of n squared units, and learn that one square represents 1/nth of the total area.
Taking Wholes Apart, Putting Parts Together	Fractions as Relationships	NF.1, NF.3: Know that a fraction is a relationship between numerators and denominators – and it is important to consider the relationship in context. Understand why $1/2=2/4=3/6$.

Content Connection	Big Idea	Grade 3 Standards
Taking Wholes Apart, Putting Parts Together & Discovering Shape and Space	Unit Fraction Models	NF.2, NF.3, MD.1: Compare unit fractions using different visual models including linear models (e.g., number lines, tape measures, time, and clocks) and area models (e.g., shape diagrams encourage student justification with visual models).
Discovering Shape and Space	Analyze Quadrilaterals	MD.8, G.1, G.2, NBT.1, OA.8: Describe, analyze, and compare quadrilaterals. Explore the ways that area and perimeter change as side lengths change, by modeling real world problems. Use rounding strategies to approximate lengths where appropriate.

2980 **Figure 6.15: Grade 4 Big Ideas**



2981


2982 [Link to long description](#)

2983 **Figure 6.16: Grade 4 Content Connections, Big Ideas, and Standards**

Content Connection	Big Idea	Grade 4 Standards
Communicating Stories with Data	Measuring & Plotting	MD.1, MD.4, NF.1, NF.2: Collect data consisting of distance, intervals of time, volume, mass, or money. Read, interpret, and create line plots that communicate data stories where the line plot measurements consist of fractional units of measure. For example, create a line plot showing classroom or home objects measured to the nearest quarter inch.
Communicating Stories with Data	Rectangle Investigations	MD1, MD2, MD3, MD5, MD6: Investigate rectangles in the world, measuring lengths and angles, collecting the data, and displaying it using data visualizations.
Exploring Changing Quantities	Number & Shape Patterns	OA.5, OA.1, OA.2, NBT.4: Generalize number and shape patterns that follow a given rule. Communicate understanding of how the pattern changes in words, symbols, and diagrams - working with multi-digit numbers.
Exploring Changing Quantities	Factors & Area Models	OA.1, OA.2, OA.4, NBT.5, NBT.6: Break numbers inside of 100 into factors. Illustrate whole number multiplication and division calculations as area models and rectangular arrays that illustrate factors.
Exploring Changing Quantities	Multi-Digit Numbers	NBT.1, NBT.2, NBT 3, NBT.4, OA.1: Read and write multi-digit whole numbers in expanded form and express each number component of the expanded form as a multiple of a power of ten.
Taking Wholes Apart, Putting Parts Together	Fraction Flexibility	NF.3, NF.1, NF.4, NF.5, OA.1: Understand that addition and subtraction of fractions as joining and separating parts that are referring to the same whole. Decompose fractions and mixed numbers into unit fractions and whole numbers, and express mixed numbers as a sum of unit fractions.
Taking Wholes Apart, Putting Parts Together	Visual Fraction Models	NF.2, NF.1, NF.3, NF.5, NF.6, NF.7: Use different ways of seeing and visualizing fractions to compare fractions using student generated visual fraction models. Use >, < and = to compare fraction size, through linear and area models, and determine whether fractions are greater or less than benchmark numbers, such as $\frac{1}{2}$ and 1.

Content Connection	Big Idea	Grade 4 Standards
Taking Wholes Apart, Putting Parts Together & Discovering Shape and Space	Circles, Fractions & Decimals	NF.5, NF.6, NF.7, OA.1. MD2, MD5, MD7: Understand, compare, and visualize fractions expressed as decimals. Recognize fractions with denominators of 10 and 100, e.g., 25 cents can be written as 0.25 or 25/100. Connect a circle fraction model to the clock face. Example $3/10 + 4/100 = 30/100 + 4/100 = 34/100$
Discovering Shape and Space	Shapes & Symmetries	MD.5, MD.6, MD.7, G.1, G.2, G.3, NBT.3, NBT.4, Draw and identify shapes, looking at the relationships between rays, lines, and angles. Explore symmetry through folding activities.
Discovering Shape and Space	Connected Problem Solving	OA.3, MD.1, MD.2, OA2, MD.3, NBT.3 place value, NBT.4, NBT.5, NBT.6, OA.2, OA.3, G.3: Solve problems with perimeter, area, volume, distance, and symmetry, using operations and measurement.

2984 **Figure 6.17: Grade 5 Big Ideas**



2985

2986 [Link to long description](#)

2987 **Figure 6.18: Grade 5 Content Connections, Big Ideas, and Standards**

Content Connection	Big Idea	Grade 5 Standards
Communicating Stories with Data	Plotting Patterns	G.1, G.2, OA.3: MD.2, NF.7: Students generate and analyze patterns, plotting them on a line plot or coordinate plane, and use their graph to tell a story about the data. Some situations should include fraction and decimal measurements, such as a plant growing.

Content Connection	Big Idea	Grade 5 Standards
Communicating Stories with Data & Exploring Changing Quantities & Discovering Shape & Space	Telling a Data Story	G.1, G.2, OA.3: Understand a situation, graph the data to show patterns and relationships, and to help communicate the meaning of a real-world event.
Exploring Changing Quantities	Factors & Groups	OA.1, OA.2, MD.4, MD.5: Students use grouping symbols to express changing quantities and understand that a factor can represent the number of groups of the quantity.
Exploring Changing Quantities	Modeling	NBT.3, NBT.5, NBT.7, NF.1, NF.2, NF.3, NF.4, NF.5, NF.6, NF.7, MD.4, MD.5, OA.3: Set up a model and use whole, fraction, and decimal numbers and operations to solve a problem. Use concrete models and drawings and justify results.
Exploring Changing Quantities & Taking Wholes Apart, Putting Parts Together	Fraction connections	NF.1, NF.2, NF.3, NF.4, NF.5, NF.7, MD.2, NBT.3: Make and understand visual models, to show the effect of operations on fractions. Construct line plots from real data that include fractions of units.
Taking Wholes Apart, Putting Parts Together	Seeing Division	MD.3, MD.4, MD.5, NBT.4, NBT.6, NBT.7: Solve real problems that involve volume, area, and division, setting up models and creating visual representations. Some problems should include decimal numbers. Use rounding and estimation to check accuracy and justify results.
Taking Wholes Apart, Putting Parts Together	Powers and Place Value	NBT.3, NBT.2, NBT.1, OA.1, OA.2: Use whole number exponents to represent powers of 10. Use expanded notation to write decimal numbers to the thousandths place and connect decimal notation to fractional representations, where the denominator can be expressed in powers of 10.

Content Connection	Big Idea	Grade 5 Standards
Discovering Shape and Space	Layers of Cubes	MD.5, MD.4, MD.3, OA.1, MD.1: Students recognize volume as an attribute of three-dimensional space. They understand that a 1-unit by 1-unit by 1-unit cube is the standard unit for measuring volume. They decompose three-dimensional shapes and find volumes of right rectangular prisms by viewing them as decomposed into layers of arrays of cubes.
Discovering Shape & Space & Exploring Changing Quantities	Shapes on a Plane	G.1, G.2, G.3, G4, OA.3, NF.4, NF.5, NF.6: Graph 2-D shapes on a coordinate plane, notice and wonder about the properties of shapes, parallel and perpendicular lines, right angles, and equal length sides. Use tables to organize the coordinates of the vertices of the figures and study the changing quantities of the coordinates.

2988

2989 **Transition from Transitional Kindergarten Through Grade Five to**
2990 **Grades Six Through Eight**

2991 Similar to this chapter, Chapter 7: Mathematics: Investigating and Connecting, Grades
2992 Six Through Eight is organized around the same four Content Connections:

- 2993 • (CC1) Communicating Stories with Data
- 2994 • (CC2) Exploring Changing Quantities
- 2995 • (CC3) Taking Wholes Apart, Putting Parts Together
- 2996 • (CC4) Discovering Shape and Space

2997 The preparation in younger grades is essential for students' continued development in
2998 mathematics in every area of instruction in grades six through eight.

2999 **How does learning in transitional kindergarten through grade five lead**
3000 **to success in grades six through eight when students communicate**
3001 **stories told by data?**

3002 In the transitional kindergarten through grade five years, students gather, represent, and
3003 interpret data. Engagement and understanding are enhanced when the question under
3004 investigation is of interest and relevance to the students. The ability to analyze data
3005 developed in the elementary years is essential to students in grades six through eight
3006 as they focus on the importance of data as the source of most mathematical situations
3007 that students will encounter in their lives.

3008 **How does learning in grades transitional kindergarten through grade**
3009 **five lead to success in grades six through eight when students are**
3010 **exploring changing quantities?**

3011 Students in grades six through eight extend their understanding of number types to the
3012 set of rational numbers, which includes whole numbers, integers, fractions and
3013 decimals. They make connections among ratios, rates, and percentages, and use
3014 proportional reasoning to solve authentic problems. Whole number foundations are
3015 established in the primary grades, and fraction and decimal ideas are key elements of
3016 grades three through five. In grades six through eight, students deepen their
3017 understanding of fractions, especially division of fractions. When this concept is

3018 introduced with meaning in grade five, it enables students to succeed in later work.

3019 Students in grades six through eight work extensively with expressions and equations,
3020 and solve multi-step problems. This new content relies heavily on foundations
3021 developed in the youngest grades. Understanding of equality is evident when a
3022 kindergartener compares quantities of objects; a first or second grade student
3023 expresses a statement of equality with objects, verbally, or symbolically; a third, fourth,
3024 or fifth grade student finds and recognizes equivalent fractions or explains equivalence
3025 between a decimal and fractional value.

3026 **How does learning in grades transitional kindergarten through grade**
3027 **five lead to success in grades six through eight when students are**
3028 **taking numbers apart, putting parts together, representing thinking,**
3029 **and using strategies?**

3030 Throughout transitional kindergarten through grade five, emphasis is placed on students
3031 using objects and drawings to illustrate their ways of solving problems, describing their
3032 strategies verbally, and developing written methods that make sense within the context
3033 of a particular problem. Connections among various representations are an important
3034 feature of mathematical discourse, whether this occurs in a small group or a whole class
3035 setting.

3036 In grades six through eight, students build their ability and inclination to see connections
3037 between representations, and to base strategies on different representations in order to
3038 gain insight into problem situations. Their efforts to make connections in younger grades
3039 will support students as they build representations for, understanding of, and facility in
3040 working with ratios, proportions, and percents, and for the new category of rational
3041 number.

3042 **How does learning in grades transitional kindergarten through grade**
3043 **five lead to success in grades six through eight when students are**
3044 **discovering shape and space?**

3045 Developing mathematical tools to explore and understand the physical world should

3046 continue to motivate explorations in shape and space. As in other areas, maintaining
3047 connection to concrete situations and authentic questions is crucial.

3048 In transitional kindergarten through grade five, students use basic shapes and spatial
3049 reasoning to model objects in their environment to establish many foundational notions
3050 of two- and three-dimensional geometry. They develop concepts of area perimeter,
3051 angle measure, and volume. Shape and space work in grades six through eight is
3052 largely about connecting these notions to each other, to students' lives, and to other
3053 areas of mathematics.

3054 Developing mathematics for true understanding in transitional kindergarten through
3055 grade five is pivotal. Students who experience meaningful mathematics that makes
3056 sense to them during the elementary grades will be well-prepared to increase their
3057 mathematical understanding as they advance through middle school and high school.

3058 **Conclusion**

3059 This chapter envisions investigating and connecting the big ideas of mathematics in
3060 transitional kindergarten through grade five as a vibrant, interactive, student-centered
3061 endeavor. In an environment rich with opportunities for discourse and meaningful
3062 mathematics activities, curiosity and reasoning skills are nourished, and both teachers
3063 and students see themselves as thinkers and doers of mathematics. Careful discussion
3064 of mathematical ideas supports all learners, particularly English learners, as they
3065 acquire the language of mathematics. It is important to note that English learner
3066 students need additional support to develop the language, both to comprehend content
3067 and to express their ideas. Children experience enormous growth in maturity,
3068 reasoning, and conceptual understanding in the span of years from transitional
3069 kindergarten through fifth grade. Students who enter grade six viewing themselves as
3070 mathematically capable and who have gained an understanding of elementary
3071 mathematics are positioned for success in the middle school years. They will be
3072 empowered to make choices that will affect all their future mathematics, throughout their
3073 school years and beyond.

3074 Long Descriptions for Chapter 6

3075 Figure 6.1: Content Connections, Mathematical Practices and Drivers of Investigation

3076 Three Drivers of Investigation (DIs) provide the “why” of learning mathematics: Making
3077 Sense of the World (Understand and Explain); Predicting What Could Happen (Predict);
3078 Impacting the Future (Affect); The DIs overlay and pair with four categories of Content
3079 Connections (CCs), which provide the “how and what” mathematics (CA-CCSSM) is to
3080 be learned in an activity: Communicating stories with data; Exploring changing
3081 quantities; Taking wholes apart, putting parts together; Discovering shape and space.
3082 The DIs work with the Standards for Mathematical Practice to propel the learning of the
3083 ideas and actions framed in the CCs in ways that are coherent, focused, and rigorous.
3084 The Standards for Mathematical Practice are: Make sense of problems and persevere
3085 in solving them; Reason abstractly and quantitatively; Construct viable arguments and
3086 critique the reasoning of others; Model with mathematics; Use appropriate tools
3087 strategically; Attend to precision; Look for and make use of structure; Look for and
3088 express regularity in repeated reasoning. [Return to graphic.](#)

3089 Figure 6.3: Transitional Kindergarten Big Ideas

3090 The graphic illustrates the connections and relationships of some transitional-
3091 kindergarten mathematics concepts. Direct connections include:

- 3092 • Look for Patterns directly connects to: Create Patterns, Count to 10, Measure &
3093 Order, See & Use Shapes, Make & Measure Shapes
- 3094 • Make & Measure Shapes directly connects to: Look for Patterns, Create
3095 Patterns, Measure & Order, Shapes in Space, See & Use Shapes
- 3096 • See & Use Shapes directly connects to: Make & Measure Shapes, Look for
3097 Patterns, Measure & Order, Create Patterns, Count to 10, Shapes in Space
- 3098 • Shapes in Space directly connects to: See & Use Shapes, Make & Measure
3099 Shapes, Measure & Order, Create Patterns, Count to 10

- 3100 • Count to 10 directly connects to: Shapes in Space, See & Use Shapes, Measure
3101 & Order, Look for Patterns
- 3102 • Create Patterns directly connects to: Look for Patterns, Make & Measure
3103 Shapes, See & Use Shapes, Measure & Order, Shapes in Space
- 3104 • Measure & Order directly connects to: Look for Patterns, Make & Measure
3105 Shapes, See & Use Shapes, Shapes in Space, Count to 10, Create Patterns.
3106 [Return to graphic.](#)

3107 Figure 6.5: Kindergarten Big Ideas

3108 The graphic illustrates the connections and relationships of some kindergarten
3109 mathematics concepts. Direct connections include:

- 3110 • How Many directly connects to: Being flexible within 10, Shapes in the World,
3111 Sort and Describe Data, Bigger or Equal, Place and Position of Numbers
- 3112 • Model with Numbers directly connects to: Being flexible within 10, Sort and
3113 Describe Data, Place and Position of Numbers
- 3114 • Being Flexible within 10 directly connects to: Model with Numbers, How Many,
3115 Making Shapes from Parts, Shapes in the World
- 3116 • Shapes in the World directly connects to: Being flexible within 10, How Many,
3117 Sort and Describe Data, Bigger or Equal, Making Shapes from Parts
- 3118 • Making Shapes from Parts directly connects to: Shapes in the World, Being
3119 flexible within 10, Sort and Describe Data, Bigger or Equal
- 3120 • Bigger or Equal directly connects to: Making Shapes from Parts, Shapes in the
3121 World, Sort and Describe Data, How Many
- 3122 • Place and Position of Numbers directly connects to: How Many, Model with
3123 Numbers, Sort and Describe Data

- 3124 • Sort and Describe Data directly connects to: How Many, Model with Numbers,
3125 Shapes in the World, Making Shapes from Parts, Bigger or Equal, Place and
3126 Position of Numbers. [Return to graphic.](#)

3127 Figure 6.7: Grade 1 Big Ideas

3128 The graphic illustrates the connections and relationships of some first-grade
3129 mathematics concepts. Direct connections include:

- 3130 • Clocks & Time directly connects to: Equal Parts Inside Shapes, Reasoning About
3131 Equality, Make Sense of Data, Tens & Ones
- 3132 • Equal Expressions directly connects to: Reasoning About Equality, Make Sense
3133 of Data, Tens & Ones, Measuring with Objects
- 3134 • Reasoning About Equality directly connects to: Equal Expressions, Clocks &
3135 Time, Make Sense of Data, Tens & Ones
- 3136 • Tens & Ones directly connects to: Reasoning About Equality, Make Sense of
3137 Data, Equal Expressions, Clocks & Time
- 3138 • Measuring with Objects directly connects to: Equal Expressions, Make Sense of
3139 Data
- 3140 • Equal Parts Inside Shapes directly connects to: Clocks & Time, Make Sense of
3141 Data
- 3142 • Make Sense of Data directly connects to: Reasoning About Equality, Tens &
3143 Ones, Measuring with Objects, Clocks & Time, Equal Expressions, Equal Parts
3144 Inside Shapes. [Return to graphic.](#)

3145 Figure 6.9: Grade 2 Big Ideas

3146 The graphic illustrates the connections and relationships of some second-grade
3147 mathematics concepts. Direct connections include:

- 3148 • Dollars & Cents directly connects to: Problems Solving with Measure, Skip
3149 Counting to 100, Number Strategies, Represent Data
- 3150 • Problems Solving with Measure directly connects to: Skip Counting to 100,
3151 Number Strategies, Represent Data, Measure and Compare Objects, Dollars &
3152 Cents
- 3153 • Skip Counting to 100 directly connects to: Number Strategies, Seeing Fractions
3154 in Shapes, Squares in an Array, Represent Data, Dollars & Cents, Problems
3155 Solving with Measure
- 3156 • Number Strategies directly connects to: Skip Counting to 100, Problems Solving
3157 with Measure, Dollars & Cents, Represent Data
- 3158 • Seeing Fractions in Shapes directly connects to: Skip Counting to 100,
3159 Represent Data, Squares in an Array
- 3160 • Squares in an Array directly connects to: Seeing Fractions in Shapes, Skip
3161 Counting to 100, Represent Data, Measure and Compare Objects
- 3162 • Measure and Compare Objects directly connects to: Squares in an Array,
3163 Represent Data, Problems Solving with Measure
- 3164 • Represent Data directly connects to: Measure and Compare Objects, Dollar &
3165 Cents, Problems Solving with Measure, Skip Counting to 100, Number
3166 Strategies, Seeing Fractions in Shapes, Squares in an Array. [Return to graphic.](#)

3167 Figure 6.11: Content Connections, Mathematical Practices and Drivers of Investigation
3168 Three Drivers of Investigation (DIs) provide the “why” of learning mathematics: Making
3169 Sense of the World (Understand and Explain); Predicting What Could Happen (Predict);
3170 Impacting the Future (Affect); The DIs overlay and pair with four categories of Content
3171 Connections (CCs), which provide the “how and what” mathematics (CA-CCSSM) is to
3172 be learned in an activity: Communicating stories with data; Exploring changing
3173 quantities; Taking wholes apart, putting parts together; Discovering shape and space.
3174 The DIs work with the Standards for Mathematical Practice to propel the learning of the

3175 ideas and actions framed in the CCs in ways that are coherent, focused, and rigorous.
3176 The Standards for Mathematical Practice are: Make sense of problems and persevere
3177 in solving them; Reason abstractly and quantitatively; Construct viable arguments and
3178 critique the reasoning of others; Model with mathematics; Use appropriate tools
3179 strategically; Attend to precision; Look for and make use of structure; Look for and
3180 express regularity in repeated reasoning. [Return to graphic.](#)

3181 Figure 6.13. Grade 3 Big Ideas

3182 The graphic illustrates the connections and relationships of some third-grade
3183 mathematics concepts. Direct connections include:

- 3184 • Fractions of Shape & Time directly connects to: Square Tiles, Fractions as
3185 Relationships, Unit Fractions Models, Represent Multivariable Data
- 3186 • Measuring directly connects to: Number Flexibility to 100, Analyze Quadrilaterals,
3187 Represent Multivariable Data
- 3188 • Addition and Subtraction Patterns directly connects to: Number Flexibility to 100,
3189 Unit Fraction Models, Analyze Quadrilaterals, Represent Multivariable Data
- 3190 • Square Tiles directly connects to: Fractions as Relationships, Number Flexibility
3191 to 100, Fractions of Shape & Time
- 3192 • Fractions as Relationships directly connects to: Square Tiles, Fractions of Shape
3193 & Time, Unit Fraction Models
- 3194 • Unit Fraction Models directly connects to: Fractions as Relationships, Addition
3195 and Subtraction Patterns, Fractions of Shape & Time, Represent Multivariable
3196 Data
- 3197 • Analyze Quadrilaterals directly connects to: Number Flexibility to 100, Addition
3198 and Subtraction Patterns, Measuring

3199 • Represent Multivariable Data directly connects to: Unit Fraction Models, Number
3200 Flexibility to 100, Addition and Subtraction Patterns, Measuring, Fractions of
3201 Shape & Time

3202 • Number Flexibility to 100 directly connects to: Square Tiles, Analyze
3203 Quadrilaterals, Represent Multivariable Data, Measuring, Addition and
3204 Subtraction Patterns. [Return to graphic](#).

3205 Figure 6.15: Grade 4 Big Ideas

3206 The graphic illustrates the connections and relationships of some fourth-grade
3207 mathematics concepts. Direct connections include:

3208 • Number & Shape Patterns directly connects to: Shapes & Symmetries,
3209 Connected Problem Solving, Circles Fractions & Decimals, Factors & Area
3210 Models, Fraction Flexibility, Multi-Digit Numbers

3211 • Shapes & Symmetries directly connects to: Connected Problem Solving, Circles
3212 Fractions & Decimals, Multi-Digit Numbers, Number & Shape Patterns

3213 • Rectangle Investigations directly connects to: Connected Problem Solving,
3214 Measuring & Plotting, Circles Fractions & Decimals

3215 • Connected Problem Solving directly connects to: Rectangle Investigations,
3216 Shapes & Symmetries, Number & Shapes Patterns, Multi-Digit Numbers, Circles
3217 Fractions & Decimals, Factors & Area Models, Measuring & Plotting

3218 • Measuring & Plotting directly connects to: Connected Problem Solving,
3219 Rectangle Investigations, Visual Fraction Models

3220 • Visual Fraction Models directly connects to: Measuring & Plotting, Circles
3221 Fractions & Decimals, Fraction Flexibility

- 3222 • Factors & Area Models directly connects to: Connected Problem Solving, Circles
- 3223 Fractions & Decimals, Number & Shape Patterns, Multi-Digit Numbers, Fraction
- 3224 Flexibility

- 3225 • Fraction Flexibility directly connects to: Factors & Area Models, Circles Fractions
- 3226 & Decimals, Number & Shape Patterns, Multi-Digit Numbers

- 3227 • Multi-Digit Numbers directly connects to: Number & Shape Patterns, Shapes &
- 3228 Symmetries, Connected Problem Solving, Circles Fractions & Decimals, Factors
- 3229 & Area Models, Fraction Flexibility

- 3230 • Circles Fractions & Decimals directly connects to: Multi-Digit Numbers, Number
- 3231 & Shape Patterns, Shapes & Symmetries, Rectangle Investigations, Connected
- 3232 Problem Solving, Visual Fraction Models, Factors & Area Models, Fraction
- 3233 Flexibility. [Return to graphic.](#)

3234 Figure 6.17: Grade 5 Big Ideas

3235 The graphic illustrates the connections and relationships of some fifth-grade
 3236 mathematics concepts. Direct connections include:

- 3237 • Factors & Groups directly connects to: Powers & Place Values, Layers of Cubes,
- 3238 Modeling, Seeing Division

- 3239 • Shapes on a Plane directly connects to: Telling a Data Story, Modeling, Plotting
- 3240 Patterns

- 3241 • Powers & Place Value directly connects to: Layers of Cubes, Fraction
- 3242 Connections, Modeling, Factors & Groups

- 3243 • Layers of Cubes directly connects to: Powers & Place Value, Factors & Groups,
- 3244 Modeling, Seeing Division

- 3245 • Telling a Data Story directly connects to: Shapes on a Plane, Modeling, Plotting
- 3246 Patterns

- 3247 • Seeing Division directly connects to: Layers of Cubes, Modeling, Factors &
3248 Groups

- 3249 • Plotting Patterns directly connects to: Telling a Data Story, Modeling, Fraction
3250 Connections, Shapes on a Plane

- 3251 • Fraction Connections directly connects to: Powers & Place Value, Modeling,
3252 Plotting Patterns

- 3253 • Modeling directly connects to: Plotting Patterns, Factors & Groups, Shapes on a
3254 Plane, Powers & Place Value, Fraction Connections, Layers of Cubes, Telling a
3255 Data Story, Seeing Division. [Return to graphic.](#)

California Department of Education, March 2022